
SAMSON RESOURCES CORP - EBUS

S. Ute 32-7-9 #6

La Plata County , Colorado

Cement Surface Casing
14-Jul-2010

Post Job Documents

The Road to Excellence Starts with Safety

Sold To #: 345114	Ship To #: 2603398	Quote #:	Sales Order #: 7498709
Customer: SAMSON RESOURCES CORP - EBUS	Customer Rep: Dennison, Fred		
Well Name: S. Ute 32-7-9	Well #: 6	API/UWI #:	
Field:	City (SAP): IGNACIO	County/Parish: La Plata	State: Colorado
Contractor: H & P	Rig/Platform Name/Num: H & P 292		
Job Purpose: Cement Surface Casing			
Well Type: Development Well	Job Type: Cement Surface Casing		
Sales Person: KIDDOO, JUSTIN	Srvc Supervisor: FEUERBORN, JOHN	MBU ID Emp #:	381677

Job Personnel

HES Emp Name	Exp Hrs	Emp #	HES Emp Name	Exp Hrs	Emp #	HES Emp Name	Exp Hrs	Emp #
ANGLESTEIN, TROY Edward WM		436099	FEUERBORN, JOHN William		381677	JONES, DAVID Michael		409749
KEERAN, RYAN		0						

Equipment

HES Unit #	Distance-1 way	HES Unit #	Distance-1 way	HES Unit #	Distance-1 way	HES Unit #	Distance-1 way
10025040	50 mile	10871245	50 mile	10897849	50 mile	11259884	50 mile
11360881	50 mile						

Job Hours

Date	On Location Hours	Operating Hours	Date	On Location Hours	Operating Hours	Date	On Location Hours	Operating Hours

TOTAL Total is the sum of each column separately

Job

Job Times

Formation Name					Date					Time		Time Zone			
Formation Depth (MD)		Top			Bottom			Called Out		13 - Jul - 2010		19:00		CST	
Form Type				BHST				On Location		13 - Jul - 2010		23:45		CST	
Job depth MD		350. ft		Job Depth TVD		350. ft		Job Started		14 - Jul - 2010		02:36		CST	
Water Depth				Wk Ht Above Floor		5. ft		Job Completed		14 - Jul - 2010		03:12		CST	
Perforation Depth (MD)		From			To			Departed Loc							

Well Data

Description	New / Used	Max pressure psig	Size in	ID in	Weight lbm/ft	Thread	Grade	Top MD ft	Bottom MD ft	Top TVD ft	Bottom TVD ft
12 1/4" Open Hole				12.25					350.		
8 5/8" Surface Casing	Unknown		8.625	7.921	32.				350.		

Sales/Rental/3rd Party (HES)

Description	Qty	Qty uom	Depth	Supplier
PLUG,CMTG,TOP,8 5/8,HWE,7.20 MIN/8.09 MA	1	EA		

Tools and Accessories

Type	Size	Qty	Make	Depth	Type	Size	Qty	Make	Depth	Type	Size	Qty	Make
Guide Shoe					Packer					Top Plug			
Float Shoe					Bridge Plug					Bottom Plug			
Float Collar					Retainer					SSR plug set			
Insert Float										Plug Container			
Stage Tool										Centralizers			

Miscellaneous Materials

Gelling Agt	Conc	Surfactant	Conc	Acid Type	Qty	Conc	%
Treatment Fld	Conc	Inhibitor	Conc	Sand Type	Size	Qty	

Fluid Data										
Stage/Plug #: 1										
Fluid #	Stage Type	Fluid Name	Qty	Qty uom	Mixing Density lbm/gal	Yield ft ³ /sk	Mix Fluid Gal/sk	Rate bbl/min	Total Mix Fluid Gal/sk	
1	Water Spacer		0.00	bbl	8.3	.0	.0	4.0		
2	Surface Cement	CMT - PREMIUM - CLASS G, 94 LB SK (100003685)		sacks	15.8	1.17	5.0	4.0	5.0	
	94 lbm	CMT - PREMIUM - CLASS G REG OR TYPE V, BULK (100003685)								
	2 %	CALCIUM CHLORIDE - HI TEST PELLET (100005053)								
	0.125 lbm	POLY-E-FLAKE (101216940)								
	4.998 Gal	FRESH WATER								
3	Water Displacement			bbl	8.3	.0	.0	4.0		
Calculated Values		Pressures		Volumes						
Displacement		Shut In: Instant		Lost Returns		Cement Slurry		Pad		
Top Of Cement		5 Min		Cement Returns		Actual Displacement		Treatment		
Frac Gradient		15 Min		Spacers		Load and Breakdown		Total Job		
Rates										
Circulating		Mixing		Displacement		Avg. Job				
Cement Left In Pipe	Amount	42 ft	Reason	Shoe Joint						
Frac Ring # 1 @	ID	Frac ring # 2 @	ID	Frac Ring # 3 @	ID	Frac Ring # 4 @	ID			
The Information Stated Herein Is Correct				Customer Representative Signature						