

EnCana Corporation

Planning Report - Geographic

Database:	EDM	Local Co-ordinate Reference:	Well Goltl 6-8-26
Company:	DJ/Paradox/WTX	TVD Reference:	WELL @ 5183.0ft (Original Well Elev)
Project:	Wattenberg	MD Reference:	WELL @ 5183.0ft (Original Well Elev)
Site:	New Drills	North Reference:	True
Well:	Goltl 6-8-26	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Goltl 6-8-26		

Project	Wattenberg,		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		

Site		New Drills				
Site Position:		Northing:	1,278,589.08ft	Latitude:	40° 5' 49.848 N	
From:	Lat/Long	Easting:	3,130,247.44ft	Longitude:	105° 2' 3.912 W	
Position Uncertainty:		ft	Slot Radius:	in	Grid Convergence:	0.30 °

Well	Goltl 6-8-26					
Well Position	+N-S	-29,000.5 ft	Northing:	1,249,706.88 ft	Latitude:	40° 1' 3.324 N
	+E-W	19,496.1 ft	Easting:	3,149,918.22 ft	Longitude:	104° 57' 53.028 W
Position Uncertainty		ft	Wellhead Elevation:	ft	Ground Level:	5,170.0 ft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF200510	12/31/2009	9.09	66.76	53,078

Design	Goltl 6-8-26				
Audit Notes:					
Version:	Phase:	PROTOTYPE		Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.0	0.0	0.0	198.75	

Plan Sections										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,050.0	0.00	0.00	1,050.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,533.6	9.67	198.75	1,531.3	-38.6	-13.1	2.00	2.00	0.00	198.75	
6,910.4	9.67	198.75	6,831.7	-894.0	-303.4	0.00	0.00	0.00	0.00	
7,394.0	0.00	0.00	7,313.0	-932.5	-316.5	2.00	-2.00	0.00	180.00	
8,644.0	0.00	0.00	8,563.0	-932.5	-316.5	0.00	0.00	0.00	0.00	Goltl 6-8-26

EnCana Corporation

Planning Report - Geographic


Database:	EDM	Local Co-ordinate Reference:	Well Goltl 6-8-26
Company:	DJ/Paradox/WTX	TVD Reference:	WELL @ 5183.0ft (Original Well Elev)
Project:	Wattenberg	MD Reference:	WELL @ 5183.0ft (Original Well Elev)
Site:	New Drills	North Reference:	True
Well:	Goltl 6-8-26	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Goltl 6-8-26		

Planned Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Map Northing (ft)	Map Easting (ft)	Latitude	Longitude	
0.0	0.00	0.00	0.0	0.0	0.0	1,249,706.88	3,149,918.22	40° 1' 3.324 N	104° 57' 53.028 W	
1,000.0	0.00	0.00	1,000.0	0.0	0.0	1,249,706.88	3,149,918.22	40° 1' 3.324 N	104° 57' 53.028 W	
Surface										
1,050.0	0.00	0.00	1,050.0	0.0	0.0	1,249,706.88	3,149,918.22	40° 1' 3.324 N	104° 57' 53.028 W	
1,533.6	9.67	198.75	1,531.3	-38.6	-13.1	1,249,668.25	3,149,905.37	40° 1' 2.943 N	104° 57' 53.196 W	
4,878.8	9.67	198.75	4,829.0	-570.8	-193.7	1,249,134.96	3,149,727.95	40° 0' 57.683 N	104° 57' 55.518 W	
Sussex										
5,493.6	9.67	198.75	5,435.0	-668.6	-226.9	1,249,036.96	3,149,695.35	40° 0' 56.717 N	104° 57' 55.945 W	
Shannon										
6,910.4	9.67	198.75	6,831.7	-894.0	-303.4	1,248,811.10	3,149,620.21	40° 0' 54.489 N	104° 57' 56.928 W	
7,394.0	0.00	0.00	7,313.0	-932.5	-316.5	1,248,772.46	3,149,607.36	40° 0' 54.108 N	104° 57' 57.096 W	
7,629.0	0.00	0.00	7,548.0	-932.5	-316.5	1,248,772.46	3,149,607.36	40° 0' 54.108 N	104° 57' 57.096 W	
Niobrara										
8,064.0	0.00	0.00	7,983.0	-932.5	-316.5	1,248,772.46	3,149,607.36	40° 0' 54.108 N	104° 57' 57.096 W	
Codell										
8,494.0	0.00	0.00	8,413.0	-932.5	-316.5	1,248,772.46	3,149,607.36	40° 0' 54.108 N	104° 57' 57.096 W	
J Sand										
8,547.0	0.00	0.00	8,466.0	-932.5	-316.5	1,248,772.46	3,149,607.36	40° 0' 54.108 N	104° 57' 57.096 W	
A Marker										
8,644.0	0.00	0.00	8,563.0	-932.5	-316.5	1,248,772.46	3,149,607.36	40° 0' 54.108 N	104° 57' 57.096 W	
Production - Goltl 6-8-26										


Design Targets										
Target Name	Dip Angle (°)	Dip Dir. (°)	TVD (ft)	+N/-S (ft)	+E/-W (ft)	Northing (ft)	Easting (ft)	Latitude	Longitude	
- hit/miss target										
- Shape										
Goltl 6-8-26	0.00	0.00	8,563.0	-932.5	-316.5	1,248,772.46	3,149,607.36	40° 0' 54.108 N	104° 57' 57.096 W	
- plan hits target										
- Point										

Casing Points					
Measured Depth (ft)	Vertical Depth (ft)	Name	Casing Diameter (in)	Hole Diameter (in)	
1,000.0	1,000.0	Surface	8.625	12.250	
8,644.0	8,563.0	Production	4.500	7.785	

Formations						
Measured Depth (ft)	Vertical Depth (ft)	Name	Lithology	Dip (°)	Dip Direction (°)	
4,878.8	4,829.0	Sussex		0.00		
5,493.6	5,435.0	Shannon		0.00		
7,629.0	7,548.0	Niobrara		0.00		
8,064.0	7,983.0	Codell		0.00		
8,494.0	8,413.0	J Sand		0.00		
8,547.0	8,466.0	A Marker		0.00		



REFERENCE INFORMATION										
Co-ordinate (N/E) Reference: Well Goltl 6-8-26, True North										
Vertical (TVD) Reference: WELL @ 5183.0ft (Original Well Elev)										
Section (VS) Reference: Slot - (0.0N, 0.0E)										
Measured Depth Reference: WELL @ 5183.0ft (Original Well Elev)										
Calculation Method:										
WELL DETAILS: Goltl 6-8-26										
Ground Level: 5170.0										
+N/-S	+E/-W	Northing	Easting	Latitude	Longitude	Slot				
SECTION DETAILS										
Sec	MD	Inc	Azi	TVD	+N/-S	+E/-W	DLeg	TFace	VSec	Target
1	0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.0	
2	1050.0	0.00	0.00	1050.0	0.0	0.0	0.00	0.00	0.0	
3	1533.6	9.67	198.75	1531.3	-38.6	-13.1	2.00	198.75	40.7	
4	6910.4	9.67	198.75	6831.7	-894.0	-303.4	0.00	0.00	944.1	
5	7394.0	0.00	0.00	7313.0	-932.5	-316.5	2.00	180.00	984.8	
6	8644.0	0.00	0.00	8563.0	-932.5	-316.5	0.00	0.00	984.8	Goltl 6-8-26



FORMATION TOP DETAILS		
TVDPath	MDPath	Formation
4829.0	4878.8	Sussex
5435.0	5493.6	Shannon
7548.0	7629.0	Niobrara
7983.0	8064.0	Codell
8413.0	8494.0	J Sand
8466.0	8547.0	A Marker

CASING DETAILS			
TVD	MD	Name	Size
1000.0	1000.0	Surface	8.625
8563.0	8644.0	Production	4.500