

P&A Procedure for the N Parachute EF12C-20 C29 595

Encana Oil and Gas

29-5S-95W Garfield County, Colo.

20" @160' TOC at Surface

9 5/8" @ 2,753' TOC at Surface

PBTD at surface casing shoe, well never finished

MIRU, NDWH, NUBOP

RIH with work string to TD

Set 40 sxs of cement (105' in 9 5/8")

POH, NDBOP

RIH to 100' circulate cement to surface

Cut off the wellhead

Top off cement if necessary in annulus

Weld a plate with well information, RDMO

All cement is 15.8# class G neat with a 1.15 cuft/sack yield

Well Name: N Parachute EF12C-20 C29 595

API #: 05045155510000

Location: Sec. 29-5S-95W

KB: 7,030 (20' AGL)


GL: 7,010'

County/St: Garfield, CO

Created By: T. Gallagher

Date: 7/27/2012

Current Wellbore



30" Hole
20" Conductor set @ 160'
Cemented to surface



12-1/4" Hole
9-5/8", 36#, J-55 csg set @ 2,753'
Cemented to surface w/ 629 sx

Well Name: N Parachute EF12C-20 C29 595

API #: 05045155510000

Location: Sec. 29-5S-95W

KB: 7,030 (20' AGL)

GL: 7,010'

County/St: Garfield, CO

Created By: T. Gallagher

Date: 7/27/2012

Proposed Wellbore

