


| REFERENCE INFORMATION | | | | | | | | | | |
|----------------------------------------------------------------|--------|------------|---------|---------------|--------|----------|---------|-----------|--------|------------------|
| Co-ordinate (N/E) Reference: Well Rasmussen 4-4-28, True North | | | | | | | | | | |
| Vertical (TVD) Reference: WELL @ 4948.0ft (Original Well Elev) | | | | | | | | | | |
| Section (VS) Reference: Slot - (0.0N, 0.0E) | | | | | | | | | | |
| Measured Depth Reference: WELL @ 4948.0ft (Original Well Elev) | | | | | | | | | | |
| Calculation Method: | | | | | | | | | | |
| | | | | | | | | | | |
| WELL DETAILS: Rasmussen 4-4-28 | | | | | | | | | | |
| | | | | | | | | | | |
| +N/-S | +E/-W | Northing | | Ground Level: | | 4935.0 | | Longitude | | Slot |
| 0.0 | 0.0 | 1283840.24 | Easting | 3136683.73 | 40° 6' | 41.400 N | 105° 0' | 40.716 W | | |
| | | | | | | | | | | |
| SECTION DETAILS | | | | | | | | | | |
| Sec | MD | Inc | Azi | TVD | +N/-S | +E/-W | DLeg | TFace | VSec | Target |
| 1 | 0.0 | 0.00 | 0.00 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.0 | Rasmussen 4-4-28 |
| 2 | 850.0 | 0.00 | 0.00 | 850.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.0 | |
| 3 | 1360.0 | 10.20 | 128.42 | 1357.3 | -28.1 | 35.5 | 2.00 | 128.42 | 45.3 | |
| 4 | 6674.3 | 10.20 | 128.42 | 6587.7 | -613.0 | 772.9 | 0.00 | 0.00 | 986.4 | |
| 5 | 7184.4 | 0.00 | 0.00 | 7095.0 | -641.1 | 808.3 | 2.00 | 180.00 | 1031.7 | |
| 6 | 8234.4 | 0.00 | 0.00 | 8145.0 | -641.1 | 808.3 | 0.00 | 0.00 | 1031.7 | |



| FORMATION TOP DETAILS | | | |
|-----------------------|--------|------------|-------|
| TVDPath | MDPath | Formation | |
| 4393.0 | 4444.4 | Sussex | |
| 4898.0 | 4957.6 | Shannon | |
| 7343.0 | 7432.4 | Niobrara | |
| 7584.0 | 7673.4 | Codell | |
| 7995.0 | 8084.4 | J Sand | |
| 8043.0 | 8132.4 | A Marker | |
| | | | |
| CASING DETAILS | | | |
| TVD | MD | Name | Size |
| 800.0 | 800.0 | Surface | 8.625 |
| 8145.0 | 8234.4 | Production | 4.500 |

EnCana Corporation
Planning Report - Geographic

| | | | |
|------------------|------------------|-------------------------------------|--------------------------------------|
| Database: | EDM | Local Co-ordinate Reference: | Well Rasmussen 4-4-28 |
| Company: | DJ/Paradox/WTX | TVD Reference: | WELL @ 4948.0ft (Original Well Elev) |
| Project: | Wattenberg | MD Reference: | WELL @ 4948.0ft (Original Well Elev) |
| Site: | New Drills | North Reference: | True |
| Well: | Rasmussen 4-4-28 | Survey Calculation Method: | Minimum Curvature |
| Wellbore: | Wellbore #1 | | |
| Design: | Rasmussen 4-4-28 | | |

| | | | |
|--------------------|---------------------------|----------------------|----------------|
| Project | Wattenberg, | | |
| Map System: | US State Plane 1983 | System Datum: | Mean Sea Level |
| Geo Datum: | North American Datum 1983 | | |
| Map Zone: | Colorado Northern Zone | | |

| Site | | New Drills | | | | |
|-----------------------|----------|------------|-----------------|------------|-------------------|--------|
| Site Position: | | Northing: | 1,252,450.66 ft | Latitude: | 40° 1' 32.016 N | |
| From: | Lat/Long | Easting: | 3,120,627.66 ft | Longitude: | 105° 4' 9.336 W | |
| Position Uncertainty: | | ft | Slot Radius: | in | Grid Convergence: | 0.28 ° |

| Well | | Rasmussen 4-4-28 | | | | |
|----------------------|-------|------------------|---------------------|-----------------|---------------|------------------|
| Well Position | +N/-S | 31,300.7 ft | Northing: | 1,283,840.24 ft | Latitude: | 40° 6' 41.400 N |
| | +E/-W | 16,228.8 ft | Easting: | 3,136,683.73 ft | Longitude: | 105° 0' 40.716 W |
| Position Uncertainty | | ft | Wellhead Elevation: | ft | Ground Level: | 4,935.0 ft |

| | | | | | |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| Wellbore | Wellbore #1 | | | | |
| Magnetics | Model Name | Sample Date | Declination (°) | Dip Angle (°) | Field Strength (nT) |
| | IGRF200510 | 12/31/2009 | 9.13 | 66.83 | 53,125 |

| | | | | |
|--------------------------|-------------------------|--------------|----------------------|------------------|
| Design | Rasmussen 4-4-28 | | | |
| Audit Notes: | | | | |
| Version: | Phase: | PROTOTYPE | Tie On Depth: | 0.0 |
| Vertical Section: | Depth From (TVD) | +N/-S | +E/-W | Direction |
| | (ft) | (ft) | (ft) | (°) |
| | 0.0 | 0.0 | 0.0 | 128.42 |

| | | | | | | | | | | |
|-----------------------|--------------------|----------------|-----------------------|--------------|--------------|--------------------|-------------------|------------------|------------|------------------|
| Plan Sections | | | | | | | | | | |
| Measured Depth | Inclination | Azimuth | Vertical Depth | +N/-S | +E/-W | Dogleg Rate | Build Rate | Turn Rate | TFO | Target |
| (ft) | (°) | (°) | (ft) | (ft) | (ft) | (°/100ft) | (°/100ft) | (°/100ft) | (°) | |
| 0.0 | 0.00 | 0.00 | 0.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 850.0 | 0.00 | 0.00 | 850.0 | 0.0 | 0.0 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 1,360.0 | 10.20 | 128.42 | 1,357.3 | -28.1 | 35.5 | 2.00 | 2.00 | 0.00 | 128.42 | |
| 6,674.3 | 10.20 | 128.42 | 6,587.7 | -613.0 | 772.9 | 0.00 | 0.00 | 0.00 | 0.00 | |
| 7,184.4 | 0.00 | 0.00 | 7,095.0 | -641.1 | 808.3 | 2.00 | -2.00 | 0.00 | 180.00 | |
| 8,234.4 | 0.00 | 0.00 | 8,145.0 | -641.1 | 808.3 | 0.00 | 0.00 | 0.00 | 0.00 | Rasmussen 4-4-28 |

EnCana Corporation
Planning Report - Geographic

| | | | |
|------------------|------------------|-------------------------------------|--------------------------------------|
| Database: | EDM | Local Co-ordinate Reference: | Well Rasmussen 4-4-28 |
| Company: | DJ/Paradox/WTX | TVD Reference: | WELL @ 4948.0ft (Original Well Elev) |
| Project: | Wattenberg | MD Reference: | WELL @ 4948.0ft (Original Well Elev) |
| Site: | New Drills | North Reference: | True |
| Well: | Rasmussen 4-4-28 | Survey Calculation Method: | Minimum Curvature |
| Wellbore: | Wellbore #1 | | |
| Design: | Rasmussen 4-4-28 | | |

| Planned Survey | | | | | | | | | | |
|-------------------------------|--------------------|----------------|---------------------------|---------------|---------------|-------------------------|------------------------|-----------------|------------------|--|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Map Northing (ft) | Map Easting (ft) | Latitude | Longitude | |
| 0.0 | 0.00 | 0.00 | 0.0 | 0.0 | 0.0 | 1,283,840.24 | 3,136,683.73 | 40° 6' 41.400 N | 105° 0' 40.716 W | |
| 800.0 | 0.00 | 0.00 | 800.0 | 0.0 | 0.0 | 1,283,840.24 | 3,136,683.73 | 40° 6' 41.400 N | 105° 0' 40.716 W | |
| Surface | | | | | | | | | | |
| 850.0 | 0.00 | 0.00 | 850.0 | 0.0 | 0.0 | 1,283,840.24 | 3,136,683.73 | 40° 6' 41.400 N | 105° 0' 40.716 W | |
| 1,360.0 | 10.20 | 128.42 | 1,357.3 | -28.1 | 35.5 | 1,283,812.30 | 3,136,719.36 | 40° 6' 41.122 N | 105° 0' 40.259 W | |
| 4,444.4 | 10.20 | 128.42 | 4,393.0 | -367.6 | 463.5 | 1,283,475.23 | 3,137,149.20 | 40° 6' 37.767 N | 105° 0' 34.751 W | |
| Sussex | | | | | | | | | | |
| 4,957.6 | 10.20 | 128.42 | 4,898.0 | -424.0 | 534.7 | 1,283,419.15 | 3,137,220.71 | 40° 6' 37.209 N | 105° 0' 33.835 W | |
| Shannon | | | | | | | | | | |
| 6,674.3 | 10.20 | 128.42 | 6,587.7 | -613.0 | 772.9 | 1,283,231.54 | 3,137,459.96 | 40° 6' 35.342 N | 105° 0' 30.769 W | |
| 7,184.4 | 0.00 | 0.00 | 7,095.0 | -641.1 | 808.3 | 1,283,203.60 | 3,137,495.59 | 40° 6' 35.064 N | 105° 0' 30.312 W | |
| 7,432.4 | 0.00 | 0.00 | 7,343.0 | -641.1 | 808.3 | 1,283,203.60 | 3,137,495.59 | 40° 6' 35.064 N | 105° 0' 30.312 W | |
| Niobrara | | | | | | | | | | |
| 7,673.4 | 0.00 | 0.00 | 7,584.0 | -641.1 | 808.3 | 1,283,203.60 | 3,137,495.59 | 40° 6' 35.064 N | 105° 0' 30.312 W | |
| Codell | | | | | | | | | | |
| 8,084.4 | 0.00 | 0.00 | 7,995.0 | -641.1 | 808.3 | 1,283,203.60 | 3,137,495.59 | 40° 6' 35.064 N | 105° 0' 30.312 W | |
| J Sand | | | | | | | | | | |
| 8,132.4 | 0.00 | 0.00 | 8,043.0 | -641.1 | 808.3 | 1,283,203.60 | 3,137,495.59 | 40° 6' 35.064 N | 105° 0' 30.312 W | |
| A Marker | | | | | | | | | | |
| 8,234.4 | 0.00 | 0.00 | 8,145.0 | -641.1 | 808.3 | 1,283,203.60 | 3,137,495.59 | 40° 6' 35.064 N | 105° 0' 30.312 W | |
| Production - Rasmussen 4-4-28 | | | | | | | | | | |

| Design Targets | | | | | | | | | | |
|--------------------|---------------|--------------|----------|------------|------------|---------------|--------------|-----------------|------------------|--|
| Target Name | Dip Angle (°) | Dip Dir. (°) | TVD (ft) | +N/-S (ft) | +E/-W (ft) | Northing (ft) | Easting (ft) | Latitude | Longitude | |
| - hit/miss target | | | | | | | | | | |
| - Shape | | | | | | | | | | |
| Rasmussen 4-4-28 | 0.00 | 0.00 | 8,145.0 | -641.1 | 808.3 | 1,283,203.60 | 3,137,495.59 | 40° 6' 35.064 N | 105° 0' 30.312 W | |
| - plan hits target | | | | | | | | | | |
| - Point | | | | | | | | | | |

| Casing Points | | | | | | |
|---------------------|---------------------|------------|----------------------|--------------------|--|--|
| Measured Depth (ft) | Vertical Depth (ft) | Name | Casing Diameter (in) | Hole Diameter (in) | | |
| 800.0 | 800.0 | Surface | 8.625 | 12.250 | | |
| 8,234.4 | 8,145.0 | Production | 4.500 | 7.785 | | |

| Formations | | | | | | |
|---------------------|---------------------|----------|-----------|---------|-------------------|--|
| Measured Depth (ft) | Vertical Depth (ft) | Name | Lithology | Dip (°) | Dip Direction (°) | |
| 4,444.4 | 4,393.0 | Sussex | | 0.00 | | |
| 4,957.6 | 4,898.0 | Shannon | | 0.00 | | |
| 7,432.4 | 7,343.0 | Niobrara | | 0.00 | | |
| 7,673.4 | 7,584.0 | Codell | | 0.00 | | |
| 8,084.4 | 7,995.0 | J Sand | | 0.00 | | |
| 8,132.4 | 8,043.0 | A Marker | | 0.00 | | |

EnCana Corporation
Planning Report - Geographic

| | | | |
|------------------|------------------|-------------------------------------|--------------------------------------|
| Database: | EDM | Local Co-ordinate Reference: | Well Rasmussen 4-4-28 |
| Company: | DJ/Paradox/WTX | TVD Reference: | WELL @ 4948.0ft (Original Well Elev) |
| Project: | Wattenberg | MD Reference: | WELL @ 4948.0ft (Original Well Elev) |
| Site: | New Drills | North Reference: | True |
| Well: | Rasmussen 4-4-28 | Survey Calculation Method: | Minimum Curvature |
| Wellbore: | Wellbore #1 | | |
| Design: | Rasmussen 4-4-28 | | |