


TEKTON WINDSOR, LLC

Location	Windsor, CO, USA(Imported)	Slot	Slot #11
Field	Windsor Project	Well	Kodak 11 #7-3-28-270-4-CH
Installation	Kodak	Wellbore	Kodak 11 #7-3-28-270-4-CH (PWB)





SYSDRILL
Well Design Combined Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Wellhead Details

Name	Northing	Easting	Latitude	Longitude	North	East
Slot #11	1411536.5482	3171020.4928	N40 27 41.1931	W104 53 7.3813	160.01S	0.08E

Site Details

Name	Northing	Easting	Coord System Name	North Alignment
Kodak	1411696.5566	3171020.4161	CO83-NF on NORTH AMERICAN DATUM 1983 datum	Grid

Summary Wellpath

MD[ft]	Inc[deg]	Azi[deg]	TVD[ft]	North[ft]	East[ft]	Dogleg [deg/100ft]	Vertical Section[ft]	Northing	Easting
0.00	0.00	0.000	0.00	0.00N	0.00E		0.00	1411536.55	3171020.49
600.00	0.00	0.000	600.00	0.00N	0.00E	==>	0.00	1411536.55	3171020.49
1040.53	9.69	234.040	1038.43	21.83S	30.08W	2.20	32.19	1411514.72	3170990.41
6613.70	9.69	234.040	6532.06	572.79S	789.48W	==>	844.74	1410963.78	3170231.04
7641.29	90.00	270.390	7148.00	630.36S	1499.47W	8.00	1556.87	1410906.21	3169521.08
11899.37	90.00	270.390	7148.00	601.72S	5757.46W	==>	5788.81	1410934.85	3165263.26

Interpolated Wellpath

MD[ft]	Inc[deg]	Azi[deg]	TVD[ft]	North[ft]	East[ft]	Dogleg [deg/100ft]	Vertical Section[ft]	Northing	Easting
0.00	0.00	0.000	0.00	0.00N	0.00E		0.00	1411536.55	3171020.49
100.00	0.00	0.000	100.00	0.00N	0.00E	==>	0.00	1411536.55	3171020.49
200.00	0.00	0.000	200.00	0.00N	0.00E	==>	0.00	1411536.55	3171020.49
300.00	0.00	0.000	300.00	0.00N	0.00E	==>	0.00	1411536.55	3171020.49
400.00	0.00	0.000	400.00	0.00N	0.00E	==>	0.00	1411536.55	3171020.49
500.00	0.00	0.000	500.00	0.00N	0.00E	==>	0.00	1411536.55	3171020.49
600.00	0.00	0.000	600.00	0.00N	0.00E	==>	0.00	1411536.55	3171020.49
700.00	2.20	234.040	699.98	1.13S	1.55W	2.20	1.66	1411535.42	3171018.94
800.00	4.40	234.040	799.80	4.51S	6.21W	2.20	6.65	1411532.04	3171014.28
900.00	6.60	234.040	899.34	10.14S	13.97W	2.20	14.95	1411526.41	3171006.52
1000.00	8.80	234.040	998.43	18.00S	24.81W	2.20	26.55	1411518.55	3170995.68
1040.53	9.69	234.040	1038.43	21.83S	30.08W	2.20	32.19	1411514.72	3170990.41
1100.00	9.69	234.040	1097.05	27.71S	38.19W	==>	40.86	1411508.84	3170982.31
1200.00	9.69	234.040	1195.63	37.59S	51.81W	==>	55.44	1411498.96	3170968.68
1300.00	9.69	234.040	1294.20	47.48S	65.44W	==>	70.02	1411489.07	3170955.05
1400.00	9.69	234.040	1392.77	57.36S	79.07W	==>	84.60	1411479.19	3170941.43
1500.00	9.69	234.040	1491.34	67.25S	92.69W	==>	99.18	1411469.30	3170927.80
1600.00	9.69	234.040	1589.92	77.14S	106.32W	==>	113.76	1411459.41	3170914.18
1700.00	9.69	234.040	1688.49	87.02S	119.94W	==>	128.34	1411449.53	3170900.55
1800.00	9.69	234.040	1787.06	96.91S	133.57W	==>	142.92	1411439.64	3170886.93
1900.00	9.69	234.040	1885.64	106.79S	147.20W	==>	157.50	1411429.76	3170873.30
2000.00	9.69	234.040	1984.21	116.68S	160.82W	==>	172.08	1411419.87	3170859.68
2100.00	9.69	234.040	2082.78	126.57S	174.45W	==>	186.66	1411409.99	3170846.05
2200.00	9.69	234.040	2181.35	136.45S	188.07W	==>	201.24	1411400.10	3170832.43
2300.00	9.69	234.040	2279.93	146.34S	201.70W	==>	215.82	1411390.21	3170818.80
2400.00	9.69	234.040	2378.50	156.23S	215.33W	==>	230.40	1411380.33	3170805.18
2500.00	9.69	234.040	2477.07	166.11S	228.95W	==>	244.98	1411370.44	3170791.55
2600.00	9.69	234.040	2575.65	176.00S	242.58W	==>	259.56	1411360.56	3170777.92
2700.00	9.69	234.040	2674.22	185.88S	256.20W	==>	274.14	1411350.67	3170764.30
2800.00	9.69	234.040	2772.79	195.77S	269.83W	==>	288.72	1411340.79	3170750.67
2900.00	9.69	234.040	2871.36	205.66S	283.46W	==>	303.30	1411330.90	3170737.05
3000.00	9.69	234.040	2969.94	215.54S	297.08W	==>	317.88	1411321.02	3170723.42
3100.00	9.69	234.040	3068.51	225.43S	310.71W	==>	332.46	1411311.13	3170709.80
3200.00	9.69	234.040	3167.08	235.31S	324.33W	==>	347.04	1411301.24	3170696.17
3300.00	9.69	234.040	3265.66	245.20S	337.96W	==>	361.62	1411291.36	3170682.55
3400.00	9.69	234.040	3364.23	255.09S	351.59W	==>	376.20	1411281.47	3170668.92
3500.00	9.69	234.040	3462.80	264.97S	365.21W	==>	390.78	1411271.59	3170655.30
3600.00	9.69	234.040	3561.37	274.86S	378.84W	==>	405.36	1411261.70	3170641.67
3700.00	9.69	234.040	3659.95	284.74S	392.46W	==>	419.93	1411251.82	3170628.04
3800.00	9.69	234.040	3758.52	294.63S	406.09W	==>	434.51	1411241.93	3170614.42
3900.00	9.69	234.040	3857.09	304.52S	419.72W	==>	449.09	1411232.04	3170600.79
4000.00	9.69	234.040	3955.67	314.40S	433.34W	==>	463.67	1411222.16	3170587.17
4100.00	9.69	234.040	4054.24	324.29S	446.97W	==>	478.25	1411212.27	3170573.54
4200.00	9.69	234.040	4152.81	334.17S	460.59W	==>	492.83	1411202.39	3170559.92
4300.00	9.69	234.040	4251.38	344.06S	474.22W	==>	507.41	1411192.50	3170546.29
4400.00	9.69	234.040	4349.96	353.95S	487.84W	==>	521.99	1411182.62	3170532.67
4500.00	9.69	234.040	4448.53	363.83S	501.47W	==>	536.57	1411172.73	3170519.04
4600.00	9.69	234.040	4547.10	373.72S	515.10W	==>	551.15	1411162.85	3170505.42
4700.00	9.69	234.040	4645.67	383.60S	528.72W	==>	565.73	1411152.96	3170491.79
4800.00	9.69	234.040	4744.25	393.49S	542.35W	==>	580.31	1411143.07	3170478.17
4900.00	9.69	234.040	4842.82	403.38S	555.97W	==>	594.89	1411133.19	3170464.54
5000.00	9.69	234.040	4941.39	413.26S	569.60W	==>	609.47	1411123.30	3170450.91
5100.00	9.69	234.040	5039.97	423.15S	583.23W	==>	624.05	1411113.42	3170437.29

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Bottom hole distance is 5788.81 Feet on azimuth 264.03 degrees from Wellhead
Calculation method uses Minimum Curvature method
Prepared by Peterson Energy
Date Printed: 13-Mar-2013



SYSDRILL
Well Design Combined Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Interpolated Wellpath

MD[ft]	Inc[deg]	Azi[deg]	TVD[ft]	North[ft]	East[ft]	Dogleg [deg/100ft]	Vertical Section[ft]	Northing	Easting
5200.00	9.69	234.040	5138.54	433.03S	596.85W	==>	638.63	1411103.53	3170423.66
5300.00	9.69	234.040	5237.11	442.92S	610.48W	==>	653.21	1411093.65	3170410.04
5400.00	9.69	234.040	5335.68	452.81S	624.10W	==>	667.79	1411083.76	3170396.41
5500.00	9.69	234.040	5434.26	462.69S	637.73W	==>	682.37	1411073.87	3170382.79
5600.00	9.69	234.040	5532.83	472.58S	651.36W	==>	696.95	1411063.99	3170369.16
5700.00	9.69	234.040	5631.40	482.46S	664.98W	==>	711.53	1411054.10	3170355.54
5800.00	9.69	234.040	5729.98	492.35S	678.61W	==>	726.11	1411044.22	3170341.91
5900.00	9.69	234.040	5828.55	502.24S	692.23W	==>	740.69	1411034.33	3170328.29
6000.00	9.69	234.040	5927.12	512.12S	705.86W	==>	755.27	1411024.45	3170314.66
6100.00	9.69	234.040	6025.69	522.01S	719.49W	==>	769.85	1411014.56	3170301.03
6200.00	9.69	234.040	6124.27	531.89S	733.11W	==>	784.43	1411004.68	3170287.41
6300.00	9.69	234.040	6222.84	541.78S	746.74W	==>	799.01	1410994.79	3170273.78
6400.00	9.69	234.040	6321.41	551.67S	760.36W	==>	813.59	1410984.90	3170260.16
6500.00	9.69	234.040	6419.99	561.55S	773.99W	==>	828.17	1410975.02	3170246.53
6600.00	9.69	234.040	6518.56	571.44S	787.62W	==>	842.75	1410965.13	3170232.91
6613.70	9.69	234.040	6532.06	572.79S	789.48W	==>	844.74	1410963.78	3170231.04
6700.00	15.77	249.380	6616.22	581.20S	806.36W	8.00	862.40	1410955.37	3170214.17
6800.00	23.38	256.850	6710.39	590.51S	838.45W	8.00	895.29	1410946.06	3170182.07
6900.00	31.18	260.760	6799.20	599.20S	883.40W	8.00	940.90	1410937.37	3170137.12
7000.00	39.06	263.220	6880.94	607.09S	940.33W	8.00	998.34	1410929.48	3170080.19
7100.00	46.97	264.960	6954.00	614.03S	1008.14W	8.00	1066.50	1410922.54	3170012.39
7200.00	54.90	266.310	7016.97	619.88S	1085.50W	8.00	1144.05	1410916.69	3169935.04
7300.00	62.85	267.410	7068.62	624.54S	1170.91W	8.00	1229.48	1410912.04	3169849.63
7400.00	70.80	268.370	7107.94	627.90S	1262.70W	8.00	1321.13	1410908.67	3169757.84
7500.00	78.76	269.230	7134.18	629.91S	1359.09W	8.00	1417.20	1410906.66	3169661.46
7600.00	86.71	270.050	7146.82	630.52S	1458.20W	8.00	1515.85	1410906.05	3169562.34
7641.29	90.00	270.390	7148.00	630.36S	1499.47W	8.00	1556.87	1410906.21	3169521.08
7700.00	90.00	270.390	7148.00	629.97S	1558.18W	==>	1615.22	1410906.60	3169462.37
7800.00	90.00	270.390	7148.00	629.29S	1658.18W	==>	1714.61	1410907.28	3169362.38
7900.00	90.00	270.390	7148.00	628.62S	1758.18W	==>	1813.99	1410907.95	3169262.38
8000.00	90.00	270.390	7148.00	627.95S	1858.17W	==>	1913.38	1410908.62	3169162.39
8100.00	90.00	270.390	7148.00	627.28S	1958.17W	==>	2012.77	1410909.30	3169062.40
8200.00	90.00	270.390	7148.00	626.60S	2058.17W	==>	2112.15	1410909.97	3168962.40
8300.00	90.00	270.390	7148.00	625.93S	2158.17W	==>	2211.54	1410910.64	3168862.41
8400.00	90.00	270.390	7148.00	625.26S	2258.16W	==>	2310.92	1410911.31	3168762.42
8500.00	90.00	270.390	7148.00	624.59S	2358.16W	==>	2410.31	1410911.99	3168662.42
8600.00	90.00	270.390	7148.00	623.91S	2458.16W	==>	2509.70	1410912.66	3168562.43
8700.00	90.00	270.390	7148.00	623.24S	2558.16W	==>	2609.08	1410913.33	3168462.43
8800.00	90.00	270.390	7148.00	622.57S	2658.16W	==>	2708.47	1410914.00	3168362.44
8900.00	90.00	270.390	7148.00	621.90S	2758.15W	==>	2807.86	1410914.68	3168262.45
9000.00	90.00	270.390	7148.00	621.22S	2858.15W	==>	2907.24	1410915.35	3168162.45
9100.00	90.00	270.390	7148.00	620.55S	2958.15W	==>	3006.63	1410916.02	3168062.46
9200.00	90.00	270.390	7148.00	619.88S	3058.15W	==>	3106.01	1410916.69	3167962.46
9300.00	90.00	270.390	7148.00	619.21S	3158.14W	==>	3205.40	1410917.37	3167862.47
9400.00	90.00	270.390	7148.00	618.53S	3258.14W	==>	3304.79	1410918.04	3167762.48
9500.00	90.00	270.390	7148.00	617.86S	3358.14W	==>	3404.17	1410918.71	3167662.48
9600.00	90.00	270.390	7148.00	617.19S	3458.14W	==>	3503.56	1410919.38	3167562.49
9700.00	90.00	270.390	7148.00	616.52S	3558.13W	==>	3602.94	1410920.06	3167462.49
9800.00	90.00	270.390	7148.00	615.84S	3658.13W	==>	3702.33	1410920.73	3167362.50
9900.00	90.00	270.390	7148.00	615.17S	3758.13W	==>	3801.72	1410921.40	3167262.51
10000.00	90.00	270.390	7148.00	614.50S	3858.13W	==>	3901.10	1410922.07	3167162.51
10100.00	90.00	270.390	7148.00	613.82S	3958.13W	==>	4000.49	1410922.75	3167062.52
10200.00	90.00	270.390	7148.00	613.15S	4058.12W	==>	4099.88	1410923.42	3166962.53
10300.00	90.00	270.390	7148.00	612.48S	4158.12W	==>	4199.26	1410924.09	3166862.53
10400.00	90.00	270.390	7148.00	611.81S	4258.12W	==>	4298.65	1410924.76	3166762.54
10500.00	90.00	270.390	7148.00	611.13S	4358.12W	==>	4398.03	1410925.44	3166662.54
10600.00	90.00	270.390	7148.00	610.46S	4458.11W	==>	4497.42	1410926.11	3166562.55
10700.00	90.00	270.390	7148.00	609.79S	4558.11W	==>	4596.81	1410926.78	3166462.56
10800.00	90.00	270.390	7148.00	609.12S	4658.11W	==>	4696.19	1410927.46	3166362.56
10900.00	90.00	270.390	7148.00	608.44S	4758.11W	==>	4795.58	1410928.13	3166262.57
11000.00	90.00	270.390	7148.00	607.77S	4858.11W	==>	4894.96	1410928.80	3166162.57
11100.00	90.00	270.390	7148.00	607.10S	4958.10W	==>	4994.35	1410929.47	3166062.58
11200.00	90.00	270.390	7148.00	606.43S	5058.10W	==>	5093.74	1410930.15	3165962.59
11300.00	90.00	270.390	7148.00	605.75S	5158.10W	==>	5193.12	1410930.82	3165862.59
11400.00	90.00	270.390	7148.00	605.08S	5258.10W	==>	5292.51	1410931.49	3165762.60
11500.00	90.00	270.390	7148.00	604.41S	5358.09W	==>	5391.89	1410932.16	3165662.60
11600.00	90.00	270.390	7148.00	603.74S	5458.09W	==>	5491.28	1410932.84	3165562.61
11700.00	90.00	270.390	7148.00	603.06S	5558.09W	==>	5590.67	1410933.51	3165462.62
11800.00	90.00	270.390	7148.00	602.39S	5658.09W	==>	5690.05	1410934.18	3165362.62
11899.37	90.00	270.390	7148.00	601.72S	5757.46W	==>	5788.81	1410934.85	3165262.26

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Bottom hole distance is 5788.81 Feet on azimuth 264.03 degrees from Wellhead
Calculation method uses Minimum Curvature method
Prepared by Peterson Energy
Date Printed: 13-Mar-2013



SYSDRILL
Well Design Combined Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Targets

Name	North[ft]	East[ft]	TVD[ft]	Latitude	Longitude	Northing	Easting	Last Revised
KOD 11 - T1	630.36S	1499.47W	7148.00	N40 27 35.0665	W104 53 26.8357	1410906.21	3169521.08	8-Mar-2013
KOD 11 - T2	601.72S	5757.46W	7148.00	N40 27 35.6350	W104 54 21.9168	1410934.85	3165263.26	8-Mar-2013

Survey Tool Program

Reference	Survey Name	MD[ft]	TVD[ft]	Survey Tool	Error Model
5979	Planned	11899.37	7148.00	WdW Rate Gyro	Standard

Notes

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Bottom hole distance is 5788.81 Feet on azimuth 264.03 degrees from Wellhead
Calculation method uses Minimum Curvature method
Prepared by Peterson Energy
Date Printed: 13-Mar-2013



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Ellipse separations are reported ONLY if BOTH wells have uncertainty data
Only Depth and Magnetic Reference Field error terms are correlated across tie points
Cutoff is calculated on CENTRE to CENTRE distance

Summary data uses Closest Approach clearance calculation for all minima
Hole size/Casings ARE included
Hole size/Casings are NOT subtracted from Centre-Centre distance
Confidence limit of 95.00% / 2.80 SD.

Wellbore

Name	Created	Last Revised
Kodak 11 #7-3-28-270-4-CH (PWB)	11-Mar-2013	11-Mar-2013

Well

Name	Government ID	Last Revised
Kodak 11 #7-3-28-270-4-CH		11-Mar-2013

Slot

Name	Grid Northing	Grid Easting	Latitude	Longitude	North	East
Slot #11	1411536.5482	3171020.4928	N40 27 41.1931	W104 53 7.3813	160.01S	0.08E

Installation

Name	Easting	Northing	Coord System Name	North Alignment
Kodak	3171020.4161	1411696.5566	CO83-NF on NORTH AMERICAN DATUM 1983 datum	Grid

Field

Name	Easting	Northing	Coord System Name	North Alignment
Windsor Project	3162710.0707	1407271.6545	CO83-NF on NORTH AMERICAN DATUM 1983 datum	Grid

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
Kodak 12 #7-3-28-27	Kodak 12 #7-3-28-270-4	Slot #12	Kodak	15.97	600.00	700.37	14.95	666.90	3.13	11899.37
0-4-NH	-NH (PWB)									
Kodak 10 #7-3-28-27	Kodak 10 #7-3-28-270-4	Slot #10	Kodak	16.02	606.96	7677.17	15.01	656.17	3.18	11899.37
0-4-NH	-NH (PWB)									
Kodak 9 #7-2-28-27	Kodak 9 #7-2-28-270-4	Slot #9	Kodak	31.97	606.96	7677.17	30.99	606.96	5.35	11899.37
0-4-NH	-NH (PWB)									
Kodak 13 #7-4-28-27	Kodak 13 #7-4-28-270-4	Slot #13	Kodak	32.02	600.00	600.00	31.03	633.56	5.32	11899.37
0-4-NH	-NH (PWB)									
Kodak 14 #7-4-28-27	Kodak 14 #7-4-28-270-4	Slot #14	Kodak	47.93	600.00	600.00	46.92	634.67	6.40	11899.37
0-4-CH	-CH (PWB)									
Kodak 8 #7-2-28-27	Kodak 8 #7-2-28-270-4	Slot #8	Kodak	48.03	600.00	11899.37	47.06	606.96	6.41	11899.37
0-4-CH	-CH (PWB)									
Kodak 15 #7-4-28-27	Kodak 15 #7-4-28-270-4	Slot #15	Kodak	63.94	600.00	600.00	62.96	634.79	8.30	11899.37
0-4-NH	-NH (PWB)									
Kodak 7 #7-2-28-27	Kodak 7 #7-2-28-270-4	Slot #7	Kodak	64.02	600.00	11899.37	63.06	606.96	8.34	11899.37
0-4-NH	-NH (PWB)									
Kodak 6 #7-1-28-27	Kodak 6 #7-1-28-270-4	Slot #6	Kodak	79.99	600.00	11899.37	79.02	600.00	11.45	11899.37
0-4-NH	-NH (PWB)									
Kodak 5 #7-1-28-27	Kodak 5 #7-1-28-270-4	Slot #5	Kodak	95.98	600.00	11899.37	95.02	600.00	12.81	11899.37
0-4-CH	-CH (PWB)									
Kodak 4 #7-1-28-27	Kodak 4 #7-1-28-270-4	Slot #4	Kodak	111.95	600.00	600.00	110.98	600.00	14.60	11899.37
0-4-NH	-NH (PWB)									
Kodak 3 #7-0-28-27	Kodak 3 #7-0-28-270-4	Slot #3	Kodak	127.96	590.55	11899.37	127.00	600.00	17.76	11899.37
0-4-NH	-NH (PWB)									
Kodak 2 #7-0-28-27	Kodak 2 #7-0-28-270-4	Slot #2	Kodak	144.00	600.00	11899.37	143.04	600.00	19.20	11899.37
0-4-CH	-CH (PWB)									

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Prepared by Peterson Energy
Date Printed: 13-Mar-2013



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
Kodak 1 #7-8-21-27 0-4-NH W Great Western #27-12 HILLSIDE 11	Kodak 1 #7-8-21-270-4 -NH (PWB) W Great Western #27-12 (AWB) HILLSIDE 11	Slot #1	Kodak	160.02	600.00	11899.37	159.05	600.00	20.92	11899.37
#0-7-28-00 0-4-CH HILLSIDE 10	#0-7-28-000-4 -CH (PWB) HILLSIDE 10 #8-7-29-000-4 -NH (PWB)	Great Western #27-12 Slot #11	Great Western 66N67W Hillside	304.92	5717.53	5717.53	296.97	5717.53	38.23	5790.68
#8-7-29-00 0-4-NH W Great Western #27-11 Poudre #25-28	#8-7-29-000-4 -NH (PWB) W Great Western #27-11 (AWB) Poudre #25-28 (AWB)	Slot #10	Hillside	390.41	11899.37	11899.37	286.52	11899.37	3.76	11899.37
HILLSIDE 9 #7-7-29-00 0-4-NH W Great Western #27-52 HILLSIDE 7	HILLSIDE 9 #7-7-29-000-4 -NH (PWB) W Great Western #27-52 (AWB) HILLSIDE 7 #7-7-29-000-4 -CH (PWB)	Great Western #27-11 Poudre #25-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	595.88	11899.37	11899.37	497.85	11899.37	6.08	11899.37
#7-7-29-00 0-4-CH HILLSIDE 8	HILLSIDE 8 #7-7-29-000-4 -NH (PWB)	Great Western #27-11 Poudre #25-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	644.20	3432.81	3432.81	641.10	3432.81	166.86	7152.23
#7-7-29-00 0-4-NH W Great Western #27-21 Poudre #11-28	#7-7-29-000-4 -NH (PWB) W Great Western #27-21 (AWB) Poudre #11-28 (AWB)	Great Western #27-11 Poudre #25-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	792.82	9836.60	9836.60	740.92	9858.92	13.74	10137.80
Poudre #10-28	Poudre #10-28 (AWB)	Slot #9	Hillside	909.56	11899.37	11899.37	808.01	11899.37	8.96	11899.37
Great Western 27-13	W #12 Great Western 27-13 (AWB)	Great Western #27-52 Slot #7	Great Western 66N67W Hillside	962.24	4527.56	4527.56	957.81	4527.56	204.57	6643.70
W Great Western #27-22 HILLSIDE 5	W Great Western #27-22 (AWB) HILLSIDE 5 #6-7-29-000-4 -NH (PWB)	Great Western #27-11 Poudre #25-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	1047.04	11899.37	11899.37	1002.02	11899.37	23.26	11899.37
#6-7-29-00 0-4-NH HILLSIDE 6	HILLSIDE 6 #6-7-29-000-4 -CH (PWB)	Slot #8	Hillside	1231.02	11899.37	11899.37	1128.80	11899.37	12.04	11899.37
#6-7-29-00 0-4-CH Poudre #23-28	HILLSIDE 8 #7-7-29-000-4 -NH (PWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	1302.44	2746.82	2746.82	1299.48	2746.82	363.01	6856.96
Poudre #19-28	Poudre #19-28 (AWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	1347.23	10400.26	10400.26	1298.04	10416.67	26.79	10711.94
HILLSIDE 3 #5-7-29-00 0-4-NH W Great Western #27-23	HILLSIDE 3 #5-7-29-000-4 -NH (PWB) W Great Western #27-23 (AWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	1348.08	9137.14	9137.14	1291.08	9169.95	21.50	9580.05
#6-7-29-00 0-4-CH Poudre #23-28	HILLSIDE 8 #7-7-29-000-4 -NH (PWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	1438.80	6742.13	6742.13	1428.75	6742.13	115.23	7545.93
HILLSIDE 3 #5-7-29-00 0-4-NH W Great Western #27-23	HILLSIDE 3 #5-7-29-000-4 -NH (PWB) W Great Western #27-23 (AWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	1458.42	606.96	606.96	1457.94	606.96	227.29	6758.53
#6-7-29-00 0-4-CH Poudre #23-28	HILLSIDE 8 #7-7-29-000-4 -NH (PWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	1556.60	11899.37	11899.37	1454.39	11899.37	15.23	11899.37
HILLSIDE 3 #5-7-29-00 0-4-NH W Great Western #27-23	HILLSIDE 3 #5-7-29-000-4 -NH (PWB) W Great Western #27-23 (AWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	1885.60	11899.37	11899.37	1783.02	11899.37	18.38	11899.37
#6-7-29-00 0-4-CH Poudre #23-28	HILLSIDE 8 #7-7-29-000-4 -NH (PWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	1998.51	9821.30	9821.30	1954.37	9858.92	40.98	10465.88
HILLSIDE 3 #5-7-29-00 0-4-NH W Great Western #27-23	HILLSIDE 3 #5-7-29-000-4 -NH (PWB) W Great Western #27-23 (AWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	1999.53	11028.40	11028.40	1935.49	11040.03	30.73	11286.09
#6-7-29-00 0-4-CH Poudre #23-28	HILLSIDE 8 #7-7-29-000-4 -NH (PWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	2051.46	11899.37	11899.37	1949.40	11899.37	20.10	11899.37
HILLSIDE 3 #5-7-29-00 0-4-NH W Great Western #27-23	HILLSIDE 3 #5-7-29-000-4 -NH (PWB) W Great Western #27-23 (AWB)	Great Western #27-21 Poudre #11-28	Great Western 66N67W Poudre (Kerr-McGee Oil & Gas) Hillside	2079.63	5318.18	5318.18	2071.70	5331.36	206.95	7250.66

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Prepared by Peterson Energy
Date Printed: 13-Mar-2013



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
W Great Western # 27-53	W Great Western # 27-53 (AWB)	Great Western # 27-53	Great Western (Great Western Oil & Gas)	2306.31	6660.10	6660.10	2296.20	6660.10	175.51	7972.44
Great Western 27-31-8	Great Western 27-31-8 (AWB)	Great Western 27-31-8	Great Western Diamond Valley	2321.92	5429.79	5429.79	2316.54	5429.79	372.12	6758.53
DIAMOND VALLEY SW 9-5-22	DIAMOND VALLEY SW 1	Slot #1	Diamond Valley SW	2447.71	6843.09	6843.09	2368.06	11899.37	22.06	11899.37
DIAMOND VALLEY SW 2	DIAMOND VALLEY SW 2	Slot #2	Diamond Valley SW	2477.40	600.00	7015.18	2476.43	606.96	23.42	11899.37
DIAMOND VALLEY SW 3	DIAMOND VALLEY SW 3	Slot #3	Diamond Valley SW	2490.47	600.00	6786.50	2489.50	606.96	24.99	11899.37
DIAMOND VALLEY SW 4	DIAMOND VALLEY SW 4	Slot #4	Diamond Valley SW	2506.84	600.00	6749.65	2505.87	606.96	27.91	11899.37
DIAMOND VALLEY SW 8-2-22	DIAMOND VALLEY SW 5	Slot #5	Diamond Valley SW	2519.96	600.00	6955.66	2518.99	606.96	29.27	11899.37
DIAMOND VALLEY SW 6	DIAMOND VALLEY SW 6	Slot #6	Diamond Valley SW	2531.89	600.00	11899.37	2530.91	606.96	30.76	11899.37
DIAMOND VALLEY SW 7	DIAMOND VALLEY SW 7	Slot #7	Diamond Valley SW	2548.33	574.15	6677.84	2547.40	590.55	33.74	11899.37
HILLSIDE 2	HILLSIDE 2	Slot #2	Hillside	2555.91	11899.37	11899.37	2453.89	11899.37	25.05	11899.37
DIAMOND VALLEY SW 8	DIAMOND VALLEY SW 8	Slot #8	Diamond Valley SW	2561.50	574.15	6873.36	2560.57	590.55	35.11	11899.37
DIAMOND VALLEY SW 9	DIAMOND VALLEY SW 9	Slot #9	Diamond Valley SW	2577.99	600.00	6643.70	2577.02	600.00	36.64	11899.37
Poudre #15-28	Poudre #15-28 (AWB)	Poudre #15-28	Poudre (Kerr-McGee Oil & Gas)	2649.01	9120.73	9120.73	2594.57	9137.14	46.72	9678.48
HILLSIDE 4	HILLSIDE 4	Slot #4	Hillside	2649.53	11899.37	11899.37	2546.89	11899.37	25.81	11899.37
Poudre	Poudre	Poudre	Poudre	2736.36	10372.84	10372.84	2691.95	10400.26	53.94	11384.51

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Prepared by Peterson Energy
Date Printed: 13-Mar-2013



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
#14-28	#14-28 (AWB)	#14-28	(Kerr-McGee Oil & Gas)							
W Great Western #27-14	W Great Western #27-14 (AWB)	Great Western #27-14	Great Western (Great Western Oil & Gas)	2754.86	6840.55	6840.55	2744.83	6856.96	156.12	8858.27
Great Western 27-21-3	Great Western 27-21-3 (AWB)	Great Western 27-21-3	Great Western Diamond Valley	2860.09	4822.83	4822.83	2855.85	4839.24	498.00	7545.93
Diamond Valley 22-34	Diamond Valley 22-34 (AWB)	Diamond Valley 22-34	Great Western Diamond Valley	3162.81	738.19	738.19	3162.21	738.19	557.28	9563.65
Diamond Valley 22-23-18	Diamond Valley 22-23-18 (AWB)	Diamond Valley 22-23-18	Great Western Diamond Valley	3168.08	738.19	738.19	3167.49	738.19	406.50	9940.94
CENTER POINT 5 #8-1-32-18 0-4-NH	CENTER POINT 5 #8-1-32-180-4 -NH (PWB)	Slot #5	Center Point	3179.03	11899.37	11899.37	3118.71	11899.37	52.70	11899.37
Great Western 27-31-2	Great Western 27-31-2 (AWB)	Great Western 27-31-2	Great Western Diamond Valley	3189.81	639.76	639.76	3189.29	639.76	681.12	7086.61
Diamond Valley 22-22-13	Diamond Valley 22-22-13 (AWB)	Diamond Valley 22-22-13	Great Western Diamond Valley	3196.29	639.76	639.76	3195.77	639.76	349.19	11236.88
Diamond Valley 22-33	Diamond Valley 22-33 (AWB)	Diamond Valley 22-33	Great Western Diamond Valley	3205.87	229.66	229.66	3205.67	328.08	433.54	11040.03
Diamond Valley 22-54	Diamond Valley 22-54 (AWB)	Diamond Valley 22-54	Great Western Diamond Valley	3224.11	200.00	200.00	3223.95	229.66	542.29	10859.58
Poudre #36-28	Poudre #36-28 (AWB)	Poudre #36-28	Poudre (Kerr-McGee Oil & Gas)	3241.66	9685.58	9685.58	3193.99	9700.00	64.87	10547.90
Diamond Valley 22-32-12	Diamond Valley 22-32-12 (AWB)	Diamond Valley 22-32-12	Great Western Diamond Valley	3242.36	200.00	200.00	3242.20	213.25	451.17	11899.37
Diamond Valley 22-43	Diamond Valley 22-43 (AWB)	Diamond Valley 22-43	Great Western Diamond Valley	3263.24	200.00	200.00	3263.08	200.00	559.93	11899.37
Diamond Valley 22-44	Diamond Valley 22-44 (AWB)	Diamond Valley 22-44	Great Western Diamond Valley	3282.78	200.00	200.00	3282.62	200.00	727.26	11056.43
Great Western 27-41-10	Great Western 27-41-10 (AWB)	Great Western 27-41-10	Great Western Diamond Valley	3301.07	200.00	200.00	3300.91	200.00	697.11	7000.00
Great Western 27-41-1	Great Western 27-41-1 (AWB)	Great Western 27-41-1	Great Western Diamond Valley	3319.37	200.00	200.00	3319.21	200.00	845.53	7053.81
CENTER POINT 7 #0-1-33-18 0-4-NH	CENTER POINT 7 #0-1-33-180-4 -NH (PWB)	Slot #7	Center Point	3343.81	11899.37	11899.37	3283.16	11899.37	55.13	11899.37
CENTER POINT 8 #1-0-33-09 0-4-NH	CENTER POINT 8 #1-0-33-090-4 -NH (PWB)	Slot #8	Center Point	3369.51	7611.55	7611.55	3322.82	7627.95	56.31	11899.37
CENTER POINT 6 #1-0-33-09 0-4-CH	CENTER POINT 6 #1-0-33-090-4 -CH (PWB)	Slot #6	Center Point	3440.07	7614.93	11899.37	3393.57	7641.29	56.82	11899.37
RAINDAN	RAINDANCE	Slot #7	Raindance	3513.09	11899.37	11899.37	3419.56	11899.37	37.56	11899.37

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Prepared by Peterson Energy
Date Printed: 13-Mar-2013



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
CE 7	7									
#1-0-32-09 0-4-NH CENTER POINT 4	#1-0-32-090-4 -NH (PWB) CENTER POINT 4	Slot #4	Center Point	3549.22	7611.55	7611.55	3502.53	7627.95	59.23	11899.37
#1-0-33-09 0-4-NH RAINDAN CE 8	#1-0-33-090-4 -NH (PWB) RAINDANCE 8	Slot #8	Raindance	3558.54	11899.37	11899.37	3464.44	11899.37	37.82	11899.37
#1-0-32-09 0-4-CH RAINDAN CE 9	#1-0-32-090-4 -CH (PWB) RAINDANCE 9	Slot #9	Raindance	3723.55	11899.37	11899.37	3628.76	11899.37	39.28	11899.37
#1-0-32-09 0-4-NH RANCHO WATER VALLEY 9	#1-0-32-090-4 -NH (PWB) RANCHO WATER VALLEY 9	Slot #09	Rancho Water Valley	3755.87	7371.20	7371.20	3725.96	7332.68	44.60	11072.83
#8-7-33-00 0-4-CH RANCHO WATER VALLEY 8	#8-7-33-000-4 -CH (PWB) RANCHO WATER VALLEY 8	Slot #08	Rancho Water Valley	3771.00	7240.51	7240.51	3750.00	7250.66	80.99	10629.92
#8-7-33-00 0-4-NH CENTER POINT 3	#8-7-33-000-4 -NH (PWB) CENTER POINT 3	Slot #3	Center Point	3788.89	7611.55	11899.37	3742.35	7627.95	62.94	11899.37
#1-1-33-09 0-4-NH CENTER POINT 1	#1-1-33-090-4 -NH (PWB) CENTER POINT 1	Slot #1	Center Point	3949.97	7611.55	11899.37	3895.79	11899.37	65.21	11899.37
#1-1-33-09 0-4-CH RAINDAN CE 2	#1-1-33-090-4 -CH (PWB) RAINDANCE 2	Slot #2	Raindance	3989.87	11899.37	11899.37	3753.37	11899.37	16.87	11899.37
#1-1-32-09 0-4-NH CENTER POINT 2	#1-1-32-090-4 -NH CENTER POINT 2	Slot #2	Center Point	4104.51	11899.37	11899.37	4044.34	11899.37	68.21	11899.37
#1-1-33-09 0-4-NH RAINDAN CE 3	#1-1-33-090-4 -NH (PWB) RAINDANCE 3	Slot #3	Raindance	4140.31	11899.37	11899.37	3902.04	11899.37	17.38	11899.37
#1-1-32-09 0-4-CH RAINDAN CE 4	#1-1-32-090-4 -CH (PWB) RAINDANCE 4	Slot #4	Raindance	4307.90	11899.37	11899.37	4068.39	11899.37	17.99	11899.37
#1-1-32-09 0-4-NH HILLSIDE 14	#1-1-32-090-4 -NH (PWB) HILLSIDE 14 #2-1-33-090-4 -NH (PWB)	Slot #14	Hillside	4450.61	7603.56	7603.56	4375.90	7627.95	59.41	7644.36
#2-1-33-09 0-4-NH HILLSIDE 15	HILLSIDE 15 #2-1-33-090-4 -CH (PWB)	Slot #15	Hillside	4609.06	7611.55	11899.37	4534.27	7627.95	61.48	7644.36
#2-1-33-09 0-4-CH RAINDAN CE 5	RAINDANCE 5	Slot #5	Raindance	4627.24	11899.37	11899.37	4385.54	11899.37	19.14	11899.37
#1-2-32-09 0-4-NH HILLSIDE 18	#1-2-32-090-4 -NH (PWB) HILLSIDE 18 #2-1-33-090-4 -NH (PWB)	Slot #18	Hillside	4781.74	7603.50	11899.37	4707.12	7627.95	63.90	7660.76
#2-1-33-09 0-4-NH RAINDAN CE 6	RAINDANCE 6	Slot #6	Raindance	4784.91	11899.37	11899.37	4542.03	11899.37	19.70	11899.37
#1-2-32-09 0-4-CH PAVISTMA 12	#1-2-32-090-4 -CH (PWB) PAVISTMA 12	Slot #12	Pavistma	4918.34	11899.37	11899.37	4832.93	11899.37	57.59	11899.37
#1-2-32-09 0-4-NH HILLSIDE 17	#1-2-32-090-4 -NH (PWB) HILLSIDE 17 #3-1-33-090-4	Slot #17	Hillside	5098.98	11899.37	11899.37	5031.40	11899.37	68.12	7660.76

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Prepared by Peterson Energy
Date Printed: 13-Mar-2013



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
#3-1-33-09 0-4-NH PAVISTMA 11	-NH (PWB) PAVISTMA 11	Slot #11	Pavistma	5241.80	11899.37	11899.37	5155.50	11899.37	60.74	11899.37
#1-3-32-09 0-4-NH PAVISTMA 10	#1-3-32-090-4 -NH (PWB) PAVISTMA 10	Slot #10	Pavistma	5271.16	7604.43	7604.43	5172.67	7644.36	53.39	7660.76
#1-3-32-09 0-8-CH HILLSIDE 2-4-32 FRYE FARMS 12	#1-3-32-090-8 -CH (PWB) HILLSIDE 2-4-32 FRYE FARMS 12	HILLSIDE 2-4-32 Slot #12	Hillside Frye Farms	5416.50 5441.97	11899.37 7600.00	11899.37 7600.00	5363.87 5377.75	11899.37 7644.36	102.91 83.97	11899.37 11899.37
#1-3-33-09 0-4-NH PAVISTMA 9	#1-3-33-090-4 -NH (PWB) PAVISTMA 9	Slot #9	Pavistma	5566.10	11899.37	11899.37	5479.06	11899.37	63.95	11899.37
#1-3-32-09 0-4-NH FRYE FARMS 11	#1-3-32-090-4 -NH (PWB) FRYE FARMS 11	Slot #11	Frye Farms	5772.02	7600.00	7600.00	5707.94	7644.36	89.34	11899.37
#1-4-33-09 0-4-NH PAVISTMA 8	#1-4-33-090-4 -NH (PWB) PAVISTMA 8	Slot #8	Pavistma	5891.00	11899.37	11899.37	5803.28	11899.37	67.15	11899.37
#1-3-32-09 0-4-NH PAVISTMA 7	#1-3-32-090-4 -NH (PWB) PAVISTMA 7	Slot #7	Pavistma	5931.33	7600.00	7600.00	5833.02	7611.55	60.30	7627.95
#1-4-32-09 0-8-CH FRYE FARMS 10	#1-4-32-090-8 -CH (PWB) FRYE FARMS 10	Slot #10	Frye Farms	6153.14	7566.68	7566.68	6089.08	7611.55	95.18	7660.76
#1-4-33-09 0-4-NH PAVISTMA 6	#1-4-33-090-4 -NH (PWB) PAVISTMA 6	Slot #6	Pavistma	6293.49	11899.37	11899.37	6204.63	11899.37	70.82	11899.37
#1-4-32-09 0-4-NH FRYE FARMS 9	#1-4-32-090-4 -NH (PWB) FRYE FARMS 9	Slot #9	Frye Farms	6482.44	7514.90	7514.90	6418.23	7562.34	100.01	11899.37
#1-5-33-09 0-4-NH RAINDANCE CE 1	#1-5-33-090-4 -NH (PWB) RAINDANCE CE 1	Slot #1	Raindance	6567.68	11899.37	11899.37	6536.57	11899.37	211.13	11899.37
#1-1-32 FRYE FARMS 13	#1-1-32 (PWB) FRYE FARMS 13	Slot #13	Frye Farms	6641.83	7513.12	7513.12	6576.53	7529.53	101.53	7545.93
#5-5-32-09 0-6-CH FRYE FARMS 8	#5-5-32-090-6 -CH (PWB) FRYE FARMS 8	Slot #8	Frye Farms	6812.02	7468.04	7468.04	6747.65	7500.00	104.75	11899.37
#1-5-33-09 0-4-NH Pavistma South 1	#1-5-33-090-4 -NH (PWB) Pavistma South 1	Slot #1	Pavistma South	6900.70	11899.37	11899.37	6809.65	11899.37	75.79	11899.37
#1-5-32-09 0-4-NH Pavistma South 2	#1-5-32-090-4 -NH (PWB) Pavistma South 2	Slot #2	Pavistma South	7077.27	11899.37	11899.37	6985.34	11899.37	76.98	11899.37
#1-5-32-09 0-4-CH PAVISTMA 5	#1-5-32-090-4 -CH (PWB) PAVISTMA 5	Slot #5	Pavistma	7084.72	11899.37	11899.37	6992.69	11899.37	76.99	11899.37
#1-5-32-09 0-4-NH FRYE FARMS 7	#1-5-32-090-4 -NH (PWB) FRYE FARMS 7	Slot #7	Frye Farms	7142.01	7431.10	7431.10	7077.56	7431.10	109.76	11899.37
#1-6-33-09 0-4-NH PAVISTMA 4-2-32 RANCHO WATER	#1-6-33-090-4 -NH (PWB) PAVISTMA 4-2-32 RANCHO WATER	PAVISTMA 4-2-32 Slot #13	Pavistma Rancho Water Valley	7242.50 7291.93	11899.37 7447.51	11899.37 7447.51	7191.42 7270.69	11899.37 7562.34	141.77 80.47	11899.37 11899.37

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Prepared by Peterson Energy
Date Printed: 13-Mar-2013



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
VALLEY 13 #7-6-33-27 0-6-CH	VALLEY 13 #7-6-33-270-6 -CH (PWB)									
PAVISTMA 5-3-32 FRYE FARMS 6 #1-6-33-09 0-4-NH	PAVISTMA 5-3-32 (AWB) FRYE FARMS 6 #1-6-33-090-4 -NH (PWB)	PAVISTMA 5-3-32 Slot #6	Pavistma Frye Farms	7392.84 7472.09	11899.37 7431.10	11899.37 7431.10	7334.53 7407.73	11899.37 7414.70	126.79 115.46	11899.37 11899.37
PAVISTMA 4 #1-6-32-09 0-4-NH	PAVISTMA 4 #1-6-32-090-4 -NH (PWB)	Slot #4	Pavistma	7572.74	11899.37	11899.37	7479.13	11899.37	80.89	11899.37
PAVISTMA 11-32 Pavistma South 3 #1-6-32-09 0-4-NH	PAVISTMA 11-32 (AWB) Pavistma South 3 #1-6-32-090-4 -NH (PWB)	PAVISTMA 11-32 Slot #3	Pavistma (Anadarko) Pavistma South	7590.12 7628.47	11899.37 11899.37	11899.37 11899.37	7503.92 7534.70	11899.37 11899.37	88.06 81.36	11899.37 11899.37
FRYE FARM 7-5-32 RANCHO WATER VALLEY 12 #7-7-33-27 0-4-NH	FRYE FARM 7-5-32 (AWB) RANCHO WATER VALLEY 12 #7-7-33-270-4 -NH (PWB)	FRYE FARMS #7-5-32 Slot #12	Frye Farms Rancho Water Valley	7790.38 7802.73	11899.37 7400.00	11899.37 7400.00	7706.28 7653.44	11899.37 11450.13	92.63 34.95	11899.37 11899.37
FRYE FARMS 5 #7-9-32-27 0-4-NH	FRYE FARMS 5 #7-9-32-270-4 -NH (PWB)	Slot #5	Frye Farms	7879.98	11778.22	11778.22	7816.98	11860.24	123.97	11899.37
RANCHO WATER VALLEY 11 #7-7-33-27 0-6-CH	RANCHO WATER VALLEY 11 #7-7-33-270-6 -CH (PWB)	Slot #11	Rancho Water Valley	7946.30	7431.10	7431.10	7925.53	7545.93	88.75	11899.37
RANCHO WATER VALLEY 10 #7-8-33-27 0-4-NH	RANCHO WATER VALLEY 10 #7-8-33-270-4 -NH (PWB)	Slot #10	Rancho Water Valley	8130.66	7414.70	7414.70	8109.83	7578.74	90.88	11899.37
PAVISTMA 5-1-32 FRYE FARMS 1 #7-8-32-27 0-4-NH	PAVISTMA 5-1-32 (AWB) FRYE FARMS 1 #7-8-32-270-4 -NH (PWB)	PAVISTMA 5-1-32 Slot #1	Pavistma Frye Farms	8161.18 8185.68	11899.37 11600.00	11899.37 11600.00	8113.03 8123.41	11899.37 11663.39	169.52 126.76	11899.37 11899.37
Pavistma South 4 #1-7-32-09 0-4-CH	Pavistma South 4 #1-7-32-090-4 -CH (PWB)	Slot #4	Pavistma South	8213.52	11899.37	11899.37	8117.88	11899.37	85.88	11899.37
PAVISTMA 12-32 Pavistma South 5 #1-8-32-09 0-4-NH	PAVISTMA 12-32 (AWB) Pavistma South 5 #1-8-32-090-4 -NH (PWB)	PAVISTMA 12-32 Slot #5	Pavistma (Anadarko) Pavistma South	8274.94 8460.84	11899.37 11899.37	11899.37 11899.37	8226.78 8364.55	11899.37 11899.37	171.80 87.87	11899.37 11899.37
PAVISTMA 19-32 RANCHO WATER VALLEY 7 #7-8-33-27 0-5-CH	PAVISTMA 19-32 (AWB) RANCHO WATER VALLEY 7 #7-8-33-270-5 -CH (PWB)	PAVISTMA 19-32 Slot #07	Pavistma (Anadarko) Rancho Water Valley	8470.15 8533.76	11899.37 7463.91	11899.37 7463.91	8396.00 8512.01	11899.37 7611.55	114.24 89.70	11899.37 11899.37
RANCHO WATER VALLEY 6 #0-7-4-270 -5-NH	RANCHO WATER VALLEY 6 #0-7-4-270-5- NH (PWB)	Slot #06	Rancho Water Valley	8702.44	7431.10	7431.10	8681.07	7611.55	91.39	11899.37
FRYE FARMS #9-7-32 FRYE FARMS	FRYE FARMS #9-7-32 (AWB) FRYE FARMS	FRYE FARMS #9-7-32	Frye Farms	8729.27 9015.73	11899.37 11899.37	11899.37 11899.37	8666.69 8940.61	11899.37 11899.37	139.49 120.00	11899.37 11899.37

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Prepared by Peterson Energy
Date Printed: 13-Mar-2013



SYSDRILL
Closest Approach + Clearance Factor Summary Report
Wellbore: Kodak 11 #7-3-28-270-4-CH (PWB)
Wellpath: Kodak 11 #7-3-28-270-4-CH (PWP#1)

Clearance Summary

Offset WellName	Offset Wellbore	Offset Slot	Offset Structure	Separation [ft]	MD[ft]	Diverging From[ft]	Ellipse Separation [ft]	Ellipse MD[ft]	Clearance Factor	Clearance MD[ft]
#9-5-32	#9-5-32 (AWB)	#9-5-32								
RANCHO WATER VALLEY 4	RANCHO WATER VALLEY 4	Slot #04	Rancho Water Valley	9033.45	7431.10	7431.10	8877.68	11300.00	39.97	11899.37
#7-1-4-270-4-NH	#7-1-4-270-4-NH (PWB)									
Lind #13-32	Lind #13-32 (AWB)	Lind #13-32	Lind (Anadarko)	9296.76	11899.37	11899.37	9238.40	11899.37	159.30	11899.37
RANCHO WATER VALLEY #2-6-4	RANCHO WATER VALLEY #2-6-4 (AWB)	Slot #03	Rancho Water Valley	9302.19	8416.82	8416.82	9235.63	8513.78	102.79	11899.37
RANCHO WATER VALLEY #2-8-4	RANCHO WATER VALLEY #2-8-4 (AWB)	Slot #02	Rancho Water Valley	9313.01	7447.51	7447.51	9286.95	7480.31	162.18	11899.37
RANCHO WATER VALLEY 5	RANCHO WATER VALLEY 5	Slot #05	Rancho Water Valley	9323.25	2974.09	2974.09	9318.35	2985.56	42.63	11899.37
#7-2-4-270-4-NH	#7-2-4-270-4-NH (PWB)									
RANCHO WATER VALLEY #3-9-4	RANCHO WATER VALLEY #3-9-4 (AWB)	Slot #01	Rancho Water Valley	9480.44	114.83	7240.74	9480.07	114.83	173.92	11899.37
Anderson #1	Anderson #1 (AWB)	Anderson #1	Anderson (J.K. Wadley)	10026.11	11899.37	11899.37	9984.46	11899.37	240.69	11899.37

All data is in Feet unless otherwise stated
Coordinates are from Slot MD's are from Rig and TVD's are from Rig (Planned Datum #1 4769.0ft above Mean Sea Level)
Vertical Section is from 0.00N 0.00E on azimuth 264.030 degrees
Prepared by Peterson Energy
Date Printed: 13-Mar-2013