

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>400577862</b>			
Date Received: <b>03/24/2014</b>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 8960 Contact Name Brian Dodek  
 Name of Operator: BONANZA CREEK ENERGY OPERATING COMPANY LLC Phone: (720) 225-6653  
 Address: 410 17TH STREET SUITE #1400 Fax: ( )  
 City: DENVER State: CO Zip: 80202 Email: bdodek@bonanzacrk.com

Complete the Attachment  
Checklist

OP OGCC

API Number : 05- 123 38634 00 OGCC Facility ID Number: 435527  
 Well/Facility Name: Pronghorn Well/Facility Number: 12-42-28HNC  
 Location QtrQtr: SWNW Section: 28 Township: 5N Range: 61W Meridian: 6  
 County: WELD Field Name: RIVERSIDE  
 Federal, Indian or State Lease Number: \_\_\_\_\_

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**GROUND WATER SAMPLING**

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d.(3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

\_\_\_\_\_ Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

\_\_\_\_\_ Number of Water Source Exceptions requested per Rule 609.c.

\_\_\_\_\_ Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

\_\_\_\_\_ Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.

**The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**

Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

\_\_\_\_\_ Pre\_Drill Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose
534107	750123	11/04/2011	V.Baseline

**COMMENTS**

Pre-existing sample available within 1/2 mile radius.

**Operator Comments:**

--

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Brian Dodek  
 Title: Environmental Specialist Email: bdodek@bonanzacrk.com Date: 3/24/2014

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 4/1/2014

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

--	--

**General Comments****User Group****Comment****Comment Date**

Environmental Data	This was really a 318Ae(4) sample substitution. I spoke with the operator about the preferred method of submitting sample substitution requests under rule 218Ae(4).  Database has been updated with the operators request.	4/1/2014 3:33:52 PM
--------------------	---	---------------------

Total: 1 comment(s)

**Attachment Check List****Att Doc Num****Name**

400577862	FORM 4 SUBMITTED
-----------	------------------

Total Attach: 1 Files