FORM 6 Rev

12/05

1ST

State of Colorado Oil and Gas Conservation Commission

DNR DE ET OE

Document Num

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109

WELL ABANDONMENT REPORT

This form is to be submitted as an Intent to Abandon whenever an abandonment is planned on a borehole. After the abandonment is complete, this form shall again be submitted as a Subsequent Report of the actual work completed. The approved intent shall be valid for six months after the approval date, after that period, a new intent will be required. Attachments required with the Intent to Abandon are wellbore diagrams of the current configuration and the proposed configuration with plugs set.

A Subsequent Report of Abandonment shall indicate the actual work completed. Attachments required with a Subsequent Report are a wellbore diagram showing plugs that were set and casing remaining in the hole, the job summaries from all plugging contractors used, including wireline and cementing (third party verification) and any logs that may have been run during abandonment.

Document Number:						
	4007	23516				
Date	Rece	ived:				
	11/04	/2014				

ES

OGCC Operator Number: 100322 Contact Name: Jeremy Gilbert									
Name of Opera	ator: NOBI	LE ENERGY INC				Phone:	(720) 587-2290		
Address: 1625 BROADWAY STE 2200 Fax: (970) 304-5099									
City: DE	NVER	State: Co	O 2	Zip:8	0202	Email:	JGilbert@noble	energyinc.com	
For "Intent" 24 hour notice required, Name: Rickard, Jeff Tel: (720) 305-8280									
COGCC contact: jeffrey.rickard@state.co.us									
API Number 05-123-24847-00									
Well Name:	SCH	MIDT				Well N	lumber: 24-26		
Location:	QtrQtr: SE	NE Sect	tion:26	T	ownship: 4N	I Ra	nge: <u>66W</u>	Meridian:	6
County:	WELD			Fede	eral, Indian or S	tate Lease Nui	mber:		
Field Name:	HAMBE	RT		Fie	eld Number:	33530			
D	Notice of	of Intent to A	Abando	n	Subs	equent Re	eport of Aba	ndonment	
Only Complete the Following Background Information for Intent to Abandon Latitude: 40.284200 Longitude: -104.737160 GPS Data: Date of Measurement: 09/23/2008 PDOP Reading: 2.3 GPS Instrument Operator's Name: Cody Mattson Reason for Abandonment: Dry Production for Sub-economic Mechanical Problems Other Casing to be pulled: Yes No Estimated Depth: 2500 Fish in Hole: Yes No If yes, explain details below Wellbore has Uncemented Casing leaks: Yes No If yes, explain details below Details:									
Current and Previously Abandoned Zones									
CODELL	Formation		Perf. Top 7312 7090	Perf. Btr 7327 7183	•		Method of Isola	tion Plu	g Depth
Total: 2 zone(s)									
Casing History									
Casing Type	Size of Hole	Size of Casing	Weight F	Per Foot	Setting Depth	Sacks Ceme	nt Cement Bot	Cement Top	Status
SURF	12+1/4	8+5/8	24	4	592	310	592	0	VISU

4+1/2

11.6

7,463

510

7,463

3,470

7+7/8

CBL

CIBP #3: Depth CIBP #5: Depth Set 100 Set Set Set Set Set	sks cmt from sks cmt from			cs cmt or cs cmt or 2350	-	B #4: Depth	with	sacks cmt on top NOTE: Two(2) sacks cemen required on all CIBPs.
Set	sks cmt from							
SetSet	sks cmt from	2550	ft. to	2350	ft			
Set	•					Plug Type:	STUB PLUG	Plug Tagged:
Set	sks cmt from		ft. to		ft.	Plug Type:		Plug Tagged:
	SKS CITIC ITOTT		ft. to		ft.	Plug Type:		Plug Tagged:
Set	sks cmt from		ft. to		ft.	Plug Type:		Plug Tagged:
	sks cmt from		ft. to		ft.	Plug Type:		Plug Tagged:
Perforate and sq	ueeze at	ft. w	vith		sacks. Le	ave at least 100	ft. in casing	CICR Depth
Perforate and sq	lueeze at	ft. w	ith		sacks. Le	ave at least 100	ft. in casing	CICR Depth
Perforate and sq	lueeze at	ft. w	vith		sacks. Le	ave at least 100	ft. in casing	CICR Depth (Cast Iron Cement Retainer Depth)
Set	sacks half in. h		ace casin	ng from	642	ft. to0	_ ft. Plug	Tagged: X
Cut four feet belo	ow ground level	, weld on pl	ate	Above	Ground D	ry-Hole Marker:	Yes	No
Set	sacks in rat hol	е			Set	sacks in	mouse hole	
Casing Recovered Wireline Contract Type of Cement and	tor:	ed:	i	nch cas	ing 	Pluggin *Cementing Con		
Flowline/Pipeline h	nas been aband	oned per R	ule 1103		Yes	☐ No		*ATTACH JOB SUMMARY
Technical Detail/C		de in this fo	rm are, to	o the be	st of my kı	nowledge, true, c	orrect, and com	nplete.
Signed:					Pi	rint Name: Maril	yn Tucker	
Title: Engineer	ring Tech		Date:	1	- 1/4/2014	Email: m	tucker@nobleer	nergyinc.com
Based on the infoorders and is here	eby approved.		is Well A	bandon	ment Rep	ort (Form 6) com	plies with COGo	CC Rules and applicable te: 11/14/2014
CONDITIONS OF	F APPROVAL, I	F ANY:					Expiration Da	ate: 5/13/2015

COA Type	<u>Description</u>
	Note changes to plugging procedure: 1) Provide 48 hour notice of plugging MIRU via electronic Form 42. 2) For 2550' plug: pump plug and displace. If circulation is not maintained, then tag plug – must be 2350' or shallower. 3) For 642' plug: pump plug and displace. If surface casing plug is not circulated to surface then tag plug – must be 542' or shallower and provide 10 sx plug at the surface. Leave at least 100' cement in the casing for each plug. 4) Properly abandon flowlines as per Rule 1103. File electronic Form 42 once abandonment complete.

Attachment Check List

Att Doc Num	<u>Name</u>
400723516	FORM 6 INTENT SUBMITTED
400723530	WELLBORE DIAGRAM
400723531	PROPOSED PLUGGING PROCEDURE
400723534	WELLBORE DIAGRAM

Total Attach: 4 Files

General Comments

<u>User Group</u>	Comment	Comment Date
Permit	Well Completion Report dated 8/28/2008.	11/13/2014 3:41:51 PM

Total: 1 comment(s)