



STATE OF
COLORADO

Andrews - DNR, Doug <doug.andrews@state.co.us>

COGCC Form 2A review of NGL Water Solutions' NGL C9B location - Doc #400729140

2 messages

Andrews - DNR, Doug <doug.andrews@state.co.us>
To: Paul Gottlob <paul.gottlob@iptenergyservices.com>

Mon, Nov 24, 2014 at 9:13 AM

Paul,

I have reviewed the referenced Form 2A Oil & Gas Location Assessment and have the following comments.

1) As this proposed oil and gas location is within the Upper Crow Creek Designated Groundwater Basin, it is by definition a Sensitive Area. Therefore, I will change that designation to YES in the Water Resources section.

2) While you have correctly identified the nearest water well (Permit #76771) with a listed static water level of 297 feet, I did notice that this water well is cased from 460 feet to 700 feet below ground surface. A review of other nearby water wells indicate that the stock water well Permit #91966 located to the northeast is screened from 47 to 70 feet and has a static water level of 57 feet. Because both of these water wells are at the same approximate ground surface elevation, it seems water well Permit #91966 is more representative of the uppermost level of groundwater in the area of this proposed oil and gas well. Therefore, I would like to change the estimated depth to groundwater from 297 feet to 57 feet.

Please respond to this correspondence by December 24, 2014. If you have any questions, please contact me. Thank you.

Doug Andrews

Oil & Gas Location Assessment Specialist - Northeast Area



COLORADO
Oil & Gas Conservation
Commission
Department of Natural Resources

1120 Lincoln St., Suite 801
Denver, CO 80203
doug.andrews@state.co.us
303-894-2100 Ext. 5180

Paul Gottlob <paul.gottlob@iptenergyservices.com>
To: "Andrews - DNR, Doug" <doug.andrews@state.co.us>

Mon, Nov 24, 2014 at 9:31 AM

Doug,

Agreed to both assertion below.

Thank you!

Paul

PAUL GOTTLÖB

Regulatory & Engineering Technician

P: 720.420.5747

C: 720.394.6961



From: Andrews - DNR, Doug [mailto:doug.andrews@state.co.us]

Sent: Monday, November 24, 2014 9:14 AM

To: Paul Gottlob

Subject: COGCC Form 2A review of NGL Water Solutions' NGL C9B location - Doc #400729140

[Quoted text hidden]

The information contained in this e-mail message (and its attachments) may be privileged, confidential and protected from disclosure. If you are not the intended recipient, please do not read, copy, use, or disclose this communication to others. If you think that you have received this e-mail message in error, please immediately e-mail the sender, then delete this message and any "reply" response from your system. This electronic mail transmission is not intended (and may not be construed or deemed for any purpose) to contain or be an electronic signature.
