

FORM
2A

Rev
08/13

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400614904

Date Received:

06/05/2014

Oil and Gas Location Assessment

☐ New Location ☒ Refile ☐ Amend Existing Location Location#: 423893

Submit signed original form. This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

423893

Expiration Date:

12/05/2017

☒ This location assessment is included as part of a permit application.

CONSULTATION

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # _____
- ☐ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 27742
Name: EOG RESOURCES INC
Address: 600 17TH ST STE 1100N
City: DENVER State: CO Zip: 80202

Contact Information

Name: Kate Holsinger
Phone: (303) 262-9928
Fax: ()
email: michelle_robles@eogresources.com

RECLAMATION FINANCIAL ASSURANCE

☒ Plugging and Abandonment Bond Surety ID: 20030058 ☐ Gas Facility Surety ID: _____
☐ Waste Management Surety ID: _____

LOCATION IDENTIFICATION

Name: Elk Creek Number: 13-21H
County: WELD
QuarterQuarter: SESE Section: 21 Township: 10N Range: 62W Meridian: 6 Ground Elevation: 5051
Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.
Footage at surface: 501 feet FSL from North or South section line
501 feet FEL from East or West section line
Latitude: 40.815267 Longitude: -104.317511
PDOP Reading: 1.5 Date of Measurement: 12/19/2010
Instrument Operator's Name: Robert L. Kay

RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:

LOCATION ID # FORM 2A DOC #

FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells	<u>1</u>	Oil Tanks	<u>4</u>	Condensate Tanks	<u>0</u>	Water Tanks	<u>1</u>	Buried Produced Water Vaults	<u>0</u>
Drilling Pits	<u>0</u>	Production Pits	<u>0</u>	Special Purpose Pits	<u>0</u>	Multi-Well Pits	<u>0</u>	Temporary Large Volume Above Ground Tanks	<u>0</u>
Pump Jacks	<u>1</u>	Separators	<u>1</u>	Injection Pumps	<u>0</u>	Cavity Pumps	<u>0</u>		
Gas or Diesel Motors	<u>0</u>	Electric Motors	<u>1</u>	Electric Generators	<u>1</u>	Fuel Tanks	<u>1</u>	Gas Compressors	<u>0</u>
Dehydrator Units	<u>0</u>	Vapor Recovery Unit	<u>0</u>	VOC Combustor	<u>1</u>	Flare	<u>1</u>	LACT Unit	<u>1</u>
								Pigging Station	<u>0</u>

OTHER FACILITIES

Other Facility Type

Number

--	--

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

EOG typically installs a 3" buried welded steel line from the wellhead to the treater. From the treater to the tanks, EOG typically installs 1-3" welded steel oil line, and 1-3" buried welded water line. Additionally, EOG typically installs 1-3" gas line moving the gas off pad to sales.

CONSTRUCTION

Date planned to commence construction: 05/27/2015 Size of disturbed area during construction in acres: 3.93
Estimated date that interim reclamation will begin: 08/27/2015 Size of location after interim reclamation in acres: 2.37
Estimated post-construction ground elevation: 5049

DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H₂S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? No

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Method: Commercial Disposal

Cutting Disposal: OFFSITE Cuttings Disposal Method: Commercial Disposal

Other Disposal Description:

--

Beneficial reuse or land application plan submitted? No

Reuse Facility ID: _____ or Document Number: _____

Centralized E&P Waste Management Facility ID, if applicable: _____

SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: Michael D. and Tina Konig

Phone: 970-895-2386

Address: 36679 CR 110

Fax:

Address:

Email:

City: Briggsdale State: CO Zip: 80611

Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian

Check all that apply. The Surface Owner: ☐ is the mineral owner

☐ is committed to an oil and Gas Lease

☐ has signed the Oil and Gas Lease

☐ is the applicant

The Mineral Owner beneath this Oil and Gas Location is: ☒ Fee ☐ State ☐ Federal ☐ Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: Bond

Surface damage assurance if no agreement is in place: Blanket Surface Surety ID: 20090114

Date of Rule 306 surface owner consultation

CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☒ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☐ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe):

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☒ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☐ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe):

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

CULTURAL DISTANCE INFORMATION

Distance to nearest:

Building: 3646 Feet
Building Unit: 3646 Feet
High Occupancy Building Unit: 5280 Feet
Designated Outside Activity Area: 5280 Feet
Public Road: 490 Feet
Above Ground Utility: 468 Feet
Railroad: 5280 Feet
Property Line: 501 Feet

INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a: ☐ Buffer Zone
☐ Exception Zone
☐ Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: _____

SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: Ascalon fine sandy loam, 0 to 6 percent slopes

NRCS Map Unit Name: _____

NRCS Map Unit Name: _____

PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☒ NRCS or, ☐ field observation Date of observation: _____

List individual species: Western wheatgrass, needleandthread, sideoats grama, blue grama

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
☒ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
☐ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
☐ Alpine (above timberline)
☐ Other (describe): _____

WATER RESOURCES

Is this a sensitive area: ☐ No ☒ Yes

Distance to nearest

downgradient surface water feature: 816 Feet

water well: 3741 Feet

Estimated depth to ground water at Oil and Gas Location 3 Feet

Basis for depth to groundwater and sensitive area determination:

COGCC GISOnline Tools; groundwater determination based on water well permit #8855-R.

Is the location in a riparian area: ☒ No ☐ Yes

Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer No zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: _____

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 609

DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
- ☐ Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- ☐ Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- ☐ Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- ☐ Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

RULE 502.b VARIANCE REQUEST

☐ Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number _____

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

OPERATOR COMMENTS AND SUBMITTAL

Comments

There have been no changes to the location.
I certify that there have been no changes on land use, lease description.
The pad has not been built.
No pit will be used.
There will be no additional surface disturbance.
The location does not require a variance from any of the rules listed in Rule 306.d.(1).(A).(ii).
The location is not within a wildlife Restricted Surface Occupancy Area.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: _____ Date: 06/05/2014 Email: michelle_robles@eogresources.com

Print Name: Kate Holsinger Title: Regulatory Assistant

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 12/6/2014

Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

COA Type

Description

	Operator shall submit a Form 42 notifying COGCC 48 hours prior to commencement of construction activities.
	Flowlines shall be pressure tested upon installation and following any repairs prior to putting into service. Flowlines shall be pressure tested annually, regardless operating pressure.
	If shallow groundwater is encountered in flowline trenches, operator shall install a continuous impermeable synthetic liner beneath the flowlines or shall sleeve the flowlines to the surface to prevent any potential fluid release from the flowlines from contacting groundwater.
	Due to potential for shallow groundwater, operator shall construct secondary containment with a continuous impermeable synthetic liner beneath all primary storage vessels.
	Operator shall minimize post-completion disturbance per COGCC Rule 1003.

Best Management Practices

No BMP/COA Type

Description

--	--

Attachment Check List

Att Doc Num

Name

1668377	CORRESPONDENCE
400614904	FORM 2A SUBMITTED
400615020	HYDROLOGY MAP
400615054	OTHER

Total Attach: 4 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Final Review Completed. No LGD or public comment received.	12/4/2014 9:00:24 AM
Permit	Reviewed 8/21/14	8/21/2014 12:54:15 PM
OGLA	No Public Comments. OGLA task passed.	6/30/2014 8:08:51 AM
OGLA	IN PROCESS - Operator provided pipeline description and agreed to changing Land Use,distance to nearest BU, estimated depth to groundwater, and Sensitive Area determination. Operator provided a revised interim reclamation begin date. OGLA review complete. Waiting on Public Comment period.	6/24/2014 9:47:05 AM
OGLA	ON HOLD - Missing pipeline description, correct the Land Use to Crop Land, revise interim reclamation begin date, correct the distance to the nearest Building Unit, and correct the Sensitive Area determination and estimated depth to groundwater. Due by 7/23/14.	6/23/2014 10:38:30 AM
Permit	Passed completeness.	5/9/2014 2:32:56 PM

Total: 6 comment(s)