

Halde Redi-Mix, Inc.

Main Office 46321 Hwy. 24 • Burlington, CO 80807 • 719-346-0352
 14105 CO RD 43.3 • Cheyenne Wells, CO 80810
 21637 Hwy. 40/287 • Limon, CO 80828
 Kerry Halde 719-340-0329

19075

NAME: Wiepking Ellerton DATE: 10-21 2014
 No Limon

MAIL ADD: _____

DELV ADD: <u>Raptor #4</u>		TIME	
QUAN.	UNIT/REFERENCE	UNIT PRICE	AMOUNT
	YDS 50 SK	18.00	1800
	FIBER		
	AIR ENTRAINMENT		
	WATER REDUCER		
	100% Slurry For Conductor Pipe		
	Service Charge 2 yds. or less		

TOTAL MINUTES	ALLOWED	UNLOADING TIME	
GALLONS OF WATER ADDED =			
I acknowledge receipt of the above described material. I assume responsibility for reduced strength where water is added. I also assume responsibility for and waive any claim against the seller for damage occasioned by its delivery to the above address.			1800
X CAUTION: Freshly mixed cement, mortar, concrete or ground may cause skin injury. Avoid contact with skin where possible and wash exposed skin area promptly with water. If any cement mixtures get into eyes, those injured immediately and repeatedly with water and get prompt attention. KEEP OUT OF REACH OF CHILDREN			
CITY TAX			
STATE TAX			88
TOTAL			1888

MILEAGE	DRIVER	TRUCK #	
8	Mike	247	
UNLOADING TIME	START	STOP	TOTAL

272013

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

TICKET NUMBER 47748
LOCATION Oakley, MS
FOREMAN Wiles Shaw

**FIELD TICKET & TREATMENT REPORT
CEMENT**

2020-431-9210 or 800-467-8676				CEMENT			
DATE	CUSTOMER #	WELL NAME & NUMBER		SECTION	TOWNSHIP	RANGE	COUNTY
10-22-14	91160	Raptor #4		18	105	55W	Lyon
CUSTOMER		Wierking Fullerton Limon Weston Hunt/Dobbs 265 to Soband Rutledge 44th W 2nd into		TRUCK #	DRIVER	TRUCK #	DRIVER
MAILING ADDRESS				731	Jeremy		
				693	Lance R		
CITY	STATE	ZIP CODE		LOADING SIZE & WEIGHT 95% " 244"			

JOB TYPE <u>Surface</u>	HOLE SIZE <u>12 1/4"</u>	HOLE DEPTH <u>207</u>	CASING SIZE & WEIGHT <u>5 1/2" 24.4</u>
CASING DEPTH <u>301'</u>	DRILL PIPE	TUBING	OTHER
SLURRY WEIGHT <u>14.8</u>	SLURRY VOL <u>1.36</u>	WATER gal/sk	CEMENT LEFT in CASING <u>30'</u>
DISPLACEMENT <u>17 1/2 bbls</u>	DISPLACEMENT PSI	MIX PSI	RATE
REMARKS: <u>Safety meeting and a sign on Subsea drilling. Circulate casing</u> <u>mix 165 SWS Class A Cement with 3% Calcium 2% gel. Shut down Release Plug</u> <u>Displace 17 bbls Water shut in. Cement did Circulate. 6 bbls to pit.</u>			

Thanks Mels & Crew

[illegible]

Rayin 3737

AUTHORIZTION

TITLE

DATE _____

AUTHORIZATION _____ **DATE** _____

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.



CONSOLIDATED
Oil Well Services, LLC

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

812

Invoice # **802029**

TICKET NUMBER

47734

800
812

LOCATION **Oakley, KS**

FOREMAN **Kelly Gabel**

Darren Racette

FIELD TICKET & TREATMENT REPORT

CEMENT

COLO

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
11-7-14	9160	Raptor #4	18	105	55W	Lincoln
CUSTOMER Wierkingfullerton			Limon			
MAILING ADDRESS			65 Winto			
CITY			STATE ZIP CODE			
			TRUCK #	DRIVER	TRUCK #	DRIVER
			731	Cory		
			528	Cody		

JOB TYPE **Production** HOLE SIZE **7 7/8** HOLE DEPTH **8025** CASING SIZE & WEIGHT **5 1/2 17#**
CASING DEPTH **8020** DRILL PIPE TUBING PC Serial # **1408263** OTHER PC @ **4589**
SLURRY WEIGHT **142** SLURRY VOL **1.24** WATER gal/sk CEMENT LEFT in CASING **29' (Shoe)**
DISPLACEMENT **185.39** DISPLACEMENT PSI MIX PSI RATE

REMARKS: **safety meeting rigged up on Murfin #25, ran float equip cent. 1, 3, 5, 8, 11, 14, 17, 21, 22, 23, 24, 25, 80, 82 baskets 3 + 80 PC top # 81 @ 4589 Ran 100%TS circulated, ran pipe to bottom circulated till VLS was 45 pumped 5 bbl water, mud flush 5 bbl water mixed 10 SKS R 10 SKS M H, mixed 379 SKS class H 100% salt 5# Kol seal 2% gel, cleaned pumps, released Plug & displaced with 180 bbl water diff pressure 166 # Plug landed @ 2500 # Released pressure float held**

Thank You Kelly & crew

ACCOUNT CODE	QUANTITY or UNITS	DESCRIPTION of SERVICES or PRODUCT	UNIT PRICE	TOTAL
5401C	1	PUMP CHARGE	5614.08	5614.08
54106	100 mi	MILEAGE	5.35	535.00
54107A	18.75 ton	TON mileage delivery	1.75	328.12
1115A	399 SKS	class H cement	16.75	6683.25
1111	2087 #	Salt	1.50	1043.50
1118B	250 #	Bentonite	2.7	202.50
1107	100 #	Kol-seal	2.97	296.75
1110A	199.5 #	Kol-seal	2.56	1117.20
1144G	500 gal	mud flush	1.00	500.00
41104	2	5 1/2 basket (w)	290.00	580.00
41306	14	5 1/2 turbolizer (w)	75.75	1060.50
41159	1	5 1/2 AFH float shoe	433.75	433.75
41285	1	5 1/2 Portcollar (I)	217.82	217.82
41455	1	latchdown Assy (w)	567.00	567.00
			Sub	23483.53
			Less 10%	2348.35
			Net	21135.18
			SALES TAX	1009.54
			ESTIMATED TOTAL	22144.73

Ravin 3737

AUTHORIZATION *Greg Smith*

TITLE **CO-man**

DATE **11-7-14**

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.

PO Box 884, Chanute, KS 66720
620-431-9210 or 800-467-8676

Invoice #802298

FIELD TICKET & TREATMENT REPORT

CEMENT

TICKET NUMBER 47830

LOCATION Oakleaf Kr.

FOREMAN Cory Davis

Terry T

DATE	CUSTOMER #	WELL NAME & NUMBER	SECTION	TOWNSHIP	RANGE	COUNTY
11/21/14	9160	R ₂ Per #4	18	10 S	55 W	Lincoln
CUSTOMER			Lincon. Sec on 40 to R0 26 W 1/2 m N.E. into			
Weeking Fullerton						
MAILING ADDRESS			TRUCK #	DRIVER	TRUCK #	DRIVER
			349	Jeremy R.		
			530	Robert S.		
CITY						
STATE		ZIP CODE				

JOB TYPE <u>Port collar</u>	HOLE SIZE _____	HOLE DEPTH _____	CASING SIZE & WEIGHT _____
CASING DEPTH _____	DRILL PIPE _____	TUBING <u>3 7/8</u>	OTHER _____
SLURRY WEIGHT <u>12.5</u>	SLURRY VOL <u>1.74</u>	WATER gal/sk _____	CEMENT LEFT in CASING _____
DISPLACEMENT <u>26.57</u>	DISPLACEMENT PSI _____	MIX PSI _____	RATE _____

DISPLACEMENT 26.5' DISPLACEMENT PSI MIX PSI RATE
REMARKS: Jaffy Meeting Rig up on codell - will keep test casing open port collar tool @ 4586'
MIX 250 skr 60/40 woz 8% gel 2% calcium 1/4 Floeal dis plate 26.5 BBI shut down shut port collar
tool test tool to 2000 psi Run 5 joints in circulate 90 BB then taking Rig down

Thanks cory and crew

[illegible]

Ravin 3737

AUTHORIZATION

TITLE

DATE 11-24-14

I acknowledge that the payment terms, unless specifically amended in writing on the front of the form or in the customer's account records, at our office, and conditions of service on the back of this form are in effect for services identified on this form.