



Photo 1: View of the project area from the northeastern corner facing center.



Photo 2: View of the northern portion of the project area from the northeastern corner facing westward. Revegetation is largely comprised of grazed grasses such as smooth brome (*Bromus inermis*), crested wheatgrass (*Agropyron cristatum*), dropseed (*Sporobolus* sp.), and western wheatgrass (*Pascopyrum smithii*).



Photo 3: View of the eastern portion of the project area from the northeastern corner facing southward.



Photo 4: View of the southern portion of the project area from the southeastern corner facing westward.



Photo 5: View sign debris near the entrance to the well pad.



Photo 6: View of knapweed rosettes (likely *Acroptilon repens*) in the northeastern portion of the project area.



Photo 8: View of reference area assessed during inspection.

Reference area is a mixed foothill pinion juniper woodland. Dominant and common species include:

- Pinion pine (*Pinus edulis*)
- One seed juniper (*Juniperus monosperma*)
- Gambel's oak (*Quercus gambelii*)
- Snakeweed (*Gutierrezia sarothrae*)
- Banana yucca (*Yucca baccata*)
- Prickly pear (*Opuntia polyacantha*)
- Blue grama (*Bouteloua gracilis*)
- Purple three awn (*Aristida purpurea*)
- Indian ricegrass (*Achnatherum hymenoides*)
- Sandberg bluegrass (*Poa secunda*)
- Spring biscuitroot (*Vesper bulbosus*)