FORM 2 Rev

08/16

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

401393895

APPLICATION FOR PERMIT TO:	TM	(SUBMITTED)
▼ Drill Deepen Recomplete and Open	erate	
TYPE OF WELL OIL ▼ GAS COALBED ○ OTHER	Refiling 🔲	Date Received:
ZONE TYPE SINGLE ZONE X MULTIPLE ZONES COMMINGLE ZONES	Sidetrack	
Well Name: Gadwall Fed Well Number: 30-31-13h		
Name of Operator: MALLARD EXPLORATION LLC COGCO	C Operator Num	– ber: 10670
Address: 1821 BLAKE STREET STE 2B		
City: DENVER State: CO Zip: 80202		
Contact Name: Jeff Annable Phone: (303)928-7128 Fax: (303)	218-5678	
Email: regulatory@ascentgeomatics.com		
RECLAMATION FINANCIAL ASSURANCE		
Plugging and Abandonment Bond Surety ID: 20170115		
WELL LOCATION INFORMATION		
QtrQtr: NWNE Sec: 30 Twp: 8N Rng: 60W Meridian: 6		
Latitude: 40.638428 Longitude: -104.132735		
FNL/FSL FEL/FWL Footage at Surface: 751 Feet FNL 2042 Feet FEL		
Field Name: DJ HORIZONTAL NIOBRARA Field Number: 16950		
Ground Elevation: 4947 County: WELD		
GPS Data:		
Date of Measurement: 08/10/2017 PDOP Reading: 1.4 Instrument Operator's Name: 1	an Carabajal	
If well is Directional		
Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL	FEL/FW	L
	1345 FEL	
Sec: 30 Twp: 8N Rng: 60W Sec: 31 Twp: _	8N Rng:	
LOCATION SURFACE & MINERALS & RIGHT TO CONSTRUCT		
Surface Ownership: 🗵 Fee 📗 State 📗 Federal 🔲 Indian		
The Surface Owner is: is the mineral owner beneath the location. (check all that apply)		
is committed to an Oil and Gas Lease.		
has signed the Oil and Gas Lease.		
is the applicant.	_	
The Mineral Owner beneath this Oil and Gas Location is: 🛛 Fee 📗 State 📗 Federal	Indian	
The Minerals beneath this Oil and Gas Location will be developed by this Well: Yes		
The right to construct the Oil and Gas Location is granted by: Surface Use Agreement		
Surface damage assurance if no agreement is in place: Surface Su	rety ID:	

LEASE INFORMATIO	DN			
		t, describe one entire minera separate description page o	al lease that will be produced b or map if necessary.)	y this well (Describe lease
Township 8 North, Rang Section 29: NW4 Section 30: NE4	ge 60W, 6th PM			
Total Acres in Described L	.ease: 318	Described Mineral Le	ease is: 🗵 Fee 📗 Sta	te Federal Indian
Federal or State Lease #				
Distance from Completed	Portion of Wellbore	e to Nearest Lease Line of d	lescribed lease: 0	Feet
CULTURAL DISTANC	CE INFORMATI	ION	INSTRUCTIONS	
Distance to nearest:	4 7		the Proposed \	vents shall be provided from center of Well to nearest of each cultural
	Building: 46	o6 Feet	I	ribed in Rule 303.a.(5). r distance greater than 1 mile.
Build	-	 761 Feet	- Building - nea	rest building of any type. If nearest
High Occupancy Build	ing Unit: 52	280 Feet	both.	uilding Unit, enter same distance for
Designated Outside Activ	ity Area: 52	P80 Feet		High Occupancy Building Unit, and tside Activity Area - as defined in
Publ	ic Road: 7	739 Feet	100-Series Rule	·
Above Grour	nd Utility: 47	739 Feet		
F	Railroad: 52	R80 Feet		
Prope	erty Line: 6	509 Feet		
DESIGNATED SETBA	ACK LOCATIO	N	1,000' of a Bui	as described in Rule 604.a.(2), within ding Unit ne - as described in Rule 604.a.(1),
Check all that apply. This I	ocation is within a:	Buffer Zone	within 500' of	a Building Unit.
		Exception Zone	- Urban Mitiga Rules.	tion Area - as defined in 100-Series
		Urban Mitigation Are		
Pre-application Notification	ns (required if locat	ion is within 1,000 feet of a	building unit):	
Date of Rule 305.a.(1) Urban Mitigation	Area Notification to Local G	overnment:	//
Date of Rule 305.a.(2) Buffer Zone Notif	ication to Building Unit Own	ers:	
SPACING and UNIT I	NFORMATION			
			eted portion of offset wellbore p	ermitted or completed in the
same formation: 370	Feet	•		•
Distance from Completed	— Portion of Wellbore	e to Nearest Unit Boundary	600 Feet (Enter 5280	for distance greater than 1 mile.)
Federal or State Unit Nam		•	Unit N	-
SPACING & FORMA		ENTS		
Pending Spacing Order Hearing Date: October 3		661		
OBJECTIVE FORMA	·			
Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
NIOBRARA	NBRR	Pending	1280	T8NR60W:Sec30&31-All

DRILLING PI	ROGRAM							
Proposed Total	al Measured D	epth:16153F	eet					
Distance from	the proposed	wellbore to neares	t existing or	proposed wellbore	belonging to and	ther operator,	including plug	ged wells:
Enter distance	if less than or	equal to 1,500 fee	et: 225	_ Feet _ No	o well belonging	to another ope	erator within 1	,500 feet
Will a closed-le	oop drilling sys	stem be used?	Yes					
Is H2S gas read or equal to 100 Will salt section Will salt based Will oil based BOP Equipme GROUNDWA Water well salt DRILLING WILLING WILLING WILLING WILLING WILLING Fluids Cuttings Disposation	asonably expensions be encounted (>15,000 ppm drilling fluids been Type: 🔀 ATER BASE mpling require (ASTE MAN Disposal: OFFS all Description:	cted to be encounted to be used? LINE SAMPLING PER ENCOUNTED TO BE ENCOUNTED	ered during of an H2S Drilling Flu	drilling operations a ling Operations Pla No Ram Roll RONITORING All uids Disposal Meth	n) otating Head ND WATER V ods: Commercia	None VELL SAMP		
Bononolari	ouce or laria a	pphoanon plan oab	iiiittou.		All all the second			
Reuse Fa	cility ID:	or Do	ocument Nun	mber:				
		or Do	ocument Nun	mber:	11			
CASING PRO	OGRAM		1	1	Satting Donth	Stake Cmt	Cmt Rtm	Cmt Ton
CASING PRO		or Do	Wt/Ft 43	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CASING PRO	OGRAM Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top				
CASING PRO Casing Type CONDUCTOR	OGRAM Size of Hole 26	Size of Casing	<u>Wt/Ft</u> 43	Csg/Liner Top	80	50	80	0
CASING PRO Casing Type CONDUCTOR SURF 1ST	Size of Hole 26 12+1/4	16 9+5/8 5+1/2	<u>Wt/Ft</u> 43 36	Csg/Liner Top 0 0	80 1555	50 425	80 1555	0 0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor (DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT	16 9+5/8 5+1/2	Wt/Ft 43 36 20	Csg/Liner Top 0 0 0	80 1555	50 425	80 1555	0 0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor (DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT	16 9+5/8 5+1/2 planned	Wt/Ft 43 36 20	Csg/Liner Top 0 0 0	80 1555	50 425	80 1555	0 0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.a	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBACI pply: a.(1)A. Exception	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E	Wt/Ft 43 36 20 EXCEPTIO	Csg/Liner Top 0 0 0	80 1555 16153	50 425 2525	80 1555 16153	0 0 0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.a Rule 604.a Rule 604.a	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBAC pply: a.(1)A. Exception a.(1)A. Exception a.(1)A. Exception	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing on Location (e	Wt/Ft 43 36 20 EXCEPTIO O' of Building on approve	Csg/Liner Top 0 0 0 0 NS	80 1555 16153 ion now within a	50 425 2525 Designated Se	80 1555 16153 etback as a res	0 0 0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.a Rule 604.a Rule 604.a Rule 604.a Construction	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBACI pply: a.(1)A. Exception a.(1)A. Exception a.(1)B. Exception on after Location	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 50) on Location (existing the property of the property approval)	Wt/Ft 43 36 20 EXCEPTIO O' of Building or approve and or approve	Csg/Liner Top 0 0 0 0 NS Unit) ed Oil & Gas Locat	80 1555 16153 ion now within a ion is within a De	50 425 2525 Designated Se	80 1555 16153 etback as a res	0 0 0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.b Rule 604.b Rule 604.b Construction Rule 604.b	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBACI pply: a.(1)A. Exception b.(1)B. Exception c.(2) Exception b.(3) Exception	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or	Wt/Ft 43 36 20 EXCEPTIO O' of Building and or approve and or approve asite-specific	Csg/Liner Top 0 0 0 NS Unit) ed Oil & Gas Locat	80 1555 16153 ion now within a ion is within a De	50 425 2525 Designated Setel Set	80 1555 16153 etback as a resack due to Bu	0 0 0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.a Rule 604.b Rule 604.b construction Rule 604.b developme	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBAC pply: a.(1)A. Exception b.(1)B. Exception on after Location c.(2) Exception ent plan)	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or	Wt/Ft 43 36 20 EXCEPTIO O' of Building or approve and or approve site-specific Units constri	Csg/Liner Top 0 0 0 0 NS Unit) ed Oil & Gas Locat ed Oil & Gas Locat development plan ructed after August	80 1555 16153 ion now within a ion is within a De	50 425 2525 Designated Setel Set	80 1555 16153 etback as a resack due to Bu	0 0 0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.a Rule 604.b Rule 604.b construction Rule 604.b developme	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBACI pply: a.(1)A. Exception b.(1)B. Exception c.(2) Exception c.(2) Exception c.(3) Exception ent plan)	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or Location (Building)	Wt/Ft 43 36 20 EXCEPTIO O' of Building or approve and or approve site-specific Units constri	Csg/Liner Top 0 0 0 0 NS Unit) ed Oil & Gas Locat ed Oil & Gas Locat development plan ructed after August	80 1555 16153 ion now within a ion is within a De	50 425 2525 Designated Setel Set	80 1555 16153 etback as a resack due to Bu	0 0 0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that application of the construction of the constru	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBACI pply: a.(1)A. Exception a.(1)B. Exception after Location a.(2) Exception and plan) VATTENBER pply:	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or Location (Building)	Wt/Ft 43 36 20 EXCEPTIO O' of Building or approve and or approve site-specific Units construction of the construction of	Csg/Liner Top 0 0 0 0 NS Unit) ed Oil & Gas Locat ed Oil & Gas Locat development plan ructed after August	80 1555 16153 ion now within a ion is within a De	50 425 2525 Designated Setel Set	80 1555 16153 etback as a resack due to Bu	0 0 0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.b Rule 604.b Rule 604.b Construction Rule 604.b GREATER W Check all that ap Rule 318A	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBAC pply: a.(1)A. Exception b.(1)B. Exception c.(2) Exception c.(2) Exception c.(3) Exception ent plan) VATTENBER pply: a. Exception L	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or Location (Building) RG AREA LOCA	Wt/Ft 43 36 20 EXCEPTIO O' of Building and or approve a provent of a provent o	Csg/Liner Top 0 0 0 0 NS Unit) ed Oil & Gas Locat ed Oil & Gas Locat development plan ructed after August	80 1555 16153 ion now within a ion is within a De	50 425 2525 Designated Setel Set	80 1555 16153 etback as a resack due to Bu	0 0 0

Rule	502.b. Variance Request	t from COGCC Rule or Spacir	ng Order Number		
OTHER LO	OCATION EXCEPTI	ONS			
Check all tha	at apply:				
Rule 3	318.c. Exception Location	n from Rule or Spacing Order	Number		
Rule 6	603.a.(2) Exception Loca	tion (Property Line Setback).			
	tions and variances requertifications, SUAs).	uire attached Request Letter(s). Refer to applicable	rule for additional re	equired attachments (e.g.
OPERATO	OR COMMENTS AN	D SUBMITTAL			
Comments	Nearest wellbore permi	itted or completed in the same	formation is the prop	osed Gadwall Fed 2	9-32-12HN (NBRR).
	Nearest permitted or ex	kisting wellbore belonging to a	nother operator is the	e Hill #31-15-8 API #	05-123-19368.
This applica	tion is in a Comprehensi	ive Drilling Plan	CDP #:		
Location ID:		7/2			
Is this appli	cation being submitted w	vith an Oil a <mark>nd G</mark> as Location A	Assessment applicatio	n? Yes	
I hereby ce	rtify all statements made	in this form are, to the best o	f my knowledge, true,	correct, and comple	ete.
Signed:			Print Name: Jeff	Annable	
Title: _F	Regulatory Analyst	Date:		Email: regulato	ory@ascentgeomatics.c
		erein, this Application for Perm	nit-to-Drill complies wi	th COGCC Rules an	d applicable orders
and is hereby	y approved.		9 %		
COGCC App	proved:	1	Director of COGCC	Date:	
	API NUMBER		Expira	tion Date:	
05					
				Y	
		Condition	s Of Approval		
constitu enforcea	te representations, s	ons and conditions of ap tipulations and condition ent as all other representa	proval stated in the s of approval for t	e Form 2A for thi this Form 2 Perm	it-to-Drill and are
COA Type		<u>Description</u>			

		Best Management Practices
No	BMP/COA Type	<u>Description</u>
1	Planning	Plugged and abandoned wells will be identified pursuant to 319.a.(5)
2	Drilling/Completion Operations	A closed–loop system will be used for drilling operations.
	·	Blowout Prevention Equipment ("BOPE"): A double ram and annular preventer will be used during drilling. Stabbing valves shall be installed in the event of reverse circulation and shall be prior tested with low and high pressure fluid.
3	Drilling/Completion Operations	317.p One of the first wells drilled on the pad will be logged with open-hole Resistivity Log and Gamma Ray Log from the kick-off point into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without open-hole logs shall clearly state "No open-hole logs were run" and shall clearly identify (by API#, well name & number) the well in which open-hole logs were run.

Total: 3 comment(s)

Attachment Check List

Att Doc Num	<u>Name</u>
401394065	OffsetWellEvaluations Data
401394066	SURFACE AGRMT/SURETY
401394067	DEVIATED DRILLING PLAN
401394068	DIRECTIONAL DATA
401394069	WELL LOCATION PLAT

Total Attach: 5 Files

General Comments

<u>User Group</u>	Comment	Comment Date
		Stamp Upon Approval

Total: 0 comment(s)

Public Comments
No public comments were received on this application during the comment period.