

MALLARD EXPLORATION

WELD COUNTY, COLORADO (NAD 83)

NE NE SEC. 33 T8N R61W 6th P.M.

HARLEQUIN 33-32-7HN

ORIGINAL WELLBORE

27 December, 2017

Plan: PROPOSAL #1







Project: WELD COUNTY, COLORADO (NAD 83)
Site: NE NE SEC. 33 T8N R61W 6th P.M.
Well: HARLEQUIN 33-32-7HN
Wellbore: ORIGINAL WELLBORE
Design: PROPOSAL #1

ANNOTATIONS

TVD	MD	Inc	Azi	+N/-S	+E/-W	VSect	Dep	Annotation
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	SHL: 1292ft FNL & 544ft FEL of Sec 33
200.00	200.00	0.00	0.00	0.00	0.00	0.00	0.00	START NUDGE (2°/100ft BUR)
795.62	800.00	12.00	147.35	-52.71	33.77	-28.60	62.60	EOB TO 12° INC
4599.71	4689.07	12.00	147.35	-733.52	470.02	-397.98	871.19	END OF TANGENT
5195.33	5289.07	0.00	0.00	-786.23	503.79	-426.58	933.79	EOD TO VERTICAL
6021.04	6114.78	0.00	0.00	-786.23	503.79	-426.58	933.79	KOP (10°/100ft BUR)
6594.00	7014.78	90.00	269.31	-793.13	-69.13	144.39	1506.75	HZ LP: 2085ft FNL & 600ft FEL of Sec 33
6594.00	16415.79	90.00	269.31	-906.43	-9469.45	9512.74	10907.76	BHL: 2085ft FNL & 600ft FWL of Sec 32

WELLBORE TARGET DETAILS (LAT/LONG)

Name	TVD	+N/-S	+E/-W	Latitude	Longitude
KOP - HARLEQUIN 33-32-7HN	6021.04	-786.23	503.79	40.619733	-104.201947
HZ LP - HARLEQUIN 33-32-7HN	6594.00	-793.13	-69.13	40.619714	-104.204011
BHL - HARLEQUIN 33-32-7HN	6594.00	-906.43	-9469.45	40.619398	-104.237872



Azimuths to True North
Magnetic North: 7.87°




Magnetic Field
Strength: 52502.5nT
Dip Angle: 67.10°
Date: 27/12/2017
Model: IGRF2015

FORMATION TOP DETAILS

TVDPath	MDPath	Formation
604.00	605.35	Fox Hills Base
1660.00	1683.69	Pierre Shale Top
3538.00	3603.64	Richard Sandstone
3633.00	3700.77	Parkman Sandstone
4352.00	4435.83	Sussex Sandstone
4811.00	4903.58	Shannon Sandstone
6433.00	6574.50	Sharon Springs
6511.00	6702.53	Niobrara A Chalk
6536.00	6754.75	Niobrara A Chalk Base
6572.00	6855.49	Niobrara B1 Chalk Top
6583.00	6902.33	Niobrara B1 Chalk Base
6594.00	7014.78	Niobrara B2 Chalk Top (Target)

PROPOSED LOCAL COORDINATES:

SHL: 1292ft FNL & 544ft FEL of Sec 33
HZ LP: 2085ft FNL & 600ft FEL of Sec 33
BHL: 2085ft FNL & 600ft FWL of Sec 32



Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well HARLEQUIN 33-32-7HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Site:	NE NE SEC. 33 T8N R61W 6th P.M.	North Reference:	True
Well:	HARLEQUIN 33-32-7HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Project	WELD COUNTY, COLORADO (NAD 83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Northern Zone		Using geodetic scale factor

Site	NE NE SEC. 33 T8N R61W 6th P.M.		
Site Position:		Northing:	1,472,146.93 usft
From:	Lat/Long	Easting:	3,359,819.76 usft
Position Uncertainty:	0.00 usft	Slot Radius:	1.10000 ft
		Latitude:	40.622221
		Longitude:	-104.203761
		Grid Convergence:	0.84 °

Well	HARLEQUIN 33-32-7HN		
Well Position	+N-S	-120.24 usft	Northing: 1,472,026.71 usfi
	+E-W	-0.28 usft	Easting: 3,359,821.24 usfi
Position Uncertainty	0.00 usft	Wellhead Elevation:	usfi
		Latitude:	40.621891
		Longitude:	-104.203762
		Ground Level:	5,029.00 usft

Wellbore	ORIGINAL WELLBORE				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2015	27/12/2017	7.87	67.10	52,502

Design	PROPOSAL #1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N-S (usft)	+E-W (usft)	Direction (°)
	6,594.00	0.00	0.00	264.53

Plan Sections											
MD (usft)	Inc (°)	Azi (°)	Vertical Depth	SS (usft)	+N-S (usft)	+E-W (usft)	Dogleg Rate (°/100usf)	Build Rate (°/100usf)	Turn Rate (°/100usf)	TFO (°)	Target
0.00	0.00	0.00	0.00	-5,049.00	0.00	0.00	0.00	0.00	0.00	0.00	
200.00	0.00	0.00	200.00	-4,849.00	0.00	0.00	0.00	0.00	0.00	0.00	
800.00	12.00	147.35	795.62	-4,253.38	-52.71	33.77	2.00	2.00	0.00	147.35	
4,689.07	12.00	147.35	4,599.71	-449.29	-733.52	470.02	0.00	0.00	0.00	0.00	
5,289.07	0.00	0.00	5,195.33	146.33	-786.23	503.79	2.00	-2.00	0.00	180.00	
6,114.78	0.00	0.00	6,021.04	972.04	-786.23	503.79	0.00	0.00	0.00	0.00	KOP - HARLEQUIN
7,014.78	90.00	269.31	6,594.00	1,545.00	-793.13	-69.13	10.00	10.00	-10.08	269.31	HZ LP - HARLEQU
16,415.79	90.00	269.31	6,594.00	1,545.00	-906.43	-9,469.45	0.00	0.00	0.00	0.00	BHL - HARLEQUIN

Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well HARLEQUIN 33-32-7HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Site:	NE NE SEC. 33 T8N R61W 6th P.M.	North Reference:	True
Well:	HARLEQUIN 33-32-7HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Planned Survey

MD (usft)	Inc (°)	Azi (°)	TVD (usft)	SS (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
SHL: 1292ft FNL & 544ft FEL of Sec 33										
0.00	0.00	0.00	0.00	5,049.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.00	0.00	100.00	4,949.00	0.00	0.00	0.00	0.00	0.00	0.00
START NUDGE (2°/100ft BUR)										
200.00	0.00	0.00	200.00	4,849.00	0.00	0.00	0.00	0.00	0.00	0.00
300.00	2.00	147.35	299.98	4,749.02	-1.47	0.94	-0.80	2.00	2.00	0.00
400.00	4.00	147.35	399.84	4,649.16	-5.88	3.76	-3.19	2.00	2.00	0.00
500.00	6.00	147.35	499.45	4,549.55	-13.21	8.47	-7.17	2.00	2.00	0.00
600.00	8.00	147.35	598.70	4,450.30	-23.47	15.04	-12.74	2.00	2.00	0.00
Fox Hills Base										
605.35	8.11	147.35	604.00	4,445.00	-24.11	15.45	-13.08	2.00	2.00	0.00
700.00	10.00	147.35	697.47	4,351.53	-36.65	23.48	-19.88	2.00	2.00	0.00
EOB TO 12° INC										
800.00	12.00	147.35	795.62	4,253.38	-52.71	33.77	-28.60	2.00	2.00	0.00
900.00	12.00	147.35	893.44	4,155.56	-70.22	44.99	-38.10	0.00	0.00	0.00
1,000.00	12.00	147.35	991.25	4,057.75	-87.72	56.21	-47.59	0.00	0.00	0.00
1,100.00	12.00	147.35	1,089.07	3,959.93	-105.23	67.43	-57.09	0.00	0.00	0.00
1,200.00	12.00	147.35	1,186.88	3,862.12	-122.73	78.64	-66.59	0.00	0.00	0.00
1,300.00	12.00	147.35	1,284.70	3,764.30	-140.24	89.86	-76.09	0.00	0.00	0.00
1,400.00	12.00	147.35	1,382.51	3,666.49	-157.74	101.08	-85.59	0.00	0.00	0.00
1,500.00	12.00	147.35	1,480.33	3,568.67	-175.25	112.29	-95.08	0.00	0.00	0.00
1,600.00	12.00	147.35	1,578.14	3,470.86	-192.76	123.51	-104.58	0.00	0.00	0.00
Pierre Shale Top										
1,683.69	12.00	147.35	1,660.00	3,389.00	-207.41	132.90	-112.53	0.00	0.00	0.00
1,700.00	12.00	147.35	1,675.96	3,373.04	-210.26	134.73	-114.08	0.00	0.00	0.00
1,800.00	12.00	147.35	1,773.77	3,275.23	-227.77	145.95	-123.58	0.00	0.00	0.00
1,900.00	12.00	147.35	1,871.59	3,177.41	-245.27	157.16	-133.08	0.00	0.00	0.00
2,000.00	12.00	147.35	1,969.40	3,079.60	-262.78	168.38	-142.57	0.00	0.00	0.00
2,100.00	12.00	147.35	2,067.22	2,981.78	-280.28	179.60	-152.07	0.00	0.00	0.00
2,200.00	12.00	147.35	2,165.03	2,883.97	-297.79	190.81	-161.57	0.00	0.00	0.00
2,300.00	12.00	147.35	2,262.84	2,786.16	-315.30	202.03	-171.07	0.00	0.00	0.00
2,400.00	12.00	147.35	2,360.66	2,688.34	-332.80	213.25	-180.57	0.00	0.00	0.00
2,500.00	12.00	147.35	2,458.47	2,590.53	-350.31	224.47	-190.06	0.00	0.00	0.00
2,600.00	12.00	147.35	2,556.29	2,492.71	-367.81	235.68	-199.56	0.00	0.00	0.00
2,700.00	12.00	147.35	2,654.10	2,394.90	-385.32	246.90	-209.06	0.00	0.00	0.00
2,800.00	12.00	147.35	2,751.92	2,297.08	-402.82	258.12	-218.56	0.00	0.00	0.00
2,900.00	12.00	147.35	2,849.73	2,199.27	-420.33	269.33	-228.06	0.00	0.00	0.00
3,000.00	12.00	147.35	2,947.55	2,101.45	-437.84	280.55	-237.55	0.00	0.00	0.00
3,100.00	12.00	147.35	3,045.36	2,003.64	-455.34	291.77	-247.05	0.00	0.00	0.00
3,200.00	12.00	147.35	3,143.18	1,905.82	-472.85	302.98	-256.55	0.00	0.00	0.00
3,300.00	12.00	147.35	3,240.99	1,808.01	-490.35	314.20	-266.05	0.00	0.00	0.00
3,400.00	12.00	147.35	3,338.81	1,710.19	-507.86	325.42	-275.55	0.00	0.00	0.00
3,500.00	12.00	147.35	3,436.62	1,612.38	-525.36	336.64	-285.04	0.00	0.00	0.00
3,600.00	12.00	147.35	3,534.44	1,514.56	-542.87	347.85	-294.54	0.00	0.00	0.00
Richard Sandstone										
3,603.64	12.00	147.35	3,538.00	1,511.00	-543.51	348.26	-294.89	0.00	0.00	0.00
3,700.00	12.00	147.35	3,632.25	1,416.75	-560.38	359.07	-304.04	0.00	0.00	0.00
Parkman Sandstone										
3,700.77	12.00	147.35	3,633.00	1,416.00	-560.51	359.16	-304.11	0.00	0.00	0.00
3,800.00	12.00	147.35	3,730.07	1,318.93	-577.88	370.29	-313.54	0.00	0.00	0.00
3,900.00	12.00	147.35	3,827.88	1,221.12	-595.39	381.50	-323.04	0.00	0.00	0.00
4,000.00	12.00	147.35	3,925.70	1,123.30	-612.89	392.72	-332.53	0.00	0.00	0.00
4,100.00	12.00	147.35	4,023.51	1,025.49	-630.40	403.94	-342.03	0.00	0.00	0.00

Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well HARLEQUIN 33-32-7HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Site:	NE NE SEC. 33 T8N R61W 6th P.M.	North Reference:	True
Well:	HARLEQUIN 33-32-7HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Planned Survey										
MD (usft)	Inc (°)	Azi (°)	TVD (usft)	SS (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
4,200.00	12.00	147.35	4,121.32	927.68	-647.90	415.16	-351.53	0.00	0.00	0.00
4,300.00	12.00	147.35	4,219.14	829.86	-665.41	426.37	-361.03	0.00	0.00	0.00
4,400.00	12.00	147.35	4,316.95	732.05	-682.92	437.59	-370.53	0.00	0.00	0.00
Sussex Sandstone										
4,435.83	12.00	147.35	4,352.00	697.00	-689.19	441.61	-373.93	0.00	0.00	0.00
4,500.00	12.00	147.35	4,414.77	634.23	-700.42	448.81	-380.02	0.00	0.00	0.00
4,600.00	12.00	147.35	4,512.58	536.42	-717.93	460.02	-389.52	0.00	0.00	0.00
END OF TANGENT										
4,689.07	12.00	147.35	4,599.71	449.29	-733.52	470.02	-397.98	0.00	0.00	0.00
4,700.00	11.78	147.35	4,610.40	438.60	-735.42	471.23	-399.01	2.00	-2.00	0.00
4,800.00	9.78	147.35	4,708.63	340.37	-751.17	481.32	-407.56	2.00	-2.00	0.00
4,900.00	7.78	147.35	4,807.46	241.54	-764.02	489.56	-414.53	2.00	-2.00	0.00
Shannon Sandstone										
4,903.58	7.71	147.35	4,811.00	238.00	-764.42	489.82	-414.75	2.00	-2.00	0.00
5,000.00	5.78	147.35	4,906.75	142.25	-773.96	495.93	-419.92	2.00	-2.00	0.00
5,100.00	3.78	147.35	5,006.40	42.60	-780.98	500.42	-423.73	2.00	-2.00	0.00
5,200.00	1.78	147.35	5,106.27	-57.27	-785.06	503.04	-425.95	2.00	-2.00	0.00
EOD TO VERTICAL										
5,289.07	0.00	0.00	5,195.33	-146.33	-786.23	503.79	-426.58	2.00	-2.00	0.00
5,300.00	0.00	0.00	5,206.26	-157.26	-786.23	503.79	-426.58	0.00	0.00	0.00
5,400.00	0.00	0.00	5,306.26	-257.26	-786.23	503.79	-426.58	0.00	0.00	0.00
5,500.00	0.00	0.00	5,406.26	-357.26	-786.23	503.79	-426.58	0.00	0.00	0.00
5,600.00	0.00	0.00	5,506.26	-457.26	-786.23	503.79	-426.58	0.00	0.00	0.00
5,700.00	0.00	0.00	5,606.26	-557.26	-786.23	503.79	-426.58	0.00	0.00	0.00
5,800.00	0.00	0.00	5,706.26	-657.26	-786.23	503.79	-426.58	0.00	0.00	0.00
5,900.00	0.00	0.00	5,806.26	-757.26	-786.23	503.79	-426.58	0.00	0.00	0.00
6,000.00	0.00	0.00	5,906.26	-857.26	-786.23	503.79	-426.58	0.00	0.00	0.00
6,100.00	0.00	0.00	6,006.26	-957.26	-786.23	503.79	-426.58	0.00	0.00	0.00
KOP (10°/100ft BUR)										
6,114.78	0.00	0.00	6,021.04	-972.04	-786.23	503.79	-426.58	0.00	0.00	0.00
6,200.00	8.52	269.31	6,105.95	-1,056.95	-786.31	497.46	-420.28	10.00	10.00	0.00
6,300.00	18.52	269.31	6,203.05	-1,154.05	-786.59	474.11	-397.01	10.00	10.00	0.00
6,400.00	28.52	269.31	6,294.63	-1,245.63	-787.07	434.26	-357.28	10.00	10.00	0.00
6,500.00	38.52	269.31	6,377.89	-1,328.89	-787.73	379.11	-302.32	10.00	10.00	0.00
Sharon Springs										
6,574.50	45.97	269.31	6,433.00	-1,384.00	-788.33	329.05	-252.44	10.00	10.00	0.00
6,600.00	48.52	269.31	6,450.31	-1,401.31	-788.56	310.33	-233.78	10.00	10.00	0.00
6,700.00	58.52	269.31	6,509.68	-1,460.68	-789.53	230.03	-153.76	10.00	10.00	0.00
Niobrara A Chalk										
6,702.53	58.78	269.31	6,511.00	-1,462.00	-789.55	227.87	-151.60	10.00	10.00	0.00
Niobrara A Chalk Base										
6,754.75	64.00	269.31	6,536.00	-1,487.00	-790.10	182.05	-105.93	10.00	10.00	0.00
6,800.00	68.52	269.31	6,554.21	-1,505.21	-790.60	140.64	-64.67	10.00	10.00	0.00
Niobrara B1 Chalk Top										
6,855.49	74.07	269.31	6,572.00	-1,523.00	-791.23	88.11	-12.31	10.00	10.00	0.00
6,900.00	78.52	269.31	6,582.54	-1,533.54	-791.76	44.88	30.77	10.00	10.00	0.00
Niobrara B1 Chalk Base										
6,902.33	78.75	269.31	6,583.00	-1,534.00	-791.78	42.60	33.04	10.00	10.00	0.00
7,000.00	88.52	269.31	6,593.81	-1,544.81	-792.95	-54.35	129.66	10.00	10.00	0.00
HZ LP: 2085ft FNL & 600ft FEL of Sec 33 - Niobrara B2 Chalk Top (Target)										
7,014.78	90.00	269.31	6,594.00	-1,545.00	-793.13	-69.13	144.39	10.00	10.00	0.00
7,100.00	90.00	269.31	6,594.00	-1,545.00	-794.15	-154.34	229.31	0.00	0.00	0.00
7,200.00	90.00	269.31	6,594.00	-1,545.00	-795.36	-254.33	328.96	0.00	0.00	0.00

Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well HARLEQUIN 33-32-7HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Site:	NE NE SEC. 33 T8N R61W 6th P.M.	North Reference:	True
Well:	HARLEQUIN 33-32-7HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Planned Survey										
MD (usft)	Inc (°)	Azi (°)	TVD (usft)	SS (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
7,300.00	90.00	269.31	6,594.00	-1,545.00	-796.56	-354.32	428.61	0.00	0.00	0.00
7,400.00	90.00	269.31	6,594.00	-1,545.00	-797.77	-454.32	528.27	0.00	0.00	0.00
7,500.00	90.00	269.31	6,594.00	-1,545.00	-798.97	-554.31	627.92	0.00	0.00	0.00
7,600.00	90.00	269.31	6,594.00	-1,545.00	-800.17	-654.30	727.57	0.00	0.00	0.00
7,700.00	90.00	269.31	6,594.00	-1,545.00	-801.38	-754.30	827.22	0.00	0.00	0.00
7,800.00	90.00	269.31	6,594.00	-1,545.00	-802.58	-854.29	926.88	0.00	0.00	0.00
7,900.00	90.00	269.31	6,594.00	-1,545.00	-803.79	-954.28	1,026.53	0.00	0.00	0.00
8,000.00	90.00	269.31	6,594.00	-1,545.00	-804.99	-1,054.27	1,126.18	0.00	0.00	0.00
8,100.00	90.00	269.31	6,594.00	-1,545.00	-806.19	-1,154.27	1,225.83	0.00	0.00	0.00
8,200.00	90.00	269.31	6,594.01	-1,545.01	-807.40	-1,254.26	1,325.49	0.00	0.00	0.00
8,300.00	90.00	269.31	6,594.01	-1,545.01	-808.60	-1,354.25	1,425.14	0.00	0.00	0.00
8,400.00	90.00	269.31	6,594.01	-1,545.01	-809.81	-1,454.25	1,524.79	0.00	0.00	0.00
8,500.00	90.00	269.31	6,594.01	-1,545.01	-811.01	-1,554.24	1,624.44	0.00	0.00	0.00
8,600.00	90.00	269.31	6,594.01	-1,545.01	-812.21	-1,654.23	1,724.10	0.00	0.00	0.00
8,700.00	90.00	269.31	6,594.01	-1,545.01	-813.42	-1,754.22	1,823.75	0.00	0.00	0.00
8,800.00	90.00	269.31	6,594.01	-1,545.01	-814.62	-1,854.22	1,923.40	0.00	0.00	0.00
8,900.00	90.00	269.31	6,594.01	-1,545.01	-815.82	-1,954.21	2,023.05	0.00	0.00	0.00
9,000.00	90.00	269.31	6,594.01	-1,545.01	-817.03	-2,054.20	2,122.71	0.00	0.00	0.00
9,100.00	90.00	269.31	6,594.01	-1,545.01	-818.23	-2,154.19	2,222.36	0.00	0.00	0.00
9,200.00	90.00	269.31	6,594.01	-1,545.01	-819.44	-2,254.19	2,322.01	0.00	0.00	0.00
9,300.00	90.00	269.31	6,594.01	-1,545.01	-820.64	-2,354.18	2,421.66	0.00	0.00	0.00
9,400.00	90.00	269.31	6,594.01	-1,545.01	-821.84	-2,454.17	2,521.32	0.00	0.00	0.00
9,500.00	90.00	269.31	6,594.01	-1,545.01	-823.05	-2,554.17	2,620.97	0.00	0.00	0.00
9,600.00	90.00	269.31	6,594.01	-1,545.01	-824.25	-2,654.16	2,720.62	0.00	0.00	0.00
9,700.00	90.00	269.31	6,594.01	-1,545.01	-825.46	-2,754.15	2,820.27	0.00	0.00	0.00
9,800.00	90.00	269.31	6,594.01	-1,545.01	-826.66	-2,854.14	2,919.93	0.00	0.00	0.00
9,900.00	90.00	269.31	6,594.01	-1,545.01	-827.86	-2,954.14	3,019.58	0.00	0.00	0.00
10,000.00	90.00	269.31	6,594.01	-1,545.01	-829.07	-3,054.13	3,119.23	0.00	0.00	0.00
10,100.00	90.00	269.31	6,594.01	-1,545.01	-830.27	-3,154.12	3,218.88	0.00	0.00	0.00
10,200.00	90.00	269.31	6,594.01	-1,545.01	-831.48	-3,254.11	3,318.54	0.00	0.00	0.00
10,300.00	90.00	269.31	6,594.02	-1,545.02	-832.68	-3,354.11	3,418.19	0.00	0.00	0.00
10,400.00	90.00	269.31	6,594.02	-1,545.02	-833.88	-3,454.10	3,517.84	0.00	0.00	0.00
10,500.00	90.00	269.31	6,594.02	-1,545.02	-835.09	-3,554.09	3,617.49	0.00	0.00	0.00
10,600.00	90.00	269.31	6,594.02	-1,545.02	-836.29	-3,654.09	3,717.15	0.00	0.00	0.00
10,700.00	90.00	269.31	6,594.02	-1,545.02	-837.50	-3,754.08	3,816.80	0.00	0.00	0.00
10,800.00	90.00	269.31	6,594.02	-1,545.02	-838.70	-3,854.07	3,916.45	0.00	0.00	0.00
10,900.00	90.00	269.31	6,594.02	-1,545.02	-839.90	-3,954.06	4,016.10	0.00	0.00	0.00
11,000.00	90.00	269.31	6,594.02	-1,545.02	-841.11	-4,054.06	4,115.76	0.00	0.00	0.00
11,100.00	90.00	269.31	6,594.02	-1,545.02	-842.31	-4,154.05	4,215.41	0.00	0.00	0.00
11,200.00	90.00	269.31	6,594.02	-1,545.02	-843.52	-4,254.04	4,315.06	0.00	0.00	0.00
11,300.00	90.00	269.31	6,594.02	-1,545.02	-844.72	-4,354.04	4,414.71	0.00	0.00	0.00
11,400.00	90.00	269.31	6,594.02	-1,545.02	-845.92	-4,454.03	4,514.37	0.00	0.00	0.00
11,500.00	90.00	269.31	6,594.02	-1,545.02	-847.13	-4,554.02	4,614.02	0.00	0.00	0.00
11,600.00	90.00	269.31	6,594.02	-1,545.02	-848.33	-4,654.01	4,713.67	0.00	0.00	0.00
11,700.00	90.00	269.31	6,594.02	-1,545.02	-849.54	-4,754.01	4,813.32	0.00	0.00	0.00
11,800.00	90.00	269.31	6,594.02	-1,545.02	-850.74	-4,854.00	4,912.98	0.00	0.00	0.00
11,900.00	90.00	269.31	6,594.02	-1,545.02	-851.94	-4,953.99	5,012.63	0.00	0.00	0.00
12,000.00	90.00	269.31	6,594.02	-1,545.02	-853.15	-5,053.98	5,112.28	0.00	0.00	0.00
12,100.00	90.00	269.31	6,594.02	-1,545.02	-854.35	-5,153.98	5,211.93	0.00	0.00	0.00
12,200.00	90.00	269.31	6,594.02	-1,545.02	-855.55	-5,253.97	5,311.59	0.00	0.00	0.00
12,300.00	90.00	269.31	6,594.02	-1,545.02	-856.76	-5,353.96	5,411.24	0.00	0.00	0.00
12,400.00	90.00	269.31	6,594.02	-1,545.02	-857.96	-5,453.96	5,510.89	0.00	0.00	0.00
12,500.00	90.00	269.31	6,594.03	-1,545.03	-859.17	-5,553.95	5,610.54	0.00	0.00	0.00
12,600.00	90.00	269.31	6,594.03	-1,545.03	-860.37	-5,653.94	5,710.20	0.00	0.00	0.00

Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well HARLEQUIN 33-32-7HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Site:	NE NE SEC. 33 T8N R61W 6th P.M.	North Reference:	True
Well:	HARLEQUIN 33-32-7HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Planned Survey										
MD (usft)	Inc (°)	Azi (°)	TVD (usft)	SS (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
12,700.00	90.00	269.31	6,594.03	-1,545.03	-861.57	-5,753.93	5,809.85	0.00	0.00	0.00
12,800.00	90.00	269.31	6,594.03	-1,545.03	-862.78	-5,853.93	5,909.50	0.00	0.00	0.00
12,900.00	90.00	269.31	6,594.03	-1,545.03	-863.98	-5,953.92	6,009.15	0.00	0.00	0.00
13,000.00	90.00	269.31	6,594.03	-1,545.03	-865.19	-6,053.91	6,108.81	0.00	0.00	0.00
13,100.00	90.00	269.31	6,594.03	-1,545.03	-866.39	-6,153.90	6,208.46	0.00	0.00	0.00
13,200.00	90.00	269.31	6,594.03	-1,545.03	-867.59	-6,253.90	6,308.11	0.00	0.00	0.00
13,300.00	90.00	269.31	6,594.03	-1,545.03	-868.80	-6,353.89	6,407.76	0.00	0.00	0.00
13,400.00	90.00	269.31	6,594.03	-1,545.03	-870.00	-6,453.88	6,507.42	0.00	0.00	0.00
13,500.00	90.00	269.31	6,594.03	-1,545.03	-871.21	-6,553.88	6,607.07	0.00	0.00	0.00
13,600.00	90.00	269.31	6,594.03	-1,545.03	-872.41	-6,653.87	6,706.72	0.00	0.00	0.00
13,700.00	90.00	269.31	6,594.03	-1,545.03	-873.61	-6,753.86	6,806.37	0.00	0.00	0.00
13,800.00	90.00	269.31	6,594.03	-1,545.03	-874.82	-6,853.85	6,906.03	0.00	0.00	0.00
13,900.00	90.00	269.31	6,594.03	-1,545.03	-876.02	-6,953.85	7,005.68	0.00	0.00	0.00
14,000.00	90.00	269.31	6,594.03	-1,545.03	-877.23	-7,053.84	7,105.33	0.00	0.00	0.00
14,100.00	90.00	269.31	6,594.03	-1,545.03	-878.43	-7,153.83	7,204.98	0.00	0.00	0.00
14,200.00	90.00	269.31	6,594.03	-1,545.03	-879.63	-7,253.82	7,304.64	0.00	0.00	0.00
14,300.00	90.00	269.31	6,594.03	-1,545.03	-880.84	-7,353.82	7,404.29	0.00	0.00	0.00
14,400.00	90.00	269.31	6,594.03	-1,545.03	-882.04	-7,453.81	7,503.94	0.00	0.00	0.00
14,500.00	90.00	269.31	6,594.03	-1,545.03	-883.25	-7,553.80	7,603.59	0.00	0.00	0.00
14,600.00	90.00	269.31	6,594.03	-1,545.03	-884.45	-7,653.80	7,703.25	0.00	0.00	0.00
14,700.00	90.00	269.31	6,594.04	-1,545.04	-885.65	-7,753.79	7,802.90	0.00	0.00	0.00
14,800.00	90.00	269.31	6,594.04	-1,545.04	-886.86	-7,853.78	7,902.55	0.00	0.00	0.00
14,900.00	90.00	269.31	6,594.04	-1,545.04	-888.06	-7,953.77	8,002.20	0.00	0.00	0.00
15,000.00	90.00	269.31	6,594.04	-1,545.04	-889.27	-8,053.77	8,101.86	0.00	0.00	0.00
15,100.00	90.00	269.31	6,594.04	-1,545.04	-890.47	-8,153.76	8,201.51	0.00	0.00	0.00
15,200.00	90.00	269.31	6,594.04	-1,545.04	-891.67	-8,253.75	8,301.16	0.00	0.00	0.00
15,300.00	90.00	269.31	6,594.04	-1,545.04	-892.88	-8,353.75	8,400.81	0.00	0.00	0.00
15,400.00	90.00	269.31	6,594.04	-1,545.04	-894.08	-8,453.74	8,500.47	0.00	0.00	0.00
15,500.00	90.00	269.31	6,594.04	-1,545.04	-895.28	-8,553.73	8,600.12	0.00	0.00	0.00
15,600.00	90.00	269.31	6,594.04	-1,545.04	-896.49	-8,653.72	8,699.77	0.00	0.00	0.00
15,700.00	90.00	269.31	6,594.04	-1,545.04	-897.69	-8,753.72	8,799.42	0.00	0.00	0.00
15,800.00	90.00	269.31	6,594.04	-1,545.04	-898.90	-8,853.71	8,899.08	0.00	0.00	0.00
15,900.00	90.00	269.31	6,594.04	-1,545.04	-900.10	-8,953.70	8,998.73	0.00	0.00	0.00
16,000.00	90.00	269.31	6,594.04	-1,545.04	-901.30	-9,053.69	9,098.38	0.00	0.00	0.00
16,100.00	90.00	269.31	6,594.04	-1,545.04	-902.51	-9,153.69	9,198.03	0.00	0.00	0.00
16,200.00	90.00	269.31	6,594.04	-1,545.04	-903.71	-9,253.68	9,297.69	0.00	0.00	0.00
16,300.00	90.00	269.31	6,594.04	-1,545.04	-904.92	-9,353.67	9,397.34	0.00	0.00	0.00
16,400.00	90.00	269.31	6,594.04	-1,545.04	-906.12	-9,453.67	9,496.99	0.00	0.00	0.00
BHL: 2085ft FNL & 600ft FWL of Sec 32										
16,415.79	90.00	269.31	6,594.00	-1,545.00	-906.43	-9,469.45	9,512.74	0.00	0.00	0.00

Planning Report



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well HARLEQUIN 33-32-7HN
Company:	MALLARD EXPLORATION	TVD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Project:	WELD COUNTY, COLORADO (NAD 83)	MD Reference:	KB-EST @ 5049.00usft (Original Well Elev)
Site:	NE NE SEC. 33 T8N R61W 6th P.M.	North Reference:	True
Well:	HARLEQUIN 33-32-7HN	Survey Calculation Method:	Minimum Curvature
Wellbore:	ORIGINAL WELLBORE		
Design:	PROPOSAL #1		

Formations					
MD (usft)	TVD (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
605.35	604.00	Fox Hills Base			
1,683.69	1,660.00	Pierre Shale Top			
3,603.64	3,538.00	Richard Sandstone			
3,700.77	3,633.00	Parkman Sandstone			
4,435.83	4,352.00	Sussex Sandstone			
4,903.58	4,811.00	Shannon Sandstone			
6,574.50	6,433.00	Sharon Springs			
6,702.53	6,511.00	Niobrara A Chalk			
6,754.75	6,536.00	Niobrara A Chalk Base			
6,855.49	6,572.00	Niobrara B1 Chalk Top			
6,902.33	6,583.00	Niobrara B1 Chalk Base			
7,014.78	6,594.00	Niobrara B2 Chalk Top (Target)			

Plan Annotations				
MD (usft)	TVD (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
0.00	0.00	0.00	0.00	SHL: 1292ft FNL & 544ft FEL of Sec 33
200.00	200.00	0.00	0.00	START NUDGE (2°/100ft BUR)
800.00	795.62	-52.71	33.77	EOB TO 12° INC
4,689.07	4,599.71	-733.52	470.02	END OF TANGENT
5,289.07	5,195.33	-786.23	503.79	EOD TO VERTICAL
6,114.78	6,021.04	-786.23	503.79	KOP (10°/100ft BUR)
7,014.78	6,594.00	-793.13	-69.13	HZ LP: 2085ft FNL & 600ft FEL of Sec 33
16,415.79	6,594.00	-906.43	-9,469.45	BHL: 2085ft FNL & 600ft FWL of Sec 32