FORM 2 Rev

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203



Document Number:

Phone: (303) 894-2100 Fax: (303) 894-2109	401510355
APPLICATION FOR PERMIT TO:	(SUBMITTED)
▼ Drill	
TYPE OF WELL OIL X GAS COALBED OTHER Refiling	Date Received:
ZONE TYPE SINGLE ZONE MULTIPLE ZONES COMMINGLE ZONES Sidetrac	k 🔲
Well Name: Long Tail Well Number: 3-34-4HN	
Name of Operator: MALLARD EXPLORATION LLC COGCC Operato	or Number: 10670
Address: 1821 BLAKE STREET STE 2B	
City: DENVER State: CO Zip: 80202	
Contact Name: Erin Mathews Phone: (720)543 7951 Fax: ()	
Email: emathews@mallardexploration.com	-
RECLAMATION FINANCIAL ASSURANCE	
Plugging and Abandonment Bond Surety ID:20170115	
WELL LOCATION INFORMATION	
QtrQtr: SWSW Sec: 3 Twp: 7N Rng: 61W Meridian: 6	
Latitude: 40.597848 Longitude: -104.197949	
FNL/FSL FEL/FWL Footage at Surface: 518 Feet FSL 1228 Feet FWL	
Field Name: WATTENBERG Field Number: 90750	
Ground Elevation: 4978 County: WELD	
GPS Data:	
Date of Measurement: 12/14/2017 PDOP Reading: 1.6 Instrument Operator's Name: Ryan Desn	nond
If well is Directional Horizontal (highly deviated) submit deviated drilling plan.	
Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FOOTAGE FOR 1345 FWL 600 FNL 1345	FEL/FWL FWL
Sec: 3 Twp: 7N Rng: 61W Sec: 34 Twp: 8N	Rng: 61W
LOCATION SURFACE & MINERALS & RIGHT TO CONSTRUCT	
Surface Ownership: 🗵 Fee 📗 State 📗 Federal 📗 Indian	
The Surface Owner is: is the mineral owner beneath the location. (check all that apply) is committed to an Oil and Gas Lease.	
has signed the Oil and Gas Lease.	
is the applicant.	
	ion
The Mineral Owner beneath this Oil and Gas Location is: Fee State Federal Ind The Minerals beneath this Oil and Gas Location will be developed by this Well: Yes	iaii
The Minerals beneath this Oil and Gas Location will be developed by this Well: The right to construct the Oil and Gas Location is granted by: oil and gas lease	
Surface damage assurance if no agreement is in place: Surface Surety ID:	
Surface damage assurance in no agreement is in place.	

All (Lot 1, Lot 2, Lot 3, Lot E/2, Sec 34, T8N, R61W Total Acres in Described Le Federal or State Lease # Distance from Completed Po	oroduced. Attach t 4, S/2N/2, S/2),	separate description page o	al lease that will be produced by or map if necessary.) 2NE/4, SE/4), Sec 4, T7N, R61W	·
E/2, Sec 34, T8N, R61W Total Acres in Described Le Federal or State Lease # Distance from Completed Person		Sec 3, E/2 (Lot 1, Lot 2, S/2	2NE/4, SE/4), Sec 4, T7N, R61W	I
Federal or State Lease # _ Distance from Completed Po	ase: 1283			
Distance from Completed P		Described Mineral L	ease is: 🛛 Fee 📗 State	e Federal Indian
· · · · · · · · · · · · · · · · · · ·				
	ortion of Wellbore	to Nearest Lease Line of c	lescribed lease: 0	Feet
CULTURAL DISTANC	E INFORMATI	ON	INSTRUCTIONS:	
Distance to nearest:				nts shall be provided from center of ell to nearest of each cultural
			feature as descr	ibed in Rule 303.a.(5).
	_	25 Feet		distance greater than 1 mile. est building of any type. If nearest
		02 Feet		ding Unit, enter same distance for
High Occupancy Buildin	\ <u>-</u>	80 Feet	both.	High Occupancy Building Unit, and
Designated Outside Activity		80 Feet	-	side Activity Area - as defined in
	W	07 Feet	100-Series Rules	5.
Above Ground	Utility: 5	50 Feet		
Ra	ailroad: 52	80 Feet		
Propert	y Line:5	18 Feet		
DESIGNATED SETBA INFORMATION Check all that apply. This load		1 1	1,000' of a Build - Exception Zone within 500' of a - Urban Mitigation Rules.	e - as described in Rule 604.a.(1),
Pre-application Notifications	(required if locat			
	, ,	Area Notification to Local G		
` '	•	ication to Building Unit Owr	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Date of Rule 303.a.(2)	Dullel Zolle Notil	Cation to Building Offit Own	leis.	
SPACING and UNIT IN	IFORMATION			
Distance from completed po	ortion of proposed	wellbore to nearest comple	eted portion of offset wellbore pe	rmitted or completed in the
same formation: 370	_Feet			
Distance from Completed P	ortion of Wellbore	to Nearest Unit Boundary	600 Feet (Enter 5280 fo	or distance greater than 1 mile.)
Federal or State Unit Name	(if appl):		Unit Nur	mber:
SPACING & FORMATI	ONS COMME	ENTS		
The spacing application hunit Configuration = T7N			d the Docket Number will be pro	vided 1/16/2018.
OBJECTIVE FORMAT	IONS			
	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
	NBRR	pending	1280	7-61-3,8-61-34:All

DRILLING PI	ROGRAM							
Proposed Total	al Measured D	epth:16208 F	eet					
Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:								
Enter distance	Enter distance if less than or equal to 1,500 feet: 1036 Feet No well belonging to another operator within 1,500 feet					,500 feet		
Will a closed-le	oop drilling sys	stem be used?	Yes					
Is H2S gas read or equal to 100 Will salt section Will salt based Will oil based BOP Equipme GROUNDWA Water well salt DRILLING WILLING WILLING WILLING WILLING WILLING Fluids Cuttings Disposation	asonably expensions be encounted (>15,000 ppm drilling fluids be ent Type: 🔯 ATER BASE mpling require (ASTE MAN Disposal: OFFS all Description:	cted to be encounted to be used? LINE SAMPLING PER SAMPLING TO BE SAMPLING	ered during of an H2S Drilling Flu	drilling operations a ling Operations Pla No Ram Ro IONITORING Al uids Disposal Meth	otating Head ND WATER V ods: Commercia	None VELL SAMP		
Denencial r	euse or land a	pplication plan sub	milled?		F. A.			
Pouco En	cility ID:	or Do	ocument Nun	mhor:				
Reuse Fa	cility ID:	or Do	ocument Nun	mber:				
Reuse Fa		or Do	ocument Nun	mber:	1			
CASING PRO	OGRAM	or Do	ocument Nun	mber: <u>Csg/Liner Top</u>	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
CASING PRO Casing Type CONDUCTOR	OGRAM Size of Hole 26	Size of Casing	<u>Wt/Ft</u> 43	Csg/Liner Top	80	50	80	0
CASING PRO Casing Type CONDUCTOR SURF	Size of Hole 26 12+1/4	Size of Casing 16 9+5/8	<u>Wt/Ft</u> 43 36	Csg/Liner Top	80 1650	50 450	80 1650	0
CASING PRO Casing Type CONDUCTOR SURF 1ST	OGRAM Size of Hole 26	16 9+5/8 5+1/2	<u>Wt/Ft</u> 43	Csg/Liner Top 0 0	80	50	80	0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT	16 9+5/8 5+1/2 planned	Wt/Ft 43 36 20	Csg/Liner Top 0 0 0	80 1650	50 450	80 1650	0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBAC	16 9+5/8 5+1/2	Wt/Ft 43 36 20	Csg/Liner Top 0 0 0	80 1650	50 450	80 1650	0
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.a Rule 604.a Rule 604.a	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBAC pply: a.(1)A. Exception a.(1)A. Exception a.(1)A. Exception	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500) on Location (existing	Wt/Ft 43 36 20 EXCEPTIO O' of Building on approve	Csg/Liner Top 0 0 0	80 1650 16197	50 450 2275 Designated Se	80 1650 16197 etback as a res	0 0 1650
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.a Rule 604.a Rule 604.a Rule 604.a Construction	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBACI pply: a.(1)A. Exception a.(1)A. Exception a.(1)B. Exception on after Location	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 50) on Location (existing the property of the property approval)	Wt/Ft 43 36 20 EXCEPTIO O' of Building or approve and or approve	Csg/Liner Top 0 0 0 0 NS Unit) ed Oil & Gas Locat	80 1650 16197 ion now within a	50 450 2275 Designated Se	80 1650 16197 etback as a res	0 0 1650
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.b Rule 604.b Rule 604.b Construction Rule 604.b	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBACI pply: a.(1)A. Exception a.(1)B. Exception after Location a.(2) Exception	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or	Wt/Ft 43 36 20 EXCEPTIO O' of Building and or approve and or approve asite-specific	Csg/Liner Top 0 0 0 0 0 NS g Unit) ed Oil & Gas Locat ed Oil & Gas Locat development plan	80 1650 16197 ion now within a ion is within a De	50 450 2275 Designated Setel Set	80 1650 16197 etback as a resack due to Bu	0 0 1650
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.b Rule 604.b Rule 604.b Construction Rule 604.b	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBACI pply: a.(1)A. Exception a.(1)B. Exception after Location after Location a.(2) Exception a.(3) Exception	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or	Wt/Ft 43 36 20 EXCEPTIO O' of Building and or approve and or approve asite-specific	Csg/Liner Top 0 0 0 0 NS Unit) ed Oil & Gas Locat	80 1650 16197 ion now within a ion is within a De	50 450 2275 Designated Setel Set	80 1650 16197 etback as a resack due to Bu	0 0 1650
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.a Rule 604.b Rule 604.b construction Rule 604.b developme	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBAC pply: a.(1)A. Exception b.(1)B. Exception con after Location con (2) Exception ent plan)	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or	Wt/Ft 43 36 20 EXCEPTIO O' of Building or approve and or approve site-specific Units constri	Csg/Liner Top 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	80 1650 16197 ion now within a ion is within a De	50 450 2275 Designated Setel Set	80 1650 16197 etback as a resack due to Bu	0 0 1650
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.a Rule 604.b Rule 604.b construction Rule 604.b developme	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBACI pply: a.(1)A. Exception b.(1)B. Exception co.(2) Exception co.(3) Exception ent plan) /ATTENBER	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or Location (Building)	Wt/Ft 43 36 20 EXCEPTIO O' of Building or approve and or approve site-specific Units constri	Csg/Liner Top 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	80 1650 16197 ion now within a ion is within a De	50 450 2275 Designated Setel Set	80 1650 16197 etback as a resack due to Bu	0 0 1650
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that application of the construction of the constru	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBACI pply: a.(1)A. Exception a.(1)B. Exception after Location after Location a.(2) Exception and plan) /ATTENBER pply:	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or Location (Building)	Wt/Ft 43 36 20 EXCEPTIO O' of Building or approve and or approve site-specific Units construction of the construction of	Csg/Liner Top 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	80 1650 16197 ion now within a ion is within a De	50 450 2275 Designated Setel Set	80 1650 16197 etback as a resack due to Bu	0 0 1650
CASING PRO Casing Type CONDUCTOR SURF 1ST Conductor O DESIGNATE Check all that ap Rule 604.b Rule 604.b Rule 604.b Construction Rule 604.b GREATER W Check all that ap Rule 318A	DGRAM Size of Hole 26 12+1/4 8+1/2 Casing is NOT D SETBAC pply: a.(1)A. Exception b.(1)B. Exception c.(2) Exception c.(3) Exception ent plan) /ATTENBER pply: a. Exception L	Size of Casing 16 9+5/8 5+1/2 planned K LOCATION E on Zone (within 500 on Location (existing approval) Location (SUA or Location (Building) RG AREA LOCA	Wt/Ft 43 36 20 EXCEPTIO O' of Building and or approve a provent of a provent o	Csg/Liner Top 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	80 1650 16197 ion now within a ion is within a De	50 450 2275 Designated Setel Set	80 1650 16197 etback as a resack due to Bu	0 0 1650

Check all that ap Rule 318.6 Rule 603.6 ALL exceptions	ATION EXCEPTIONS oply: c. Exception Location from Rule of a.(2) Exception Location (Propert	
Rule 318.6 Rule 603.6 ALL exceptions	c. Exception Location from Rule of	
Rule 603.a	·	
ALL exceptions	a (2) Exception Location (Propert	or Spacing Order Number
	a.(2) Excoption Ecodition (1 report	y Line Setback).
	s and variances require attached cations, SUAs).	Request Letter(s). Refer to applicable rule for additional required attachments (e.g.
OPERATOR (COMMENTS AND SUBMIT	ΓΤΑL
Comments Ne	arest wellbore in proposed unit fr	rom anti-collision survey is the Long Tail 3-34-5HN.
	earest permitted or existing wellbo Pl: 05-123-38331) PR Status.	ore belonging to another operator as manually calculated is the Speaker #3-27-8-61
Fir	st string setting depth is intention	nally set approximately 10' less than Total Measured Depth.
Ex	ception Location waiver containe	ed in attached SUA (Paragraph 10.E, Page 4).
	is in a Comprehensive Drilling P	
Location ID:	is in a complehensive brilling i	INO CDI #.
		ad Continue that Annual and Francisco
is this application	on being submitted with an Oil an	nd Gas Location Assessment application? Yes
I hereby certify	all statements made in this form	are, to the best of my knowledge, true, correct, and complete.
Signed:		Print Name: Justin Garrett
Title: Reg	ulatory Analyst	Date: Email:regulatory@ascentgeomatics.c
Based on the info	ormation provided herein, this Ap	oplication for Permit-to-Drill complies with COGCC Rules and applicable orders
and is hereby ap	proved.	
COGCC Approve	ed:	Director of COGCC Date:
	API NUMBER	Expiration Date:
	ATTOMBER	
05		
05		
05		
05		Conditions Of Approval
All represer	epresentations, stipulations to the same extent as all ot	Conditions Of Approval onditions of approval stated in the Form 2A for this location shall and conditions of approval for this Form 2 Permit-to-Drill and are ther representations, stipulations and conditions of approval stated in
All represer constitute reenforceable	epresentations, stipulations to the same extent as all ot	onditions of approval stated in the Form 2A for this location shall and conditions of approval for this Form 2 Permit-to-Drill and are ther representations, stipulations and conditions of approval stated in

Best Management Practices Description No BMP/COA Type Plugged and abandoned wells will be identified pursuant to 319.a.(5). 1 Planning 2 Drilling/Completion A closed-loop system will be used for drilling operations. Blowout Prevention Operations Equipment ("BOPE"): A double ram annular preventer will be used during drilling. 3 Drilling/Completion 317.p One of the first wells drilled on the pad will be logged with open-hole Resistivity Operations Log and Gamma Ray Log from kick-off point into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measured-while-drilling gamma-ray log. The Form 5, Completion Report, for each well on the pad will list all the logs run and have those logs attached. The Form 5 for a well without open-hole logs shall clearly state "No open-hole logs were run" and shall clearly identify (by API#, well name & number) the well in which open-hole logs were run).

Total: 3 comment(s)

Attachment Check List

Att Doc Num	<u>Name</u>
401511144	OffsetWellEvaluations Data
401511148	DIRECTIONAL DATA
401511149	DEVIATED DRILLING PLAN
401511150	WELL LOCATION PLAT
401512847	EXCEPTION LOC REQUEST
401512848	SURFACE AGRMT/SURETY

Total Attach: 6 Files

General Comments

<u>User Group</u>	Comment			Comment Date
		1	A PA	Stamp Upon Approval

Total: 0 comment(s)

No public comments were received on this application during the comment period.	
No public comments were received on this application during the comment period.	Public Comments
	No public comments were received on this application during the comment period.
	No pounc comments were received on this application during the comment period.