



January 15, 2018

Mr. Matthew Lepore, Director  
Colorado Oil & Gas Conservation Commission  
1120 Lincoln Street, Ste. 801  
Denver, Colorado 80203

Re: Exception Location Requests to COGCC Rules 318A.a & 318A.c.:  
Livingston wells: NWSE & NESE, Section 7, Township 1 South, Range 68 West, Broomfield County, CO

Dear Mr. Lepore:

Extraction Oil & Gas, Inc. (Extraction) is planning to drill the following 19 horizontal wells:

Livingston S19-25-1N	(Doc # 401475435),	Livingston S19-25-11C	(Doc # 401475478),
Livingston S19-25-2C	(Doc # 401475450),	Livingston S19-25-12N	(Doc # 401475481),
Livingston S19-25-3N	(Doc # 401475452),	Livingston S19-25-13N	(Doc # 401475486),
Livingston S19-25-4N	(Doc # 401475454),	Livingston S19-25-14C	(Doc # 401475487),
Livingston S19-25-5C	(Doc # 401475455),	Livingston S19-25-15N	(Doc # 401475489),
Livingston S19-25-6N	(Doc # 401475458),	Livingston S20-25-2C	(Doc # 401475500),
Livingston S19-25-7N	(Doc # 401475468),	Livingston S20-25-3N	(Doc # 401475501),
Livingston S19-25-8C	(Doc # 401475470),	Livingston S20-25-4N	(Doc # 401475503),
Livingston S19-25-9N	(Doc # 401475471),	Livingston S20-25-5C	(Doc # 401475506),
Livingston S19-25-10N	(Doc # 401475473),		

The surface locations of Extraction's proposed wells have been staked outside of the COGCC Rule 318A.a. Greater Wattenberg Area (GWA) Drilling Window. Under the COGCC Rule 318A.c. any new twinning well is to be located within 50 feet of an existing well. The proposed Extraction wells listed above are not within 50 ft of an existing well. The surface owner has waived all location exception and setbacks under the COGCC, which includes Rules 318A.a. & 318A.c., in the SUA. Please see the highlighted portion of the SUA on page 8, part (c) attached to the APD.

Extraction respectfully requests the COGCC to review the enclosed information and approve the requested exception location to rule 318A.a & 318A.c. for the Applications for Permits to Drill for the wells on the subject pad. This is the best location for the wells since the wells are outside of the buffer zone.

Sincerely,

Alyssa Andrews  
Regulatory Analyst, Extraction Oil & Gas, Inc.