Schlumberger

Schlumberger, Pathfinder MD - Basic Coal Suite 2D-3D

Well: Well Name Not Entered
Field: Field Name Not Entered
Location: Location Not Entered
Survey Type: Survey Type Not Entered

Run 1
Run No.
Service Order
Run Date
Logging Unit
Logging Engineer
Witnessed By

Permanent Datum: Ground Level
Elevation: 0.000 ft
Log Measured From: Kelly Bushing
Drilling Measured From: Kelly Bushing

	Bit	Depth Driller	Depth Logger	Bottom Logged Interval	Top Logged Interval	Casing Driller Size @ Depth	Casing Logger Size @ Depth	Type Fluid in Hole	Density	Viscosity	Fluid Loss	Source of Sample	Rm @ Meas Temp	Rmf @ Meas Temp	Rmc @ Meas Temp	Source Rmf / Rmc	Rm @ BHT	Time Since Circulation	Time on Bottom	Max Recorded Temp

Gamma Ray (GR) 0 API 150 | Caliper (CALI) 6 in 16 | Resistivity (RES) 0.2 ohm.m 2000 | Neutron Porosity (NPHI) 45 % -15

Depth 1:240




Gamma
0
200
MCM
0
200
Bottom Hole Temp
0
90
4000
4050
4100
4150
4200
4250
4300
4350
4400
4450
4500
4550
4600
4650
4700
4750
4800
4850
4900
4950
5000
5050
5100
5150
5200
5250
5300
5350
5400
5450
5500
5550
5600
5650
5700
5750
5800
5850
5900
5950