



Corporate Office
1775 Sherman Street, #3000
Denver, Colorado 80203
303.860.5800
www.pdce.com

February 5, 2019

Noble Energy, Inc.
1625 Broadway St., Suite 2200
Denver, CO 80202



Re: **Stimulation Setback Consent, Rule 317.s.**
Ferguson 23G-202, 23G-332
SWNW Section 23, T5N-R64W
Weld County, Colorado

To Whom It May Concern,

PDC Energy, Inc. ("PDC") hereby requests a Statewide Fracture Stimulation Setback waiver from Noble Energy, Inc., the offset operator of the following wells that are estimated to be closer than 150' to the subject well(s).

PDC Proposed Well	Noble Encroached Upon Well		3D Interwell Distance
Ferguson 23G-202	UPRC 23-3H4	05-123-18089	59'
Ferguson 23G-332	Ferguson B 23-22	05-123-25178	114'

Per COGCC Rule 317s., No portion of a proposed wellbore's treated interval shall be located within 150 feet of an existing (producing, shut-in, or temporarily abandoned) or permitted oil and gas wellbore's treated interval belonging to another operator without the signed written consent of the operator of the encroached upon wellbore. The signed written consent shall be attached to the Application for Permit-to-Drill, Form 2 for the proposed wellbore.

If Noble Energy, Inc. is in agreement to waive the Rule 317.s requirement, please sign the waiver in the space provided below.

Sincerely,

Ally Ota
Regulatory Technician
PDC Energy, Inc.



Corporate Office
1775 Sherman Street, #3000
Denver, Colorado 80203
303.860.5800
www.pdce.com

As the offset operator or a designated representative thereof, I understand that the subject well will be potentially drilled and stimulated within 150' of the offset well listed above. I hereby give my consent for the subject well(s).


OPERATOR: Noble Energy, Inc.

A handwritten signature in blue ink, appearing to read "Sue Ann Jack", written over a horizontal line. To the right of the signature is a small handwritten "JS".

Signature

Sue Ann Jack
Attorney-In-Fact

Name, Title

A handwritten date "2/27/19" in blue ink, written over a horizontal line.

Date