

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>402240720</b>			
Date Received: <b>11/15/2019</b>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 8960 Contact Name Luke Kelly  
 Name of Operator: BONANZA CREEK ENERGY OPERATING COMPANY LLC Phone: (720) 315-8934  
 Address: 410 17TH STREET SUITE #1400 Fax: ( )  
 City: DENVER State: CO Zip: 80202 Email: Lkelly@Bonanzacrk.com

Complete the Attachment  
Checklist

OP OGCC

API Number : 05- 123 46389 00 OGCC Facility ID Number: 454037  
 Well/Facility Name: North Platte Well/Facility Number: K-35-34MRLNB  
 Location QtrQtr: SWSE Section: 26 Township: 5N Range: 63W Meridian: 6  
 County: WELD Field Name: WATTENBERG  
 Federal, Indian or State Lease Number: 2147.12

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**CHANGE OF LOCATION OR AS BUILT GPS REPORT**

- ☐ Change of Location \* ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

\* Well location change requires new plat. A substantive surface location change may require new Form 2A.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude                      PDOP Reading                      Date of Measurement                       
 Longitude                      GPS Instrument Operator's Name                     

**LOCATION CHANGE (all measurements in Feet)**

Well will be:                      (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From** Exterior Section Lines:

Change of **Surface** Footage **To** Exterior Section Lines:

Current **Surface** Location **From** QtrQtr SWSE Sec 26

New **Surface** Location **To** QtrQtr                      Sec                     

Change of **Top of Productive Zone** Footage **From** Exterior Section Lines:

Change of **Top of Productive Zone** Footage **To** Exterior Section Lines:

Current **Top of Productive Zone** Location **From** Sec 35

New **Top of Productive Zone** Location **To** Sec                     

Change of **Bottomhole** Footage **From** Exterior Section Lines:

Change of **Bottomhole** Footage **To** Exterior Section Lines:

Current **Bottomhole** Location Sec 34 Twp 5N

New **Bottomhole** Location Sec                      Twp                     

Is location in High Density Area?                     

Distance, in feet, to nearest building                     , public road:                     , above ground utility:                     , railroad:                     ,  
 property line:                     , lease line:                     , well in same formation:                     

Ground Elevation                      feet Surface owner consultation date                     

FNL/FSL		FEL/FWL	
<u>520</u>	<u>FSL</u>	<u>2552</u>	<u>FEL</u>
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>
Twp <u>5N</u>	Range <u>63W</u>	Meridian <u>6</u>	
Twp <u>                    </u>	Range <u>                    </u>	Meridian <u>                    </u>	
<u>10</u>	<u>FNL</u>	<u>2570</u>	<u>FEL</u>
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>
Twp <u>5N</u>	Range <u>63W</u>		
Twp <u>                    </u>	Range <u>                    </u>		
<u>10</u>	<u>FNL</u>	<u>470</u>	<u>FWL</u>
<u>                    </u>	<u>                    </u>	<u>                    </u>	<u>                    </u>

\*\*

\*\*

\*\* attach deviated drilling plan

**CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT**

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>

**OTHER CHANGES**

☐ **REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

☐ **CHANGE OF WELL, FACILITY OR OIL & GAS LOCATION NAME OR NUMBER**

From: Name NORTH PLATTE Number K-35-34MRLNB Effective Date: \_\_\_\_\_

To: Name \_\_\_\_\_ Number \_\_\_\_\_

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 905)

☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 908)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

☐ **REQUEST FOR CONFIDENTIAL STATUS**

☐ **DIGITAL WELL LOG UPLOAD**

☐ **DOCUMENTS SUBMITTED** Purpose of Submission: \_\_\_\_\_

**RECLAMATION****INTERIM RECLAMATION**

☐ Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

**FINAL RECLAMATION**

☐ Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

#### ENGINEERING AND ENVIRONMENTAL WORK

##### ☐ NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below or provide as an attachment, as required by Rule 319.b.(3).

Date well temporarily abandoned \_\_\_\_\_ Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required if shut in longer than 2 years. Date of last MIT \_\_\_\_\_

☐ SPUD DATE: \_\_\_\_\_

#### TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ NOTICE OF INTENT Approximate Start Date 11/29/2019

☐ REPORT OF WORK DONE Date Work Completed \_\_\_\_\_

- |                                                                        |                                                                                                     |                                                        |
|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| <input type="checkbox"/> Intent to Recomplete (Form 2 also required)   | <input type="checkbox"/> Request to Vent or Flare                                                   | <input type="checkbox"/> E&P Waste Mangement Plan      |
| <input type="checkbox"/> Change Drilling Plan                          | <input type="checkbox"/> Repair Well                                                                | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change                         | <input type="checkbox"/> Rule 502 variance requested. Must provide detailed info regarding request. |                                                        |
| <input checked="" type="checkbox"/> Other <u>Bradenhead Mitigation</u> | <input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases          |                                                        |

#### COMMENTS:

To mitigate elevated bradenhead pressure, BCEOC proposes the following initial mitigation actions:

1. An initial pressure check will be conducted to verify current bradenhead pressure following the previous bradenhead test. If the bradenhead pressure is at or below 25 PSI, the bradenhead pressure will be deemed mitigated by previous blowdowns and will be re-evaluated during the subsequent annual test. If bradenhead pressure remains above 25 psi, option 2 will be implemented.
2. An additional 30 minute well blowdown will be performed to establish a trend on blowdown results (when compared to the previous test results). Initial and 30 minute instantaneous pressures will be recorded during blowdown. Following the blowdown event, Bonanza Creek will return after 14 days to record the bradenhead pressure. If the bradenhead pressure is below 25 PSI, the well will be re-evaluated during the subsequent annual test. If bradenhead pressure remains above 25 PSI after the blowdown event or continues to build above 25 PSI after 14 days, BCEOC will evaluate the pressure timeline data collected to date and prepare an extended mitigation plan. BCEOC will then submit a subsequent Form 4 detailing a plan for extended bradenhead pressure mitigation.

#### CASING AND CEMENTING CHANGES

Casing Type	Size	Of	/	Hole	Size	Of	/	Casing	Wt/Ft	Csg/LinTop	Setting Depth	Sacks of Cement	Cement Bottom	Cement Top

#### H2S REPORTING

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

**Best Management Practices**

<b><u>No</u></b>		<b><u>BMP/COA Type</u></b>	<b><u>Description</u></b>

**Operator Comments:**

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Luke Kelly  
Title: Senior Env. Specialist Email: Lkelly@Bonanzacrk.com Date: 11/15/2019

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Jacobson, Eric Date: 1/3/2020

**CONDITIONS OF APPROVAL, IF ANY:**

<u>COA Type</u>	<u>Description</u>
	Shut in bradenhead pressure shall not exceed 50 psig.
	1.Operator shall implement measures to control venting, to protect health and safety, and to ensure that vapors and odors from well operations do not constitute a nuisance or hazard to public welfare. 2. Prior to starting bradenhead mitigation, if a sample has not been collected within the last twelve months collect bradenhead and production gas samples for laboratory analysis. Sampling shall comply with Operator Guidance - Bradenhead Testing and Reporting Instructions, Appendix A: Liquid and Gas Sampling. Copies of all final laboratory analytical results shall be provided to the COGCC within three months of collecting the samples. 3. During the first day of mitigation operator shall implement measures to get an initial estimate of the gas flow rate and/or volume from the bradenhead. During the shut-in period record pressure data to adequately characterize the build-up. This mitigation plan may be used for six consecutive months. 4. At the conclusion of the six months, conduct a new bradenhead test and submit the Form 17 within ten days of the test and submit a Form 4 Sundry that summarizes current well condition. The sundry should include details of the future plans and the flow rate information and pressure data.

**General Comments**

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Engineer	Bradenhead test date 09/17/2019 had 100 psig and liquid sample taken.	01/03/2020
Total: 1 comment(s)		

**Attachment Check List**

<u>Att Doc Num</u>	<u>Name</u>
402240720	SUNDRY NOTICE APPROVED-OTHER
402276615	FORM 4 SUBMITTED
Total Attach: 2 Files	