

## Entrada Consulting Group

Sample Delivery Group: L1302728

Samples Received: 01/05/2021

Project Number:

Description: Hawkins 10-4

Report To: Stuart Hall  
240 Mesa Avenue  
Grand Junction, CO 81501

Entire Report Reviewed By:

*Chris Ward*

Chris Ward  
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

**Pace Analytical National**

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 [www.pacenational.com](http://www.pacenational.com)



Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
H 10-4 UG L1302728-01	5
H 10-4 DG L1302728-02	6
Qc: Quality Control Summary	7
Gravimetric Analysis by Method 2540 C-2011	7
Wet Chemistry by Method 9040C	8
Wet Chemistry by Method 9056A	9
Volatile Organic Compounds (GC) by Method 8015/8021	11
Semi-Volatile Organic Compounds (GC) by Method 3511/8015	12
Gl: Glossary of Terms	13
Al: Accreditations & Locations	14
Sc: Sample Chain of Custody	15



# SAMPLE SUMMARY

ONE LAB. NATIONWIDE.



H 10-4 UG L1302728-01 GW

Collected by  
Jason McLarty

Collected date/time  
01/04/21 13:40

Received date/time  
01/05/21 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1601884	1	01/07/21 01:04	01/07/21 03:18	CAT	Mt. Juliet, TN
Wet Chemistry by Method 9040C	WG1601495	1	01/08/21 00:17	01/08/21 00:17	WOS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1602289	1	01/07/21 21:15	01/07/21 21:15	GB	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1602289	5	01/07/21 21:31	01/07/21 21:31	GB	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1601415	1	01/06/21 18:59	01/06/21 18:59	TPR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 3511/8015	WG1601333	1	01/06/21 09:44	01/06/21 15:11	DMG	Mt. Juliet, TN

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

H 10-4 DG L1302728-02 GW

Collected by  
Jason McLarty

Collected date/time  
01/04/21 14:00

Received date/time  
01/05/21 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Gravimetric Analysis by Method 2540 C-2011	WG1601884	1	01/07/21 01:04	01/07/21 03:18	CAT	Mt. Juliet, TN
Wet Chemistry by Method 9040C	WG1601495	1	01/08/21 00:17	01/08/21 00:17	WOS	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1602289	1	01/07/21 21:47	01/07/21 21:47	GB	Mt. Juliet, TN
Wet Chemistry by Method 9056A	WG1602289	5	01/08/21 06:16	01/08/21 06:16	GB	Mt. Juliet, TN
Volatile Organic Compounds (GC) by Method 8015/8021	WG1601415	1	01/06/21 19:21	01/06/21 19:21	TPR	Mt. Juliet, TN
Semi-Volatile Organic Compounds (GC) by Method 3511/8015	WG1601333	1	01/06/21 09:44	01/06/21 15:37	DMG	Mt. Juliet, TN

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc

ACCOUNT:

Entrada Consulting Group

PROJECT:

SDG:

L1302728

DATE/TIME:

01/11/21 15:24

PAGE:

3 of 15



All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Chris Ward  
Project Manager

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

<sup>7</sup> Gl

<sup>8</sup> Al

<sup>9</sup> Sc



## Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	631	J3	10.0	1	01/07/2021 03:18	WG1601884

## Wet Chemistry by Method 9040C

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	8.30	T8	1	01/08/2021 00:17	WG1601495

## Sample Narrative:

L1302728-01 WG1601495: 8.3 at 19.2C

## Wet Chemistry by Method 9056A


Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	10.1		1.00	1	01/07/2021 21:15	WG1602289
Sulfate	233		25.0	5	01/07/2021 21:31	WG1602289

## Volatile Organic Compounds (GC) by Method 8015/8021

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Benzene	ND		0.000500	1	01/06/2021 18:59	WG1601415
Toluene	ND		0.00100	1	01/06/2021 18:59	WG1601415
Ethylbenzene	ND		0.000500	1	01/06/2021 18:59	WG1601415
Total Xylene	ND		0.00150	1	01/06/2021 18:59	WG1601415
TPH (GC/FID) Low Fraction	ND		0.100	1	01/06/2021 18:59	WG1601415
(S) a,a,a-Trifluorotoluene(FID)	99.6		78.0-120		01/06/2021 18:59	WG1601415
(S) a,a,a-Trifluorotoluene(PID)	105		79.0-125		01/06/2021 18:59	WG1601415

## Semi-Volatile Organic Compounds (GC) by Method 3511/8015

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
TPH (GC/FID) High Fraction	ND		0.100	1	01/06/2021 15:11	WG1601333
(S) o-Terphenyl	83.0		31.0-160		01/06/2021 15:11	WG1601333





## Gravimetric Analysis by Method 2540 C-2011

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Dissolved Solids	677		10.0	1	01/07/2021 03:18	<a href="#">WG1601884</a>

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

## Wet Chemistry by Method 9040C

Analyte	Result	Qualifier	Dilution	Analysis date / time	Batch
pH	8.28	<a href="#">T8</a>	1	01/08/2021 00:17	<a href="#">WG1601495</a>

## Sample Narrative:

L1302728-02 WG1601495: 8.28 at 19.8C

## Wet Chemistry by Method 9056A

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Chloride	10.3		1.00	1	01/07/2021 21:47	<a href="#">WG1602289</a>
Sulfate	216		25.0	5	01/08/2021 06:16	<a href="#">WG1602289</a>

## Volatile Organic Compounds (GC) by Method 8015/8021

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
Benzene	ND		0.000500	1	01/06/2021 19:21	<a href="#">WG1601415</a>
Toluene	0.00220		0.00100	1	01/06/2021 19:21	<a href="#">WG1601415</a>
Ethylbenzene	ND		0.000500	1	01/06/2021 19:21	<a href="#">WG1601415</a>
Total Xylene	0.00473		0.00150	1	01/06/2021 19:21	<a href="#">WG1601415</a>
TPH (GC/FID) Low Fraction	ND		0.100	1	01/06/2021 19:21	<a href="#">WG1601415</a>
(S) a,a,a-Trifluorotoluene(FID)	99.3		78.0-120		01/06/2021 19:21	<a href="#">WG1601415</a>
(S) a,a,a-Trifluorotoluene(PID)	104		79.0-125		01/06/2021 19:21	<a href="#">WG1601415</a>

## Semi-Volatile Organic Compounds (GC) by Method 3511/8015

Analyte	Result	Qualifier	RDL	Dilution	Analysis date / time	Batch
TPH (GC/FID) High Fraction	ND		0.100	1	01/06/2021 15:37	<a href="#">WG1601333</a>
(S) o-Terphenyl	76.5		31.0-160		01/06/2021 15:37	<a href="#">WG1601333</a>

Method Blank (MB)

(MB) R3610742-1 01/07/21 03:18

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/l		mg/l	mg/l
Dissolved Solids	U		2.82	10.0

<sup>1</sup> Cp

<sup>2</sup> Tc

<sup>3</sup> Ss

<sup>4</sup> Cn

<sup>5</sup> Sr

<sup>6</sup> Qc

L1302728-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1302728-01 01/07/21 03:18 • (DUP) R3610742-3 01/07/21 03:18

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Dissolved Solids	631	728	1	14.3	J3	5

<sup>7</sup> Gl

<sup>8</sup> Al

L1302959-05 Original Sample (OS) • Duplicate (DUP)

(OS) L1302959-05 01/07/21 03:18 • (DUP) R3610742-4 01/07/21 03:18

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Dissolved Solids	388	383	1	1.30		5

<sup>9</sup> Sc

Laboratory Control Sample (LCS)

(LCS) R3610742-2 01/07/21 03:18

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/l	mg/l	%	%	
Dissolved Solids	8800	8570	97.4	77.4-123	



L1302188-01 Original Sample (OS) • Duplicate (DUP)

(OS) L1302188-01 01/08/21 00:17 • (DUP) R3610756-2 01/08/21 00:17

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	su	su		%		%
pH	6.22	6.22	1	0.000		1

Sample Narrative:

OS: 6.22 at 19.7C

DUP: 6.22 at 19.5C

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

L1302713-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1302713-02 01/08/21 00:17 • (DUP) R3610756-3 01/08/21 00:17

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	su	su		%		%
pH	7.59	7.57	1	0.264		1

Sample Narrative:

OS: 7.59 at 19.3C

DUP: 7.57 at 19.5C

Laboratory Control Sample (LCS)

(LCS) R3610756-1 01/08/21 00:17

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	su	su	%	%	
pH	10.0	10.0	100	99.0-101	

Sample Narrative:

LCS: 10.03 at 18.7C





Method Blank (MB)

(MB) R3611003-1 01/07/21 20:28

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	mg/l		mg/l	mg/l
Chloride	U		0.379	1.00
Sulfate	U		0.594	5.00

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc

L1302728-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1302728-02 01/07/21 21:47 • (DUP) R3611003-3 01/07/21 22:03

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Chloride	10.3	10.3	1	0.0584		15

L1303545-06 Original Sample (OS) • Duplicate (DUP)

(OS) L1303545-06 01/08/21 04:09 • (DUP) R3611003-6 01/08/21 04:25

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Chloride	ND	ND	1	0.000		15
Sulfate	ND	ND	1	0.000		15

L1302728-02 Original Sample (OS) • Duplicate (DUP)

(OS) L1302728-02 01/08/21 06:16 • (DUP) R3611003-8 01/08/21 06:32

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	mg/l	mg/l		%		%
Sulfate	216	216	5	0.0610		15

Laboratory Control Sample (LCS)

(LCS) R3611003-2 01/07/21 20:43

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	mg/l	mg/l	%	%	
Chloride	40.0	40.3	101	80.0-120	
Sulfate	40.0	40.6	102	80.0-120	



L1303519-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1303519-01 01/08/21 00:42 • (MS) R3611003-4 01/08/21 00:58 • (MSD) R3611003-5 01/08/21 01:14

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>	<u>MSD Qualifier</u>	RPD %	RPD Limits %
Chloride	50.0	3.80	52.5	52.8	97.5	97.9	1	80.0-120			0.395	15
Sulfate	50.0	9.58	58.7	58.9	98.3	98.6	1	80.0-120			0.269	15

L1303545-07 Original Sample (OS) • Matrix Spike (MS)

(OS) L1303545-07 01/08/21 04:41 • (MS) R3611003-7 01/08/21 04:56

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MS Rec. %	Dilution	Rec. Limits %	<u>MS Qualifier</u>
Chloride	50.0	ND	50.9	102	1	80.0-120	
Sulfate	50.0	ND	50.8	102	1	80.0-120	

<sup>1</sup>Cp

<sup>2</sup>Tc

<sup>3</sup>Ss

<sup>4</sup>Cn

<sup>5</sup>Sr

<sup>6</sup>Qc

<sup>7</sup>Gl

<sup>8</sup>Al

<sup>9</sup>Sc



Method Blank (MB)

(MB) R3610487-3 01/06/21 12:22

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	U		0.000190	0.000500
Toluene	U		0.000412	0.00100
Ethylbenzene	U		0.000160	0.000500
Total Xylene	U		0.000510	0.00150
TPH (GC/FID) Low Fraction	U		0.0314	0.100
(S) a,a,a-Trifluorotoluene(FID)	100			78.0-120
(S) a,a,a-Trifluorotoluene(PID)	106			79.0-125

1  
Cp

2  
Tc

3  
Ss

4  
Cn

5  
Sr

6  
Qc

7  
Gl

8  
Al

9  
Sc

Laboratory Control Sample (LCS)

(LCS) R3610487-1 01/06/21 10:57

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
TPH (GC/FID) Low Fraction	5.50	5.36	97.5	72.0-127	
(S) a,a,a-Trifluorotoluene(FID)			105	78.0-120	
(S) a,a,a-Trifluorotoluene(PID)			114	79.0-125	

Laboratory Control Sample (LCS)

(LCS) R3610487-2 01/06/21 11:29

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.0500	0.0437	87.4	77.0-122	
Toluene	0.0500	0.0467	93.4	80.0-121	
Ethylbenzene	0.0500	0.0478	95.6	80.0-123	
Total Xylene	0.150	0.144	96.0	47.0-154	
(S) a,a,a-Trifluorotoluene(FID)			99.1	78.0-120	
(S) a,a,a-Trifluorotoluene(PID)			104	79.0-125	



Method Blank (MB)

(MB) R3610404-1 01/06/21 13:01

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
TPH (GC/FID) High Fraction	U		0.0247	0.100
(S) o-Terphenyl	80.0			31.0-160

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3610404-2 01/06/21 13:27 • (LCSD) R3610404-3 01/06/21 13:53

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
TPH (GC/FID) High Fraction	1.50	1.33	1.36	88.7	90.7	50.0-150			2.23	20
(S) o-Terphenyl				98.0	99.5	31.0-160				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc



## Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

### Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

### Qualifier Description

J3	The associated batch QC was outside the established quality control range for precision.
T8	Sample(s) received past/too close to holding time expiration.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc



Pace National is the only environmental laboratory accredited/certified to support your work nationwide from one location. One phone call, one point of contact, one laboratory. No other lab is as accessible or prepared to handle your needs throughout the country. Our capacity and capability from our single location laboratory is comparable to the collective totals of the network laboratories in our industry. The most significant benefit to our one location design is the design of our laboratory campus. The model is conducive to accelerated productivity, decreasing turn-around time, and preventing cross contamination, thus protecting sample integrity. Our focus on premium quality and prompt service allows us to be YOUR LAB OF CHOICE.

\* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

\* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace National.

## State Accreditations

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico <sup>1</sup>	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina <sup>1</sup>	DW21704
Georgia	NELAP	North Carolina <sup>3</sup>	41
Georgia <sup>1</sup>	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky <sup>1 6</sup>	KY90010	South Carolina	84004
Kentucky <sup>2</sup>	16	South Dakota	n/a
Louisiana	AI30792	Tennessee <sup>1 4</sup>	2006
Louisiana <sup>1</sup>	LA180010	Texas	T104704245-20-18
Maine	TN00003	Texas <sup>5</sup>	LAB0152
Maryland	324	Utah	TN00003
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	460132
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA

## Third Party Federal Accreditations

A2LA – ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA – ISO 17025 <sup>5</sup>	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

<sup>1</sup> Drinking Water <sup>2</sup> Underground Storage Tanks <sup>3</sup> Aquatic Toxicity <sup>4</sup> Chemical/Microbiological <sup>5</sup> Mold <sup>6</sup> Wastewater n/a Accreditation not applicable

## Our Locations

Pace National has sixty-four client support centers that provide sample pickup and/or the delivery of sampling supplies. If you would like assistance from one of our support offices, please contact our main office. Pace National performs all testing at our central laboratory.



