

GOODWELL PERFORATORS

GREELEY COLORADO

SONIC CEMENT BOND

3 NO.	COMPANY		GERRITY OIL AND GAS CORP.	
	WELL		GITTLEIN BLUE D 4-8	
	FIELD		WATTENBERG	
	COUNTY		WELD	STATE CO
	LOCATION		SE NE	
FILE COPY				OTHER SERVICE
				PERF
SEC 4		TWP 3N	RGE 64W	

PERMANENT DATUM	GROUND LEVEL	ELEV 4708	ELEVATIONS
MEASURED FROM K.B.	10 FT. ABOVE PERMANENT DATUM		KB 4718
MEASURED FROM KELLY BUSHING			DF 4717
			GL 4708

	10 05 92			
D.	ONE			
LOG	GR CBL			
DRILLER	7078			
LOGGER	6960			
M LOGGED INT.	6955			
OGGED INT.	3890			
FLUID IN HOLE	WATER			
TY				
LEVEL	FULL			
HOLE TEMP.	F			
NO.	811			
ION	GREELEY			
DED BY	A. MUNDAY			
SSSED BY	MR. TRIMBLE			

BORE HOLE RECORD

CASING RECORD

BIT	FROM	TO	SIZE	WT.	FROM	TO
12 1/4	000	425	8 5/8	24	000	425
7 1/2	425	7078	3 1/2	25	425	7078



TOOL 2 1/8 COMPROBE SINGLE RECEIVER 3' SPACING

20 KILO HERTZ TRANSITTER AT 4 WATTS OUTPUT

SERIAL NUMBER 122843

SCINTILLATION GAMMA RAY DETECTOR 1 FT.

THANK YOU FOR CALLING GOODWELL
303 353 5118






04100


04200

04300










3400
1
IN 100










04900





06100






06200

06300








06400

06500



06600








06700

06800





06900



CCL			
0	GAMMA RAY	200	
200	API	400	
400	FORMATION TIME	200	
	MICRO SECONDS		
CCL			

0	AMPLITUDE	100
	MILLIVOLTS	
0	AP X 5	20

0	VARIABLE DENSITY	100
	MICRO SECONDS	

DRILLER T.D.	<u>7078</u>
LOGGER T.D.	<u>6960</u>
BOTTOM LOGGED	
INTERVAL	<u>6955</u>

COMPANY	GERRITY OIL AND GAS CORP.
WELL	GITTLEIN BLUE D 4-8
FIELD	WATTENBERG
LOCATION	SE NE SEC. 4 3N 64W
COUNTY	WELD
STATE	COLO.