

FORM
2
Rev
12/20

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402940555

(SUBMITTED)

Date Received:

05/23/2022

APPLICATION FOR PERMIT TO:

Drill Deepen Re-enter Recomplete and Operate

Amend

TYPE OF WELL OIL GAS COALBED OTHER: _____

Refile

ZONE TYPE SINGLE ZONE MULTIPLE ZONES COMMINGLE ZONES

Sidetrack

Well Name: Razor Well Number: 29H-2014
Name of Operator: FUNDARE RESOURCES OPERATING COMPANY LLC COGCC Operator Number: 10773
Address: 90 MOONRISE COURT
City: ERIE State: CO Zip: 80516
Contact Name: Sydney Smith Phone: (303)910-4511 Fax: ()
Email: ssmith@fundareresources.com

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20210061

WELL LOCATION INFORMATION

Surface Location

QtrQtr: SENE Sec: 29 Twp: 10N Rng: 58W Meridian: 6
Footage at Surface: 2287 Feet FNL 918 Feet FEL
Latitude: 40.810356 Longitude: -103.883219
GPS Data: GPS Quality Value: 1.3 Type of GPS Quality Value: PDOP Date of Measurement: 04/18/2014
Ground Elevation: 4766
Field Name: DJ HORIZONTAL NIOBRARA Field Number: 16950

Well Plan: is Directional Horizontal (highly deviated) Vertical

If Well plan is Directional or Horizontal attach Deviated Drilling Plan and Directional Data.

Subsurface Locations

Top of Productive Zone (TPZ)
Sec: 29 Twp: 10N Rng: 58W Footage at TPZ: 2538 FSL 2250 FWL
Measured Depth of TPZ: 6721 True Vertical Depth of TPZ: 5929 FNL/FSL FEL/FWL

Base of Productive Zone (BPZ)
Sec: 32 Twp: 10N Rng: 58W Footage at BPZ: 300 FSL 2250 FWL
Measured Depth of BPZ: 14435 True Vertical Depth of BPZ: 5929 FNL/FSL FEL/FWL

Bottom Hole Location (BHL)
Sec: 32 Twp: 10N Rng: 58W Footage at BHL: 100 FSL 2250 FWL
FNL/FSL FEL/FWL

LOCAL GOVERNMENT PERMITTING INFORMATION

County: WELD

Municipality: N/A

Is the Surface Location of this Well in an area designated as one of State interest and subject to the requirements of § 24-65.1-108 C.R.S.? Yes

Per § 34-60-106(1)(f)(I)(A) C.R.S., the following questions pertain to the Relevant Local Government approval of the siting of the proposed Oil and Gas Location.

SB 19-181 provides that when "applying for a permit to drill," operators must include proof that they sought a local government siting permit and the disposition of that permit application, or that the local government does not have siting regulations. § 34-60-106(1)(f)(I)(A) C.R.S.

Does the Relevant Local Government regulate the siting of Oil and Gas Locations, with respect to this Location? Yes No

If yes, in checking this box, I hereby certify that an application has been filed with the local government with jurisdiction to approve the siting of the proposed oil and gas location.

The disposition of the application filed with the Relevant Local Government is: Approved Date of Final Disposition: 01/21/2022

Comments: An approved WOGLA amendment (1041WOGLA-AMD20-0015) was approved on 1.21.2022 for the subject location.

SURFACE AND MINERAL OWNERSHIP AT WELL'S OIL & GAS LOCATION

Surface Owner of the land at this Well's Oil and Gas Location: Fee State Federal Indian

Mineral Owner beneath this Well's Oil and Gas Location: Fee State Federal Indian

Surface Owner Protection Financial Assurance (if applicable): _____ Surety ID Number (if applicable): _____

MINERALS DEVELOPED BY WELL

The ownership of all the minerals that will be developed by this Well is (check all that apply):

- Fee
 State
 Federal
 Indian
 N/A

LEASE INFORMATION

Using standard QtrQtr, Section, Township, Range format describe one entire mineral lease as follows:

* If this Well is within a unit, describe a lease that will be developed by the Well.

* If this Well is not subject to a unit, describe the lease that will be produced by the Well.

(Attach a Lease Map or Lease Description or Lease if necessary.)

T10N-R58W
Section 32, S/2NE/4, SE/4

Total Acres in Described Lease: 240 Described Mineral Lease is: Fee State Federal Indian

Federal or State Lease # _____

SAFETY SETBACK INFORMATION

Distance from Well to nearest:

Building: 5280 Feet
Building Unit: 5280 Feet
Public Road: 5280 Feet

INSTRUCTIONS:

- Specify all distances per Rule 308.b.(1).
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.

Above Ground Utility: 5280 Feet

- Building Unit – as defined in 100 Series Rules.

Railroad: 5280 Feet

Property Line: 345 Feet

OBJECTIVE FORMATIONS

| Objective Formation(s) | Formation Code | Spacing Order Number(s) | Unit Acreage Assigned to Well | Unit Configuration (N/2, SE/4, etc.) |
|------------------------|----------------|-------------------------|-------------------------------|--------------------------------------|
| NIOBRARA | NBRR | 535-553 | 960 | S/2 S29, All S32 |

Federal or State Unit Name (if appl): _____

Unit Number: _____

SUBSURFACE MINERAL SETBACKS

Enter 5280 for distance greater than 1 mile.

Is this Well within a unit? Yes

If YES:

Enter the minimum distance from the Completed Zone of this Well to the Unit Boundary: 100 Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well within the same unit permitted or completed in the same formation: 700 Feet

If NO:

Enter the minimum distance from the Completed Zone of this Well to the Lease Line of the described lease: _____ Feet

Enter the minimum distance from the Completed Zone of this Well to the Completed Zone of an offset Well producing from the same lease and permitted or completed in the same formation: _____ Feet

Exception Location

If this Well requires the approval of a Rule 401.c Exception Location, enter the Rule or spacing order number and attach the Exception Location Request and Waivers. _____

SPACING & FORMATIONS COMMENTS

DRILLING PROGRAMProposed Total Measured Depth: 14435 FeetTVD at Proposed Total Measured Depth 5929 Feet

Distance from the proposed wellbore to nearest existing or proposed wellbore belonging to another operator, including plugged wells:

Enter distance if less than or equal to 1,500 feet: 427 Feet No well belonging to another operator within 1,500 feetWill a closed-loop drilling system be used? YesIs H₂S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No If yes, attach an H₂S Drilling Plan unless a plan was already submitted with the Form 2A per Rule 304.c.(10).Will there be hydraulic fracture treatment at a depth less than 2,000 feet in this well? NoWill salt sections be encountered during drilling? NoWill salt based (>15,000 ppm Cl) drilling fluids be used? NoWill oil based drilling fluids be used? NoBOP Equipment Type: Annular Preventor Double Ram Rotating Head None

Beneficial reuse or land application plan submitted? _____

Reuse Facility ID: _____ or Document Number: _____

CASING PROGRAM

| Casing Type | Size of Hole | Size of Casing | Grade | Wt/Ft | Csg/Liner Top | Setting Depth | Sacks Cmt | Cmt Btm | Cmt Top |
|-------------|--------------|----------------|-------|-------|---------------|---------------|-----------|---------|---------|
| CONDUCTOR | 24 | 16 | ASTM | 65 | 0 | 80 | 70 | 80 | 0 |
| SURF | 13+1/2 | 9+5/8 | J55 | 36 | 0 | 1750 | 750 | 1750 | 0 |
| 1ST | 8+1/2 | 5+1/2 | P110 | 20 | 0 | 1435 | 2100 | 14435 | |

 Conductor Casing is NOT planned**POTENTIAL FLOW AND CONFINING FORMATIONS**

| Zone Type | Formation /Hazard | Top M.D. | Top T.V.D. | Bottom M.D. | Bottom T.V.D. | TDS (mg/L) | Data Source | Comment |
|-----------------|----------------------|----------|------------|-------------|---------------|------------|-------------|--|
| Confining Layer | Laramie | 0 | 0 | 411 | 411 | | | |
| Groundwater | Fox Hills | 411 | 411 | 658 | 658 | 501-1000 | USGS | |
| Confining Layer | Pierre Shale | 658 | 658 | 1069 | 1064 | | | |
| Groundwater | Upper Pierre Sands | 1069 | 1064 | 1412 | 1396 | 1001-10000 | Other | CO DNR Report Project Number 2141, page 10. Study-wide mean TDS value. |
| Confining Layer | Pierre Shale | 1412 | 1396 | 3537 | 1846 | | | |
| Hydrocarbon | Parkman Sandstone | 3537 | 3347 | 3856 | 3641 | | | |
| Hydrocarbon | Pierre Shale | 3856 | 3641 | 5452 | 5076 | | | |
| Hydrocarbon | Upper Sharon Springs | 5425 | 5076 | 5868 | 5484 | | | |
| Hydrocarbon | Lower Sharon Springs | 5868 | 5484 | 6167 | 5737 | | | |
| Hydrocarbon | Niobrara | 6167 | 6167 | 5737 | 5737 | | | |

OPERATOR COMMENTS AND SUBMITTAL

Comments Fundare Resources Operating Company acquired the associated 2A Location (DOC #401099289) from Whiting Oil and Gas Corporation on 10.1.2021. The Form 9 is in process (DOC #402859547). The location has been constructed and the 2A is active. This is a refile Form 2 being filed under the existing API#. The TPZ and BHL have been update. No changes have been made to the surface hole location.

This application is in a Comprehensive Area Plan No CAP #: _____

Oil and Gas Development Plan Name _____ OGDP ID#: _____

Location ID: 439542

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____

Print Name: Sydney Smith

Title: Manager EHSR

Date: 5/23/2022

Email: ssmith@fundareresources.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules, applicable orders, and SB 19-181 and is hereby approved.

COGCC Approved: _____

Director of COGCC Date: _____

Expiration Date: _____

API NUMBER

05 123 40471 00

Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

COA Type

Description

| <u>COA Type</u> | <u>Description</u> |
|------------------------|---------------------------|
| | |

Best Management Practices

| No BMP/COA Type | Description |
|--|---|
| 1 Storm Water/Erosion Control | Stormwater management plans (SWMP) are in place to address construction, drilling and operations associated with oil and gas development throughout the State of Colorado. BMPs will be constructed as necessary to prevent stormwater from leaving the construction site. BMPs used will vary according to the location, and will remain until the pad is reclaimed. |
| 2 Material Handling and Spill Prevention | <p>Spill Prevention Control and Countermeasures (SPCC) plans are in place to address any possible spill associated with oil and gas operations throughout the State of Colorado.</p> <ul style="list-style-type: none"> • Materials and fluids will be stored in a neat and orderly fashion. • Waste will be collected regularly and disposed of at an offsite facility. • Prompt cleanup is required of spills to minimize waste materials entering the stormwater runoff. • Drip pans will be used during fueling and maintenance to contain spills or leaks. • Cleanup of trash and discarded material will be done at the end of the work day. • Cleanup will consist of monitoring the road, location and any other work areas. • Material to be cleaned up includes trash, scrap, and contaminated soil. |
| 3 Drilling/Completion Operations | <p>Alternative Logging Program: One of the first wells drilled on the pad will be logged with Open Hole Resistivity Log and Gamma Ray Log from the kick-off point to into the surface casing. All wells on the pad will have a cement bond log with gamma-ray run on production casing (or on intermediate casing if production liner is run) into the surface casing. The horizontal portion of every well will be logged with a measuredwhile-drilling gamma-ray log. The form 5, Completion Report, for each well on the pad will list all logs run and have those logs attached. The Form 5 for a well without openhole logs shall clearly state "Alternative Logging Program - No open-hole logs were run" and shall clearly identify (by API#, well name & number) the well in which openhole logs were run.</p> |

Total: 3 comment(s)

Attachment List

| Att Doc Num | Name |
|--------------------|----------------------------|
| 402951000 | DIRECTIONAL DATA |
| 402951004 | DEVIATED DRILLING PLAN |
| 402951007 | SURFACE AGRMT/SURETY |
| 402951008 | OffsetWellEvaluations Data |
| 402990719 | OffsetWellEvaluations Data |
| 402990721 | WELL LOCATION PLAT |

Total Attach: 6 Files

General Comments

| User Group | Comment | Comment Date |
|-------------------|--|---------------------|
| Permit | <p>RETURNED TO DRAFT: This application has been reviewed by COGCC staff and cannot be approved based on the information submitted; therefore, the COGCC is returning this form to DRAFT for the applicant to resolve the issues. In compliance with § 24-65.1-108(1), C.R.S., the COGCC is returning this application to the applicant to remedy the deficiencies. The applicant may resubmit this application for COGCC review; upon resubmittal of any application, the COGCC will have 60 days in which to approve, deny, or request all additional information necessary to complete the regulatory review.</p> <p>In addition to all standard required information and attachments, the COGCC hereby confirms the following information is necessary for review:</p> <p>1.The APD does not have a form 9 in process, still under the old operator</p> | 04/29/2022 |

Total: 1 comment(s)

Public Comments

No public comments were received on this application during the comment period.

