BWWC

Bureau of Water Works and Construction
Water Quality Laboratory
Chemistry Section
Phone: 404-546-0311

Sample Collection Information
Sample Collection Date: 10/15/2025
Sample Collection Time: 10:00 AM
Sample Collection Location: Main Log
Sample Collection Pressure: 0 PSI
Sample Collection Temperature: 72°F
Sample Collection Method: Grab Sample
Sample Collection Container: 1 Liter Plastic Bottle
Sample Collection Preservation: None
Sample Collection Comments: None

Chain of Custody Information
Chain of Custody Number: 2025-10-15-001
Chain of Custody Relinquished By: John Smith
Chain of Custody Received By: Jane Doe
Chain of Custody Date: 10/15/2025
Chain of Custody Time: 10:00 AM
Chain of Custody Comments: None

Laboratory Information
Laboratory Name: BWWC Water Quality Laboratory
Laboratory Address: 1234 Water Works Drive, Atlanta, GA 30318
Laboratory Phone: 404-546-0311
Laboratory Email: wqlab@bwwc.org
Laboratory Director: Dr. Sarah Johnson
Laboratory Director Phone: 404-546-0312
Laboratory Director Email: sjohnson@bwwc.org

Analytical Information
Analytical Method: EPA 200.8
Analytical Instrument: ICP-MS
Analytical Instrument Serial Number: 12345
Analytical Instrument Calibration Date: 10/14/2025
Analytical Instrument Calibration Comments: None
Analytical Comments: None

Results
Lead: 0.002 mg/L
Copper: 0.001 mg/L
Lead and Copper Rule Action Level: 0.015 mg/L
Lead and Copper Rule Action Level Exceedance: No
Lead and Copper Rule Action Level Exceedance Comments: None

Quality Control
Quality Control Sample: Duplicate
Quality Control Sample Result: 0.002 mg/L
Quality Control Sample Relative Percent Difference: 0%
Quality Control Sample Comments: None

Signature
Analyst Signature: John Smith
Analyst Signature Date: 10/15/2025
Analyst Signature Comments: None

Thank you for using BWWC Water Quality Laboratory.
We hope that you have a great day!

BWWC

MAIN LOG 0 PSI




7900
7800
7700
8000
8100
8200
8300
8400
8500
8600
8700
8800
8900
9000
9100
9200
9300
9400
9500
9600
9700
9800
9900
10000
10100
10200
10300
10400
10500
10600
10700
10800
10900
11000
11100
11200
11300
11400
11500
11600
11700
11800
11900