

FORM  
2

Rev  
12/05

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109



|    |    |    |    |
|----|----|----|----|
| DE | ET | OE | ES |
|----|----|----|----|

Document Number:

2095079

Plugging Bond Surety

20060153

APPLICATION FOR PERMIT TO:

1. ☒ Drill, ☐ Deepen, ☐ Re-enter, ☐ Recomplete and Operate

2. TYPE OF WELL

OIL ☐ GAS ☒ COALBED ☐ OTHER \_\_\_\_\_  
SINGLE ZONE ☐ MULTIPLE ZONE ☒ COMMINGLE ZONE ☒

Refiling ☒

Sidetrack ☐

3. Name of Operator: EXXON MOBIL CORPORATION

4. COGCC Operator Number: 28600

5. Address: P O BOX 4358

City: HOUSTON State: TX Zip: 77210-4358

6. Contact Name: MARK DEL PICO Phone: (281)654-1926 Fax: (281)654-1940  
Email: MARK.DELPICO@EXXONMOBIL.COM

7. Well Name: FREEDOM UNIT Well Number: 297-20A5

8. Unit Name (if appl): \_\_\_\_\_ Unit Number: \_\_\_\_\_

9. Proposed Total Measured Depth: 12100

WELL LOCATION INFORMATION

10. QtrQtr: SENE Sec: 20 Twp: 2S Rng: 97W Meridian: 6

Latitude: 39.862822 Longitude: -108.298989

Footage at Surface: 2340 FNL/FSL FNL 711 FEL/FWL FEL

11. Field Name: PICEANCE CREEK Field Number: 68800

12. Ground Elevation: 6212 13. County: RIO BLANCO

14. GPS Data:

Date of Measurement: 08/24/2005 PDOP Reading: 1.8 Instrument Operator's Name: J.W./C.W./C.G.

15. If well is ☒ Directional ☐ Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL 2134 FSL 1037 FEL 2134 FSL 1037 FEL  
Sec: 20 Twp: 2S Rng: 97W Sec: 20 Twp: 2S Rng: 97W

16. Is location in a high density area? (Rule 603b)? ☐ Yes ☒ No

17. Distance to the nearest building, public road, above ground utility or railroad: 594 ft

18. Distance to nearest property line: 321 ft 19. Distance to nearest well permitted/completed in the same formation: 935 ft

20. LEASE, SPACING AND POOLING INFORMATION

| Objective Formation(s) | Formation Code | Spacing Order Number(s) | Unit Acreage Assigned to Well | Unit Configuration (N/2, SE/4, etc.) |
|------------------------|----------------|-------------------------|-------------------------------|--------------------------------------|
| MESAVERDE              | MVRD           |                         |                               |                                      |
| OHIO CREEK             | OHCRK          |                         |                               |                                      |
| WASATCH                | WSTC           |                         |                               |                                      |

21. Mineral Ownership: ☐ Fee ☐ State ☒ Federal ☐ Indian Lease #: COC60724

22. Surface Ownership: ☒ Fee ☐ State ☐ Federal ☐ Indian

23. Is the Surface Owner also the Mineral Owner? ☐ Yes ☒ No Surface Surety ID#: 19800009

23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? ☐ Yes ☐ No

23b. If 23 is No ☐ Surface Owners Agreement Attached or ☒ \$25,000 Blanket Surface Bond ☐ \$2,000 Surface Bond ☐ \$5,000 Surface Bond

24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):  
SEE ATTACHED MAP AND MINERAL LEASE DESCRIPTION.

25. Distance to Nearest Mineral Lease Line: 279 ft 26. Total Acres in Lease: 1440

### DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? ☐ Yes ☒ No If Yes, attach contingency plan.

28. Will salt sections be encountered during drilling? ☐ Yes ☒ No

29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? ☒ Yes ☐ No

30. If questions 27 or 28 are yes, is this location in a sensitive area (Rule 903)? ☐ Yes ☒ No If 28, 29, or 30 are "Yes" a pit permit may be required.

31. Mud disposal: ☐ Offsite ☒ Onsite

Method: ☐ Land Farming ☐ Land Spreading ☐ Disposal Facility Other: BURIAL

Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

| Casing Type | Size of Hole | Size of Casing | Weight Per Foot | Setting Depth | Sacks Cement | Cement Bottom | Cement Top |
|-------------|--------------|----------------|-----------------|---------------|--------------|---------------|------------|
| CONDUCTOR   | 20           | 16             | LINEPIPE        | 120           | 100          | 120           | 0          |
| SURF        | 14+3/4       | 10+3/4         | 45.5            | 3,600         | 2,010        | 3,600         | 0          |
| 1ST         | 9+7/8        | 7              | 26              | 8,000         | 1,310        | 8,000         | 3,100      |
| 2ND         | 6+1/8        | 4+1/2          | 15.1            | 12,100        | 620          | 12,100        | 5,600      |

32. BOP Equipment Type: ☒ Annular Preventer ☒ Double Ram ☒ Rotating Head ☐ None

33. Comments APD EXPIRES ON 04/19/2010. THE PAD IS BUILT & A2 & A3 HAVE BEEN SPUD. NO CHANGES TO APPROVED APD. SINCE THE PAD IS BUILT, THERE IS NO REQUIREMENT FOR A FORM 2A. The pad has been built. The pits have been constructed. The refile will not require any expansion / additional surface disturbance of the pad. The location does not require a variance from any of the rules listed in Rule 306.d.(1).(A).(ii). The location is not in a wildlife restricted surface occupancy area. PER MARK DEL PICO 10 FEB '10. JEH

34. Location ID: 335945

35. Is this application in a Comprehensive Drilling Plan ? ☐ Yes ☐ No

36. Is this application part of submitted Oil and Gas Location Assessment ? ☐ Yes ☐ No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: MARK DEL PICO

Title: REGULATORY Date: 1/26/2010 Email: MARK.DELPICO@EXXONMO

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Neslin Director of COGCC Date: 3/19/2010

Permit Number: \_\_\_\_\_ Expiration Date: 3/18/2011

**API NUMBER**

05 103 11253 00

**CONDITIONS OF APPROVAL, IF ANY:**

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

1)24 HOUR SPUD NOTICE REQUIRED. E-MAIL: Shaun.Kellerby@state.co.us 2)RESERVE PIT MUST BE LINED. 3) CEMENT TOP VERIFICATION BY CBL REQUIRED. 4)OPERATOR MUST ENSURE 110 PERCENT SECONDARY CONTAINMENT FOR ANY VOLUME OF FLUIDS CONTAINED AT WELL SITE DURING DRILLING AND COMPLETION OPERATIONS.IF FLUIDS ARE CONVEYED VIA PIPELINE, OPERATOR MUST IMPLEMENT BEST MANAGEMENT PRACTICES TO CONTAIN ANY UNINTENTIONAL RELEASE OF FLUIDS. 5)THE MOISTURE CONTENT OF ANY DRILL CUTTINGS IN A CUTTINGS PIT, TRENCH, OR PILE SHALL BE AS LOW AS PRACTICABLE TO PREVENT ACCUMULATION OF LIQUIDS GREATER THAN DE MINIMIS AMOUNTS. AT THE TIME OF CLOSURE, THE DRILL CUTTINGS MUST ALSO MEET THE APPLICABLE STANDARDS OF TABLE 910-1. 6)THE PROPOSED SURFACE CASING IS MORE THAN 50' BELOW THE DEPTH OF THE DEEPEST WATER WELL WITHIN 1MILE OF THE SURFACE LOCATION WHEN CORRECTED FOR ELEVATION DIFFERENCES. THE DEEPEST WATER WELL WITHIN 1 MILE IS 51 FEET DEEP.

**Attachment Check List**

| Att Doc Num | Name             | Doc Description      |
|-------------|------------------|----------------------|
| 2095079     | APD ORIGINAL     | LF@2219116 2095079   |
| 400038986   | FORM 2 SUBMITTED | LF@2411948 400038986 |

Total Attach: 2 Files