
DUAL INDUCTION LATEROLOG
GAMMA RAY
SPONTANEOUS POTENTIAL
CALIPER
BOREHOLE COMPENSATED SONIC LOG
DENSITY
NEUTRON



FINAL DIAGNOSIS

NORMAL

CLINICAL DESCRIPTION

BEHAVIORS

AWAKE

CLINICAL HISTORY

AGE: 2 YEARS

MEDICATIONS:

REASON FOR EEG: EVALUATE FOR SEIZURES

TECHNICAL DESCRIPTION: ROUTINE SCALP EEG RECORDED WITH 21 ELECTRODES PLACED ACCORDING TO THE INTERNATIONAL 10-20 SYSTEM OF ELECTRODE PLACEMENT. ONE ADDITIONAL CHANNEL WAS USED TO RECORD A LEAD ECG.



FINAL DIAGNOSIS

NORMAL

CLINICAL DESCRIPTION

BEHAVIORS

AWAKE

CLINICAL HISTORY

AGE: 2 YEARS

MEDICATIONS:

REASON FOR EEG: EVALUATE FOR SEIZURES

TECHNICAL DESCRIPTION: ROUTINE SCALP EEG RECORDED WITH 21 ELECTRODES PLACED ACCORDING TO THE INTERNATIONAL 10-20 SYSTEM OF ELECTRODE PLACEMENT. ONE ADDITIONAL CHANNEL WAS USED TO RECORD A LEAD ECG.



FINAL DIAGNOSIS

NORMAL

CLINICAL DESCRIPTION

BEHAVIORS

AWAKE

CLINICAL HISTORY

AGE: 2 YEARS

MEDICATIONS:

REASON FOR EEG: EVALUATE FOR SEIZURES

TECHNICAL DESCRIPTION: ROUTINE SCALP EEG RECORDED WITH 21 ELECTRODES PLACED ACCORDING TO THE INTERNATIONAL 10-20 SYSTEM OF ELECTRODE PLACEMENT. ONE ADDITIONAL CHANNEL WAS USED TO RECORD A LEAD ECG.



FINAL DIAGNOSIS

NORMAL

CLINICAL DESCRIPTION

BEHAVIORS

AWAKE

CLINICAL HISTORY

AGE: 2 YEARS

MEDICATIONS:

REASON FOR EEG: EVALUATE FOR SEIZURES

TECHNICAL DESCRIPTION: ROUTINE SCALP EEG RECORDED WITH 21 ELECTRODES PLACED ACCORDING TO THE INTERNATIONAL 10-20 SYSTEM OF ELECTRODE PLACEMENT. ONE ADDITIONAL CHANNEL WAS USED TO RECORD A LEAD ECG.



FINAL DIAGNOSIS

NORMAL

CLINICAL DESCRIPTION

BEHAVIORS

AWAKE

CLINICAL HISTORY

AGE: 2 YEARS

MEDICATIONS:

REASON FOR EEG: EVALUATE FOR SEIZURES

TECHNICAL DESCRIPTION: ROUTINE SCALP EEG RECORDED WITH 21 ELECTRODES PLACED ACCORDING TO THE INTERNATIONAL 10-20 SYSTEM OF ELECTRODE PLACEMENT. ONE ADDITIONAL CHANNEL WAS USED TO RECORD A LEAD ECG.



FINAL DIAGNOSIS

NORMAL

CLINICAL DESCRIPTION

BEHAVIORS

AWAKE

CLINICAL HISTORY

AGE: 2 YEARS

MEDICATIONS:

REASON FOR EEG: EVALUATE FOR SEIZURES

TECHNICAL DESCRIPTION: ROUTINE SCALP EEG RECORDED WITH 21 ELECTRODES PLACED ACCORDING TO THE INTERNATIONAL 10-20 SYSTEM OF ELECTRODE PLACEMENT. ONE ADDITIONAL CHANNEL WAS USED TO RECORD A LEAD ECG.



FINAL DIAGNOSIS

NORMAL

CLINICAL DESCRIPTION

BEHAVIORS

AWAKE

CLINICAL HISTORY

AGE: 2 YEARS

MEDICATIONS:

REASON FOR EEG: EVALUATE FOR SEIZURES

TECHNICAL DESCRIPTION: ROUTINE SCALP EEG RECORDED WITH 21 ELECTRODES PLACED ACCORDING TO THE INTERNATIONAL 10-20 SYSTEM OF ELECTRODE PLACEMENT. ONE ADDITIONAL CHANNEL WAS USED TO RECORD A LEAD ECG.

FINAL DIAGNOSIS

NORMAL

CLINICAL DESCRIPTION

BEHAVIORS

AWAKE

CLINICAL HISTORY

AGE: 2 YEARS

MEDICATIONS:

REASON FOR EEG: EVALUATE FOR SEIZURES

TECHNICAL DESCRIPTION: ROUTINE SCALP EEG RECORDED WITH 21 ELECTRODES PLACED ACCORDING TO THE INTERNATIONAL 10-20 SYSTEM OF ELECTRODE PLACEMENT. ONE ADDITIONAL CHANNEL WAS USED TO RECORD A LEAD ECG.



FINAL DIAGNOSIS

NORMAL

CLINICAL DESCRIPTION

BEHAVIORS

AWAKE

CLINICAL HISTORY

AGE: 2 YEARS

MEDICATIONS:

REASON FOR EEG: EVALUATE FOR SEIZURES

TECHNICAL DESCRIPTION: ROUTINE SCALP EEG RECORDED WITH 21 ELECTRODES PLACED ACCORDING TO THE INTERNATIONAL 10-20 SYSTEM OF ELECTRODE PLACEMENT. ONE ADDITIONAL CHANNEL WAS USED TO RECORD A LEAD ECG.





HALLIBURTON

J-SAND PASS

5"=100'

Company	KERR-MCGEE OIL & GAS ONSHORE
Well	BELLA 19-8
Field	WATTENBERG
County	WELD
State	COLORADO

HALLIBURTON

CEMENT BOND LOG
GAMMA RAY
CCL