From: Prince, Nancy
To: Randall Ferguson

Cc: <u>Axelson, John; Scan, OGCC</u>

Subject: RE: Williamson 44-12 Form 19 Submittal Date: Monday, November 29, 2010 7:54:32 AM

## Randall.

Based on the information submitted, COGCC requires no further action at this time in regard to the release at the subject location. The release (SPILL #2522887) has been changed to closed status in the Colorado Oil & Gas Information System. Please retain a copy of this email as verification of COGCC concurrence with the closure request.

Please give me a call if you need any additional information. Thanks,

## Nancy Prince

for John Axelson, P.G.

Environmental Protection Specialist, Northeast Region

Colorado Oil & Gas Conservation Commission

Phone: 303-637-7178 Cell: 303-877-9964 Fax: 303-637-7179

From: Randall Ferguson [mailto:rferguson@petd.com]

**Sent:** Thu 11/18/2010 9:43 AM **To:** Axelson, John; Prince, Nancy **Cc:** John Nussbaumer; Brian Dodek

Subject: Williamson 44-12 Form 19 Submittal

John:

Attached please find a Form 19 and supporting documentation for the subject site located in the SESE Section 12 – T6N – R65W. Approx. 111 cubic yards of impacted soil and 140 bbls of potentially impacted groundwater were removed for offsite disposal. Based on the laboratory results of confirmation samples, PDC is requesting No Further Action for this spill/release.

Let me know if you need any additional information. Regards,



## Randall H. Ferguson

Environmental Supervisor PDC Energy 1775 Sherman St., Ste. 3000 Denver, CO 80203

rferguson@petd.com Main: (303)860-5800 Office: (303)831-3904 Cell: (303)570-8575

This email, including attachments, may include confidential and/or proprietary information, and may be used only by the person or entity to which it is addressed. Please do not read, copy or disseminate this communication unless you are the intended addressee. If you received this communication in error, please permanently delete and call (800) 624-3821 immediately and ask to speak to the sender of this communication. Also, please notify immediately via e-mail that you have received this message in error.