

FORM 2 Rev 12/05	State of Colorado Oil and Gas Conservation Commission 1120 Lincoln Street, Suite 801, Denver, Colorado 80205 Phone: (303) 894-2100 Fax: (303) 894-2109		DE ET OE ES	
APPLICATION FOR PERMIT TO:			Document Number: 400166691 Plugging Bond Surety 20030009	
1. <input checked="" type="checkbox"/> Drill, <input type="checkbox"/> Deepen, <input type="checkbox"/> Re-enter, <input type="checkbox"/> Recomplete and Operate				
2. TYPE OF WELL OIL <input checked="" type="checkbox"/> GAS <input type="checkbox"/> COALBED <input type="checkbox"/> OTHER _____ SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/> COMMINGLE ZONE <input type="checkbox"/>			Refiling <input type="checkbox"/> Sidetrack <input type="checkbox"/>	
3. Name of Operator: <u>NOBLE ENERGY INC</u>		4. COGCC Operator Number: <u>100322</u>		
5. Address: <u>1625 BROADWAY STE 2200</u> City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>				
6. Contact Name: <u>SUSAN MILLER</u> Phone: <u>(303)228-4246</u> Fax: <u>(303)228-4286</u> Email: <u>smiller@nobleenergyinc.com</u>				
7. Well Name: <u>RICHTER USX</u>		Well Number: <u>AB27-65HN</u>		
8. Unit Name (if appl): _____		Unit Number: _____		
9. Proposed Total Measured Depth: <u>11123</u>				
WELL LOCATION INFORMATION				
10. QtrQtr: <u>SWNW</u> Sec: <u>27</u> Twp: <u>7N</u> Rng: <u>64W</u> Meridian: <u>6</u> Latitude: <u>40.546010</u> Longitude: <u>-104.543390</u>				
Footage at Surface: <u>1978</u> feet <u>FNL</u> <u>563</u> feet <u>FWL</u> <small style="margin-left: 100px;">FNL/FSL</small> <small style="margin-left: 100px;">FEL/FWL</small>				
11. Field Name: <u>Wattenberg</u>		Field Number: <u>90750</u>		
12. Ground Elevation: <u>4902</u>		13. County: <u>WELD</u>		
14. GPS Data: Date of Measurement: <u>04/21/2011</u> PDOP Reading: <u>2.1</u> Instrument Operator's Name: <u>David C. Holmes</u>				
15. If well is <input type="checkbox"/> Directional <input checked="" type="checkbox"/> Horizontal (highly deviated) submit deviated drilling plan. Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL <u>2554</u> <u>FNL</u> <u>1024</u> <u>FWL</u> <u>2565</u> <u>FNL</u> <u>535</u> <u>FEL</u> Sec: <u>27</u> Twp: <u>7N</u> Rng: <u>64W</u> Sec: <u>27</u> Twp: <u>7N</u> Rng: <u>64W</u>				
16. Is location in a high density area? (Rule 603b)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				
17. Distance to the nearest building, public road, above ground utility or railroad: <u>552 ft</u>				
18. Distance to nearest property line: <u>563 ft</u> 19. Distance to nearest well permitted/completed in the same formation: <u>706 ft</u>				
20. LEASE, SPACING AND POOLING INFORMATION				
Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
Niobrara	NBRR		320	GWA

IMPORTANT: SOME DATA FIELDS HAVE BEEN MODIFIED.

21. Mineral Ownership: Fee State Federal Indian Lease #: _____
22. Surface Ownership: Fee State Federal Indian
23. Is the Surface Owner also the Mineral Owner? Yes No Surface Surety ID#: 20030012
23a. If 23 is Yes: Is the Surface Owner(s) signature on the lease? Yes No
23b. If 23 is No: Surface Owners Agreement Attached or \$25,000 Blanket Surface Bond \$2,000 Surface Bond \$5,000 Surface Bond
24. Using standard QtrQtr, Sec, Twp, Rng format enter entire mineral lease description upon which this proposed wellsite is located (attach separate sheet/map if you prefer):
All Section 27, T7N-R64W. Noble Energy Inc. certifies that the leases shall be committed to the unit.
25. Distance to Nearest Mineral Lease Line: 535 ft 26. Total Acres in Lease: 640

DRILLING PLANS AND PROCEDURES

27. Is H2S anticipated? Yes No If Yes, attach contingency plan.
28. Will salt sections be encountered during drilling? Yes No
29. Will salt (>15,000 ppm TDS CL) or oil based muds be used during drilling? Yes No
30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)? Yes No
31. Mud disposal: Offsite Onsite **If 28, 29, or 30 are "Yes" a pit permit may be required.**
Method: Land Farming Land Spreading Disposal Facility Other: CLOSED LOOP
Note: The use of an earthen pit for Recompletion fluids requires a pit permit (Rule 905b). If air/gas drilling, notify local fire officials.

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	13+3/4	9+5/8	36	0	750	393	750	0
1ST	8+3/4	7	26	0	7,407	1,088	7,407	
1ST LINER	6+1/8	4+1/2	11.6	6495	11,123			

32. BOP Equipment Type: Annular Preventer Double Ram Rotating Head None
33. Comments Conductor casing will not be used. First string top of cement will be 200' above the Niobrara formation. This is part of a 2-well multi well pad which includes: proposed Richter USX AB27-65HN and twinning existing Richter USX AB27-05 well (as-built GPS sundry notice submitted for straight hole well). The production liner will be hung off inside of the 7" casing. Proposed spacing is S/2N/2, N/2S/2

34. Location ID: 420650
35. Is this application in a Comprehensive Drilling Plan ? Yes No
36. Is this application part of submitted Oil and Gas Location Assessment ? Yes No
I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.
Signed: _____ Print Name: SUSAN MILLER
Title: Regulatory Analyst II Date: 7/12/2011 Email: smiller@nobleenergyinc.com

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: David S. Nesline Director of COGCC Date: 8/2/2011

Permit Number: _____ Expiration Date: 8/1/2013

API NUMBER

05 123 34089 00

CONDITIONS OF APPROVAL, IF ANY:

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

- 1) Provide 24 hour notice of MIRU to Bo Brown via e-mail at bo.brown@state.co.us.
- 2) Comply with Rule 317.i and provide cement coverage from the end of the production casing to a minimum of 200' above the Niobrara. Verify coverage with cement bond log.
- 3) Comply with Rule 321. Run and submit Directional Survey from the end of production casing to base of surface casing. Ensure that the wellbore complies with setback requirements in commission orders or rules prior to producing the well.

Attachment Check List

Att Doc Num	Name
2481028	SURFACE CASING CHECK
400166691	FORM 2 SUBMITTED
400166697	30 DAY NOTICE LETTER
400171787	WELL LOCATION PLAT
400171788	DEVIATED DRILLING PLAN
400171789	PROPOSED SPACING UNIT
400184227	PROPOSED SPACING UNIT
400184228	PROPOSED SPACING UNIT

Total Attach: 8 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Surface loc is twinning existing window well. No waivers required	7/12/2011 12:38:48 PM
Permit	Missing surface bond number. SJF	7/12/2011 10:13:51 AM

Total: 2 comment(s)

BMP

<u>Type</u>	<u>Comment</u>
Storm Water/Erosion Control	Stormwater management plans (SWMP) are in place to address construction, drilling and operations associated with Oil & Gas development throughout the state of Colorado in accordance with Colorado Department of Public Health and Environment (CDPHE) and General Permit No. COR-039527. BMP's will be constructed around the perimeter of the site prior to, or at the beginning of construction. BMP's used will vary according to the location and will remain in place until the pad reaches final reclamation.
Material Handling and Spill Prevention	Spill Prevention Control and Countermeasures (SPCC) plans are in place to address any possible spill associated with Oil & Gas operations throughout the state of Colorado in accordance with CFR 112.
General Housekeeping	General housekeeping will consist of neat and orderly storage of materials and fluids. Wastes will be temporarily stored in sealed containers and regularly collected and disposed of at offsite, suitable facilities. If spills occur, prompt cleanup is required to minimize any commingling of waste materials with stormwater runoff. Routine maintenance will be limited to fueling and lubrication of equipment. Drip pans will be used during routine fueling and maintenance to contain spills or leaks. Any waste product from maintenance will be containerized and transported offsite for disposal or recycling. There will be no major equipment overhauls conducted onsite. Equipment will be transported offsite for major overhauls. Cleanup of trash and discarded materials will be conducted at the end of each work day. Cleanup will consist of patrolling the roadway, access areas, and other work areas to pick up trash, scrap debris, other discarded materials, and any contaminated soil. These materials will be disposed of properly.

Total: 3 comment(s)