## **FORM** 2

## State of Colorado



| ET | OE | ES |
|----|----|----|
|    |    |    |

| 12/05  |     |  |  |  |  |  |
|--|-----|--|--|--|--|--|
| APPLICATION FOR PERMIT TO:  Document Number:   |     |  |  |  |  |  |
| 1.   |     |  |  |  |  |  |
| 2. TYPE OF WELL Refiling PluggingBond Sure   | yID |  |  |  |  |  |
| OIL GAS COALBED OTHER Sidetrack 20040083   |     |  |  |  |  |  |
| SINGLE ZONE MULTIPLE COMMINGLE   |     |  |  |  |  |  |
| 3. Name of Operator: PIONEER NATURAL RESOURCES USA INC 4. COGCC Operator Number: 10084   |     |  |  |  |  |  |
| 5. Address: <u>1401 17TH ST STE 1200</u>   |     |  |  |  |  |  |
| City:DENVER State:CO Zip:80202   |     |  |  |  |  |  |
| 6. Contact Name: Judy Glinisty Phone: (303)675-2658 Fax: (303)294-1275   |     |  |  |  |  |  |
| Email: Judy.Glinisty@pxd.com  Well Number: 33.17   |     |  |  |  |  |  |
| 7. Well Name: Hunter Well Number: 22-17 8. Unit Name (if appl): N/A Unit Number: N/A   |     |  |  |  |  |  |
| 9. Proposed Total Measured Depth: 2675   |     |  |  |  |  |  |
|  | =   |  |  |  |  |  |
| WELL LOCATION INFORMATION  |     |  |  |  |  |  |
| 10. QtrQtr: SE/NW Sec: 17 Twp: 33S Rng: 67W Meridian: 6  |     |  |  |  |  |  |
| Latitude:37.173800 Longitude:104.913310 FNL/FSL FEL/FWL  |     |  |  |  |  |  |
| Find Follows Footage at Surface: 1912 feet FNL 1966 feet FWL   |     |  |  |  |  |  |
| 11. Field Name: Purgatoire River Field Number: 70830   |     |  |  |  |  |  |
| 12. Ground Elevation: 7740 13. County: LAS ANIMAS  |     |  |  |  |  |  |
| 14. GPS Data:  | 一   |  |  |  |  |  |
| Date of Measurement: 11/04/2010 PDOP Reading: 4.2 Instrument Operator's Name: Ryan Coberly   |     |  |  |  |  |  |
|  |     |  |  |  |  |  |
| 45 If well is To Directional To Havingartal / Linkby deviated Country deviated drilling plan   |     |  |  |  |  |  |
| 15. If well is Directional Horizontal (highly deviated) submit deviated drilling plan.   |     |  |  |  |  |  |
| 15. If well is Directional Horizontal (highly deviated) submit deviated drilling plan.  Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  |     |  |  |  |  |  |
|  |     |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:   |     |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:  16. Is location in a high density area? (Rule 603b)? Yes No  |     |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:   | t   |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:  16. Is location in a high density area? (Rule 603b)? Yes No  17. Distance to the nearest building, public road, above ground utility or railroad: 550 ft  18. Distance to nearest property line: 557 ft 19. Distance to nearest well permitted/completed in the same formation: 1310   | t   |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:  16. Is location in a high density area? (Rule 603b)? Yes No  17. Distance to the nearest building, public road, above ground utility or railroad: 550 ft  18. Distance to nearest property line: 557 ft 19. Distance to nearest well permitted/completed in the same formation: 1310   |     |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:  16. Is location in a high density area? (Rule 603b)?   |     |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:  16. Is location in a high density area? (Rule 603b)? Yes No  17. Distance to the nearest building, public road, above ground utility or railroad: 550 ft  18. Distance to nearest property line: 557 ft 19. Distance to nearest well permitted/completed in the same formation: 1310  20.  |     |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:  16. Is location in a high density area? (Rule 603b)? Yes No  17. Distance to the nearest building, public road, above ground utility or railroad: 550 ft  18. Distance to nearest property line: 557 ft 19. Distance to nearest well permitted/completed in the same formation: 1310  20.  |     |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:  16. Is location in a high density area? (Rule 603b)? No  17. Distance to the nearest building, public road, above ground utility or railroad: 550 ft  18. Distance to nearest property line: 557 ft 19. Distance to nearest well permitted/completed in the same formation: 1310  20. LEASE, SPACING AND POOLING INFORMATION  Objective Formation(s) Formation Code Spacing Order Number(s) Unit Acreage Assigned to Well Unit Configuration (N/2, SE/4, et RATON/VERMEJO RT-VJ  |     |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:  16. Is location in a high density area? (Rule 603b)? Yes No  17. Distance to the nearest building, public road, above ground utility or railroad: 550 ft  18. Distance to nearest property line: 557 ft 19. Distance to nearest well permitted/completed in the same formation: 1310   |     |  |  |  |  |  |
| Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL  Sec: Twp: Rng: Sec: Twp: Rng:  16. Is location in a high density area? (Rule 603b)? No  17. Distance to the nearest building, public road, above ground utility or railroad: 550 ft  18. Distance to nearest property line: 557 ft 19. Distance to nearest well permitted/completed in the same formation: 1310  20. LEASE, SPACING AND POOLING INFORMATION  Objective Formation(s) Formation Code Spacing Order Number(s) Unit Acreage Assigned to Well Unit Configuration (N/2, SE/4, eleation of the same formation).  21. Mineral Ownership: Fee State Federal Indian Lease #:  22. Surface Ownership: Fee State Federal Indian |     |  |  |  |  |  |

|   |               | ec, Twp, Rng form   |                | re mineral lease de   | escription upon    | which this prop   | osed wellsite                     | is         |
|---|---------------|---------------------|----------------|-----------------------|--------------------|-------------------|-----------------------------------|------------|
| SEE ATTACHE   | D             |                     |                |                       |                    |                   |                                   |            |
| 25. Distance to   | Nearest Min   | eral Lease Line:    | 1763 ft        | 2                     | 6. Total Acres in  | n Lease:          | 1160                              |            |
|   |               | DF                  | RILLING PL     | ANS AND PROC          | EDURES             |                   |                                   | _          |
| 27. Is H2S ant  | icipated?     | Yes                 | X              | lo If Yes, attacl     | h contingency p    | lan.              |                                   |            |
| 28. Will salt se  | ctions be enc | ountered during dr  | illing?        | Yes                   | <b>⋉</b> No        |                   |                                   |            |
| 29. Will salt (>  | 15,000 ppm T  | DS CL) or oil base  | ed muds be u   | sed during drilling   | ? <u> </u>         | es 👿 No           |                                   |            |
| 30. If questions 28 or 29 are yes, is this location in a sensitive area (Rule 901.e)?   |               |                     |                |                       |                    |                   |                                   |            |
| 31. Mud dispos  | sal:          | Offsite X On        | site           |                       |                    |                   | 8, 29, or 30 are<br>mit may be re |            |
| Method:   | Land Farm     | ing 🔲 La            | and Spreadin   | g Disp                | osal Facility      | Other:            | DRILLING PIT                      | -          |
| Note: The use   | of an earthen | pit for Recompleti  | on fluids requ | uires a pit permit (F | Rule 905b). If air | r/gas drilling, n | otify local fire                  | officials. |
| Casing Type   | Size of Hole  | Size of Casing      | Wt/Ft          | Csg/Liner Top         | Setting Depth      | Sacks Cmt         | Cmt Btm                           | Cmt Top    |
| CONDUCTOR   | 12+3/4        | 12+3/4              | 33.38          | 0                     | 6                  |                   |                                   |            |
| SURF  | 11            | 8+5/8               | 24             | 0                     | 880                | 184               | 880                               | 0          |
| 1ST   | 7+7/8         | 5+1/2               | 15.5           | 0                     | 2,675              | 396               | 2,675                             | 0          |
| 32. BOP Equip   |               | Annular Pre         |                | Double Ra             | am 🔽 F             | Rotating Head     | No                                | ne         |
| 33. Comments  | The condu     | ctor casing will be | hammered in    | า.                    |                    |                   |                                   | _          |
| 35. Is this application in a Comprehensive Drilling Plan? Yes No 36. Is this application part of submitted Oil and Gas Location Assessment? Yes No I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.  Signed: Print Name: Judy Glinisty  Title: Sr. Engineering Tech Date: 7/8/2011 Email: Judy.Glinisty@pxd.com |               |                     |                |                       |                    |                   |                                   |            |
| Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.  COGCC Approved:  Director of COGCC Date: 8/19/2011  API NUMBER  05 071 09885 00  CONDITIONS OF APPROVAL, IF ANY:  |               |                     |                |                       |                    |                   |                                   |            |
| All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.                     |               |                     |                |                       |                    |                   |                                   |            |

- 1) Provide 48 hour notice of MIRU to John Duran at 719-846-4715.
- 2) Provide cement coverage of production casing from TD to surface casing shoe or above. Verify coverage with cement bond log.
- 3) Do not perforate above 1000' (200' below WW's w/in ¼ mi Rcpt #0520248).

Comment

4) Immediately cease operations and notify the COGCC in the event of any operational problem that could impact water wells in the area.

## **Attachment Check List**

| Att Doc Num | Name                    |
|-------------|-------------------------|
| 400183442   | FORM 2 SUBMITTED        |
| 400183455   | 30 DAY NOTICE LETTER    |
| 400183469   | LEGAL/LEASE DESCRIPTION |
| 400183470   | CONSULT NOTICE          |
| 400183471   | WELL LOCATION PLAT      |

Total Attach: 5 Files

## **General Comments**

| User Group     | Comment    | <b>Comment Date</b> |
|----------------|------------|---------------------|
|                |            |                     |
| Total: 0 comme | ent(s)     |                     |
|                | <u>BMP</u> |                     |

Total: 0 comment(s)

<u>Type</u>