

# CEMENT JOB REPORT



CUSTOMER CONTINENTAL RESOURCES I		DATE 31-AUG-11	F.R. # 1001848982	SERV. SUPV. CHRISTOPHER M MCKEON	
LEASE & WELL NAME MARCONI #1-1H - API 05123336920000		LOCATION 1-7N-62W		COUNTY-PARISH-BLOCK Weld Colorado	
DISTRICT Brighton		DRILLING CONTRACTOR RIG #		TYPE OF JOB Surface	
SIZE & TYPE OF PLUGS		LIST-CSG-HARDWARE		PHYSICAL SLURRY PROPERTIES	
Cement Plug, Rubber, Top 9-5/8 in		Centralizer, with Pins, 9-5/8 in		SACKS OF CEMENT	SLURRY WGT PPG
		Float Collar, Auto Fill, 9-5/8 - 8rd		SLURRY YLD FT <sup>3</sup>	WATER GPS
MATERIALS FURNISHED BY BJ				PUMP TIME HR:MIN	Bbl SLURRY
					Bbl MIX WATER
Fresh Water				0	10
SealBond				0	15
Type III Cement				184	52.43
Type III Cement				71	12.08
Fresh Water				0	39.43
Class G Cement				100	11.92
Available Mix Water 200 Bbl.		Available Displ. Fluid 200 Bbl.		TOTAL	172.38 76.43
HOLE		TBG-CSG-D.P.		COLLAR DEPTHS	
SIZE	% EXCESS	DEPTH	SIZE	WGT.	TYPE
13.5	75	558	9.625	36	CSG
				554	J-55
LAST CASING		PKR-CMT RET-BR PL-LINER		PERF. DEPTH	
SIZE	WGT	TYPE	DEPTH	TOP	BTM
		OPEN HOLE	No Packer	0	0
DISPL. VOLUME		DISPL. FLUID		MAX TBG PSI	
VOLUME	UOM	TYPE	WGT.	RATED	Operator
39.4	BBLS	Fresh Water	8.34	2816	1000
				Rig Tank	
Circulation Prior to Job					
Circulated Well: Rig <input checked="" type="checkbox"/> BJ <input type="checkbox"/>			Circulation Time: 1		
Mud Density In: 8.5 LBS/GAL			PV & YP Mud In: 0		
Mud Density Out: 8.5 LBS/GAL			PV & YP Mud Out: 0		
Gas Present: NO <input checked="" type="checkbox"/> YES <input type="checkbox"/> Units:			Solids Present at End of Circulation: NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>		
Displacement And Mud Removal					
Displaced By: Rig <input type="checkbox"/> BJ <input type="checkbox"/>			Amount Bled Back After Job: .75 BBLS		
Returns During Job: <input type="checkbox"/> NONE <input type="checkbox"/> PARTIAL <input checked="" type="checkbox"/> FULL			Method Used to Verify Returns: Visual		
Cement Returns at Surface: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO			Were Returns Planned at Surface: <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES		
Pipe Movement: <input type="checkbox"/> ROTATION <input type="checkbox"/> RECIPROCATION <input checked="" type="checkbox"/> NONE <input type="checkbox"/> UNABLE DUE TO STUCK PIPE					
Centralizers: <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES			Quantity: 4		
			Type: <input checked="" type="checkbox"/> BOW <input type="checkbox"/> RIGID		
Job Pumped Through: <input type="checkbox"/> CHOKE MANIFOLD <input type="checkbox"/> SQUEEZE MANIFOLD <input checked="" type="checkbox"/> MANIFOLD <input type="checkbox"/> NO MANIFOLD					
Plugs					
Number of Attempts by BJ: 0			Wiper Balls Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES		
Plug Catcher Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES			Parabow Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES		
Was There a Bottom: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES			Top of Plug: 0 FT		
			Bottom of Plug: 0 FT		
Squeezes (Update Original Treatment Report for Primary Job)					
BLOCK SQUEEZE <input type="checkbox"/> SHOE SQUEEZE <input type="checkbox"/> TOP OF LINER SQUEEZE <input type="checkbox"/> PLANNED <input type="checkbox"/> UNPLANNED <input type="checkbox"/>					
Liner Packer: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES					
Bond Log: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES					
PSI Applied: 0					
Fluid Weight: 0 LBS/GAL					
Casing Test (Update Original Treatment Report for Primary Job)					
Casing Test Pressure: 0 PSI					
With 0 LBS/GAL Mud					
Time Held: 00 Hours 00 Minutes					
EXPLANATION: TROUBLE SETTING TOOL, RUNNING CSG, ETC. PRIOR TO CEMENTING: NA					
PRESSURE/RATE DETAIL				EXPLANATION	



# CEMENT JOB REPORT




## Shoe Test (Update Original Treatment Report for Primary Job)

Depth Drilled out of Shoe: 0 FT Target EMW: 0 LBS/GAL Actual EMW: 0 LBS/GAL  
 Number of Times Tests Conducted: 0 Mud Weight When Test was Conducted: 0 LBS/GAL

Problems Before Job (I.E. Running Casing, Circulating Well, ETC)  
 NA

Problems During Job (I.E. Lost Returns, Equipment Failure, Bulk Delivery, Foaming, ETC)  
 NA

Problems After Job (I.E. Gas at Surface, Float Equipment Failed, ETC)  
 NA

PRESSURE/RATE DETAIL						EXPLANATION	
TIME HR:MIN.	PRESSURE - PSI		RATE BPM	Bbl. FLUID PUMPED	FLUID TYPE	SAFETY MEETING: BJ CREW <input checked="" type="checkbox"/> CO. REP. <input checked="" type="checkbox"/>	
	PIPE	ANNULUS				TEST LINES 3328 PSI	
						CIRCULATING WELL - RIG <input checked="" type="checkbox"/> BJ <input type="checkbox"/>	
07:20	0	0	0	0	NA	Rig up safety meeting	
11:50	0	0	0	0	NA	Pre job safety meeting	
12:10	0	0	0	0	H2O	Test Mix Water	
12:14	472	0	0	0	H2O	Low pressure test	
12:17	3328	0	0	0	H2O	High pressure test	
12:22	36	0	4.1	10	H2O	Fresh water spacer	
12:25	41	0	4.1	15	H2O	Seal Bond Spacer	
12:31	217	0	4.5	66	CMT	Batch up, weigh and pump 184 sx. Type III Cement + 0.04% Static Free + 0.25 lbs/sack Cello Flake + 0.01 gps FP-6L + 2.5% SM @ 12.5 ppg.	
12:47	189	0	4.2	19	CMT	Batch up, weigh and pump 71 sx. Type III Cement + 0.04% Static Free + 1% Calcium Chloride + 0.25 lbs/sack Cello Flake + 0.2% FL-25 + 0.01 gps FP-6L @ 14.3 ppg.	
12:53	0	0	0	0	NA	Drop plug	
12:55	125	0	5.6	15	H2O	Start Displacement	
12:59	140	0	4.1	15	H2O	Rate change	
13:02	155	0	2.6	4	H2O	Rate change	
13:04	179	0	1.3	5.5	H2O	Rate change	
13:08	190	0	1.3	0	H2O	Bump plug	
13:11	828	0	0	0	NA	Plug down/ Check floats	
13:30	0	0	0	0	NA	Rig down safety meeting	
BUMPED PLUG <input type="checkbox"/> Y <input type="checkbox"/> N		PSI TO BUMP PLUG 190		TEST FLOAT EQUIP. <input type="checkbox"/> Y <input type="checkbox"/> N		BBL.CMT RETURNS/ REVERSED 22	
TOTAL BBL. PUMPED 149.5		PSI LEFT ON CSG 0		SPOT TOP OUT CEMENT <input type="checkbox"/> Y <input type="checkbox"/> N		Service Supervisor Signature: 	

X 



BJ Services JobMaster Program Version 3.50  
Job Number: 1001848982  
Customer: Continental Resources  
Well Name: Marconi 1-1H

