

FORM
5A

Rev
06/12

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400313094

Date Received:

08/06/2012

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 100322
2. Name of Operator: NOBLE ENERGY INC
3. Address: 1625 BROADWAY STE 2200
City: DENVER State: CO Zip: 80202
4. Contact Name: Andrea Rawson
Phone: (303) 228-4253
Fax: (303) 228-4286

5. API Number 05-123-23641-00
6. County: WELD
7. Well Name: STEVE J
Well Number: 18-15
8. Location: QtrQtr: SWSE Section: 18 Township: 5N Range: 66W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: CODELL Status: COMMINGLED Treatment Type: FRACTURE STIMULATION

Treatment Date: 11/09/2011 End Date: 11/09/2011 Date of First Production this formation: 07/23/2006

Perforations Top: 7525 Bottom: 7541 No. Holes: 64 Hole size: 0.42

Provide a brief summary of the formation treatment: Open Hole: ☐

Re-Frac'd Codell w/ 143650 gals of Slick Water, Vistar, and 15% HCl with 239096#'s of Ottawa sand.

This formation is commingled with another formation: ☒ Yes ☐ No

Total fluid used in treatment (bbl): 3420 Max pressure during treatment (psi): 4491

Total gas used in treatment (mcf): 0 Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft): 0.86

Total acid used in treatment (bbl): Number of staged intervals: 7

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback: RECYCLE

Total proppant used (lbs): 239096 Rule 805 green completion techniques were utilized: ☒

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: NIOBARRA-CODELL Status: PRODUCING Treatment Type: _____

Treatment Date: 11/09/2011 End Date: 11/09/2011 Date of First Production this formation: _____

Perforations Top: 7209 Bottom: 7541 No. Holes: 144 Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole: ☐

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: 12/23/2011 Hours: 24 Bbl oil: 5 Mcf Gas: 110 Bbl H2O: 8

Calculated 24 hour rate: Bbl oil: 5 Mcf Gas: 110 Bbl H2O: 8 GOR: 22000

Test Method: Flowing Casing PSI: 570 Tubing PSI: 350 Choke Size: 16/64

Gas Disposition: SOLD Gas Type: WET Btu Gas: 1265 API Gravity Oil: 58

Tubing Size: 2 + 3/8 Tubing Setting Depth: 7508 Tbg setting date: 12/03/2011 Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Perfs should have been 7209 per operator. Made the coorection.	10/23/2012 9:53:35 AM
Permit	Perfs are above the top of the Niobrara. Document is on hold pending sundry to change the top.	10/22/2012 1:51:59 PM

Total: 2 comment(s)