



FIELD RECEIPT NO. 10011029382

CUSTOMER BAYSWATER EXPLORATION & PRODUCTION				CREDIT APPROVAL NO.	PURCHASE ORDER NO.	CUSTOMER NUMBER 20007918 - 00244714	INVOICE NUMBER			
MAIL INVOICE TO		STREET OR BOX NUMBER 730 17TH ST, STE 610			CITY DENVER	STATE Colorado	ZIP CODE 80202			
DATE WORK COMPLETED	MO. 11	DAY 23	YEAR 2013	BHI REPRESENTATIVE STEPHEN J CARDOS	WELL API NO: 05123380560000	WELL TYPE : New Well				
DISTRICT BJS, BRIGHTON				JOB DEPTH(ft) 0		WELL CLASS : Gas				
WELL NAME AND NUMBER STALEY #25-7				TD WELL DEPTH(ft) 0		GAS USED ON JOB : No Gas				
WELL LOCATION :		LEGAL DESCRIPTION 7-6N-67W		COUNTY/PARISH Weld	STATE Colorado	JOB TYPE CODE : Surface				
PRODUCT CODE	DESCRIPTION			UNIT OF MEASURE	QUANTITY	LIST PRICE UNIT	GROSS AMOUNT	% DISC.	NET AMOUNT	
100112	Calcium Chloride			lbs	489					
100112	Calcium Chloride			lbs	250					
100295	Cello Flake			lbs	65					
100404	Sodium Chloride			lbs	150					
488019	FP-8L			gals	3					
499632	Granulated Sugar			lbs	50					
499680	Static Free			lbs	21					
499703	Type III Cement			sacks	260					
	SUB-TOTAL FOR Product Material									
A152	Personnel Per Diem Chrg - Cement Svc			ea	1					
M100	Bulk Materials Blending Charge			cu ft	285					
	SUB-TOTAL FOR Service Charges									
ARRIVE LOCATION :	MO.	DAY	YEAR	TIME	SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER.				SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER.	
CUSTOMER REP. DON PATTON					CUSTOMER AUTHORIZED AGENT				X	
SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS									BHI APPROVED	



FIELD RECEIPT NO. 10011029382

CUSTOMER BAYSWATER EXPLORATION & PRODUCTION				CREDIT APPROVAL NO.	PURCHASE ORDER NO.	CUSTOMER NUMBER 20007918 - 00244714	INVOICE NUMBER			
MAIL INVOICE TO		STREET OR BOX NUMBER 730 17TH ST, STE 610			CITY DENVER		STATE Colorado	ZIP CODE 80202		
DATE WORK COMPLETED	MO. 11	DAY 23	YEAR 2013	BHI REPRESENTATIVE STEPHEN J CARDOS	WELL API NO: 05123380560000	WELL TYPE : New Well				
DISTRICT BJS, BRIGHTON				JOB DEPTH(ft) 0		WELL CLASS : Gas				
WELL NAME AND NUMBER STALEY #25-7				TD WELL DEPTH(ft) 0		GAS USED ON JOB : No Gas				
WELL LOCATION :		LEGAL DESCRIPTION 7-6N-67W	COUNTY/PARISH Weld	STATE Colorado		JOB TYPE CODE : Surface				
PRODUCT CODE	DESCRIPTION				UNIT OF MEASURE	QUANTITY	LIST PRICE UNIT	GROSS AMOUNT	% DISC.	NET AMOUNT
F053A	Cement Pumping, 0 - 1000 ft				4hrs	1				
F090	Fuel per pump charge - cement				pump/hr	2				
J050	Cement Head				job	1				
J225	Data Acquisition, Cement, Standard				job	1				
J390	Mileage, Heavy Vehicle				miles	100				
J391	Mileage, Auto, Pick-Up or Treating Van				miles	100				
	SUB-TOTAL FOR Equipment									
J401	Bulk Delivery, Dry Products				ton-mi	637				
	SUB-TOTAL FOR Freight/Delivery Charges									
	FIELD ESTIMATE									
ARRIVE LOCATION :	MO.	DAY	YEAR	TIME	SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER.			SERVICE RECEIPT: I CERTIFY THAT THE MATERIALS AND SERVICES LISTED WERE RECEIVED AND ALL SERVICES PERFORMED IN A WORKMANLIKE MANNER.		
CUSTOMER REP. DON PATTON					CUSTOMER AUTHORIZED AGENT			X		
SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS								BHI APPROVED		

CEMENT JOB REPORT



CUSTOMER BAYSWATER EXPLORATION,		DATE 23-NOV-13	F.R. # 10011029382	SERV. SUPV. STEPHEN J CARDOS										
LEASE & WELL NAME STALEY #25-7 - API 05123380560000		LOCATION 7-6N-67W		COUNTY-PARISH-BLOCK Weld Colorado										
DISTRICT Brighton		DRILLING CONTRACTOR RIG # Ensign 122		TYPE OF JOB Surface										
SIZE & TYPE OF PLUGS		LIST-CSG-HARDWARE		MECHANICAL BARRIERS		MD	TVD	HANGER TYPES	MD	TVD				
Cement Plug, Rubber, Top 8-5/8 in		Cement Basket, Slip On, 8-5/8 in		N/A		0	0	N/A	0	0				
		Centralizer, with Pins, 8-5/8 in												
		Float Collar, Auto Fill, 8-5/8 - 8rd												
		Float Shoe 8-5/8 - 8rd												
MATERIALS FURNISHED BY BJ				PHYSICAL SLURRY PROPERTIES										
				LAB REPORT NO.	SACKS OF CEMENT	SLURRY WGT PPG	SLURRY YLD FT³	WATER GPS	PUMP TIME HR:MIN	Bbl SLURRY	Bbl MIX WATER			
Fresh Water				N/A	0	8.34	0	0	00:00	37.26				
Fresh Water + Dye				N/A	0	8.34	0	0	00:00	10				
TypeIII + Adds				N/A	239	14.5	1.41	6.82	02:30	60.09	38.84			
Available Mix Water 500		Bbl.		Available Displ. Fluid 500		Bbl.		TOTAL		107.35	38.84			
HOLE			TBG-CSG-D.P.							COLLAR DEPTHS				
SIZE	% EXCESS	DEPTH	ID	OD	WGT.	TYPE	MD	TVD	GRADE	SHOE	FLOAT	STAGE		
12.25	25	625	8.097	8.625	24	CSG	625	625	J-55	647	605	0		
LAST CASING				PKR-CMT RET-BR PL-LINER				PERF. DEPTH		TOP CONN		WELL FLUID		
ID	OD	WGT	TYPE	MD	TVD	BRAND & TYPE		DEPTH	TOP	BTM	SIZE	THREAD	TYPE	WGT.
						NO PACKER		0			8.625	8RND	WATER BASED	8.4
DISPL. VOLUME		DISPL. FLUID		CAL. PSI	CAL. MAX PSI	OP. MAX	MAX TBG PSI		MAX CSG PSI		MIX WATER			
VOLUME	UOM	TYPE	WGT.	BUMP PLUG	TO REV.	SQ. PSI	RATED	Operator	RATED	Operator				
37.5	BBLs	Fresh Water	8.34	0	0	0	0	0	3930	3000	RIG TANK			
Circulation Prior to Job														
Circulated Well: Rig <input checked="" type="checkbox"/> BJ <input type="checkbox"/>				Circulation Time: 1				Circulation Rate: 7 BPM						
Mud Density In: 8.4 LBS/GAL				Mud Density Out: 8.4 LBS/GAL				PV & YP Mud In: 0				PV & YP Mud Out: 0		
Gas Present: NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>				Units:				Solids Present at End of Circulation: NO <input checked="" type="checkbox"/> YES <input type="checkbox"/>						
Displacement And Mud Removal														
Displaced By: Rig <input type="checkbox"/> BJ <input checked="" type="checkbox"/>				Amount Bled Back After Job: 1 BBLs										
Returns During Job: <input type="checkbox"/> NONE <input type="checkbox"/> PARTIAL <input checked="" type="checkbox"/> FULL				Method Used to Verify Returns: VISUAL										
Cement Returns at Surface: <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO				Were Returns Planned at Surface: <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES										
Pipe Movement: <input type="checkbox"/> ROTATION <input type="checkbox"/> RECIPROICATION <input checked="" type="checkbox"/> NONE <input type="checkbox"/> UNABLE DUE TO STUCK PIPE														
Centralizers: <input type="checkbox"/> NO <input checked="" type="checkbox"/> YES				Quantity: 6				Type: <input checked="" type="checkbox"/> BOW <input type="checkbox"/> RIGID						
Job Pumped Through: <input type="checkbox"/> CHOKE MANIFOLD <input type="checkbox"/> SQUEEZE MANIFOLD <input checked="" type="checkbox"/> MANIFOLD <input type="checkbox"/> NO MANIFOLD														
Plugs														
Number of Attempts by BJ: 0				Competition: 0				Wiper Balls Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES					Quantity:	
Plug Catcher Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES				Parabow Used: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES										
Was There a Bottom: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES				Top of Plug: 0 FT				Bottom of Plug: 0 FT						
Squeezes (Update Original Treatment Report for Primary Job)														
BLOCK SQUEEZE <input type="checkbox"/>				SHOE SQUEEZE <input type="checkbox"/>				TOP OF LINER SQUEEZE <input type="checkbox"/>				PLANNED <input type="checkbox"/> UNPLANNED <input checked="" type="checkbox"/>		
Liner Packer: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES				Bond Log: <input checked="" type="checkbox"/> NO <input type="checkbox"/> YES				PSI Applied: 0		Fluid Weight: 0 LBS/GAL				
Casing Test (Update Original Treatment Report for Primary Job)														
Casing Test Pressure: 0 PSI				With 0 LBS/GAL Mud				Time Held: 00 Hours 00 Minutes						
EXPLANATION: TROUBLE SETTING TOOL, RUNNING CSG, ETC. PRIOR TO CEMENTING: NONE														

CEMENT JOB REPORT



Shoe Test (Update Original Treatment Report for Primary Job)

Depth Drilled out of Shoe: 0 FT Target EMW: 0 LBS/GAL Actual EMW: 0 LBS/GAL
 Number of Times Tests Conducted: 0 Mud Weight When Test was Conducted: 0 LBS/GAL

Problems Before Job (I.E. Running Casing, Circulating Well, ETC)
 NONE

Problems During Job (I.E. Lost Returns, Equipment Failure, Bulk Delivery, Foaming, ETC)
 NONE

Problems After Job (I.E. Gas at Surface, Float Equipment Failed, ETC)
 NONE

PRESSURE/RATE DETAIL						EXPLANATION	
TIME HR:MIN.	PRESSURE - PSI		RATE BPM	Bbl. FLUID PUMPED	FLUID TYPE	SAFETY MEETING: BJ CREW <input checked="" type="checkbox"/> CO. REP. <input checked="" type="checkbox"/>	
	PIPE	ANNULUS				TEST LINES	4157 PSI
						CIRCULATING WELL - RIG <input checked="" type="checkbox"/> BJ <input type="checkbox"/>	
20:30	0	0	0	0	N/A	YARD CALL	
23:30	0	0	0	0	N/A	LEAVE YARD	
00:50	0	0	0	0	N/A	ARRIVE ON LOCATION	
02:00	0	0	0	0	N/A	SPOT TRUCKS	
02:05	0	0	0	0	N/A	PRE RIG UP SAFETY MEETING	
02:49	0	0	0	0	N/A	SAFETY MEETING	
03:18	4157	0	0	0	H2O	PRESSURE TEST	
03:26	228	0	3.6	10	H2O	FRESH SPACER	
03:34	203	0	3.6	10	H2O	DYED SPACER	
03:36	126	0	2.4	62	CMT	BATCH/WEIGH/PUMP 14.5 LB CEMENT	
04:07	0	0	0	0	H2O	DOWN/RELEASE PLUG	
04:14	326	0	3.6	37.5	H2O	DISPLACEMENT	
04:26	1733	0	0	0	H2O	BUMP PLUG	
04:28	254	0	0	0	H2O	CLOSED IN 254 PSI ON CASING PER DON PATTON	
04:30	0	0	0	0	H2O	BLEED OFF PRESSURE ON TREATING IRON/JOB DONE	

BUMPED PLUG	PSI TO BUMP PLUG	TEST FLOAT EQUIP.	BBL.CMT RETURNS/ REVERSED	TOTAL BBL. PUMPED	PSI LEFT ON CSG	SPOT TOP OUT CEMENT	Service Supervisor Signature:
<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	1733	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	5	114	254	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	

