

FORM INSP
Rev 05/11

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:
09/17/2014

Document Number:
666800071

Overall Inspection:
SATISFACTORY

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>263198</u>	<u>335058</u>	<u>Murray, Richard</u>	<input type="checkbox"/>	

Operator Information:

OGCC Operator Number: 100185

Name of Operator: ENCANA OIL & GAS (USA) INC

Address: 370 17TH ST STE 1700

City: DENVER State: CO Zip: 80202-

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Kellerby, Shaun		shaun.kellerby@state.co.us	
Andrews, Dave		david.andrews@state.co.us	
Krabacher, Jay		jay.krabacher@state.co.us	
Contact, General		cogcc.inspections@encana.com	

Compliance Summary:

QtrQtr: NWSE Sec: 24 Twp: 6S Range: 93W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
06/09/2011	200312727	PR	PR	SATISFACTORY			No
11/01/2010	200282151	PR	PR	SATISFACTORY			No
04/06/2006	200088865	PR	PR	SATISFACTORY	I	Pass	No
03/14/2006	200087453	PR	PR	ACTION REQUIRED	I	Fail	Yes
03/14/2006	200087434	PR	PR	SATISFACTORY	I	Pass	No
09/04/2003	200048566	PR	PR	SATISFACTORY		Pass	No

Inspector Comment:

Bradenhead Test

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
263197	WELL	PR	09/26/2002	GW	045-08105	ALP 24-16B1 (J24NW)	PR	<input type="checkbox"/>
263198	WELL	PR	07/12/2012	GW	045-08106	GMU 24-15B1(J24NW)	PR	<input checked="" type="checkbox"/>
263199	WELL	PR	09/24/2002	GW	045-08107	GMU 24-10A1(J24NW)	PR	<input type="checkbox"/>
263200	WELL	PR	09/13/2012	GW	045-08108	ALP 24-9B1(J24NW)	PR	<input type="checkbox"/>
271505	WELL	PR	09/13/2012	GW	045-09895	ALP 24-1C(J24NW)	PR	<input type="checkbox"/>
271506	WELL	PR	06/09/2004	GW	045-09894	ALP 24-5A(J24NW)	PR	<input type="checkbox"/>
430873	WELL	PR	02/04/2014	OW	045-21801	Alp Federal 24-12AA (J24NW)	PR	<input type="checkbox"/>

Inspector Name: Murray, Richard

430874	WELL	PR	02/04/2014	OW	045-21802	Alp Fee 24-6AA (J24NW)	PR	
430875	WELL	PR	01/14/2014	GW	045-21803	ALP Fee 24-3D (J24NW)	PR	
430876	WELL	PR	01/12/2014	GW	045-21804	ALP FEE 24-3A (J24NW)	PR	
430877	WELL	PR	01/12/2014	GW	045-21805	ALP Fee 24-6A (J24NW)	PR	
430878	WELL	PR	02/04/2014	OW	045-21806	ALP Fee 24-5D (J24NW)	PR	
430879	WELL	PR	01/11/2014	GW	045-21807	ALP FEE 24-2C (J24NW)	PR	
430880	WELL	PR	01/05/2014	GW	045-21808	ALP Fee 24-12A (J24NW)	PR	
430881	WELL	PR	02/04/2014	OW	045-21809	ALP Fee 24-6B (J24NW)	PR	
430882	WELL	PR	01/02/2014	OW	045-21810	ALP FEE 24-12D (J24NW)	PR	

Equipment: Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>16</u>	Production Pits: _____
Condensate Tanks: <u>10</u>	Water Tanks: _____	Separators: <u>16</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: <u>1</u>
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: <u>1</u>	Flare: <u>1</u>	Fuel Tanks: _____

Location

Emergency Contact Number (S/A/V): SATISFACTORY Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Venting:

Yes/No	Comment

Flaring:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 263198

Site Preparation:
 Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/A/V: _____
 Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	Initiated/Completed OGLA Form 2A review on 10-24-12 by Dave Kubeczko; placed fluid containment, spill/release BMPs, moisture content cuttings, and flowback to tanks COAs on Form 2A on 10-24-12; passed by CPW on 10-05-12 with operator submitted BMPs acceptable; passed OGLA Form 2A review on 11-05-12 by Dave Kubeczko; fluid containment, spill/release BMPs, moisture content cuttings, and flowback to tanks COAs.	10/24/2012
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface or buried pipelines.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations (as shown on the Proposed BMPs attachment); including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>The moisture content of any cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p>	10/24/2012

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Construction	<p>(Not all are used all the time)</p> <p>Terminal Containment, Diversions, Run-On Protection, Tracking, Benching, Terracing, ECM (Erosion Control Mulch), ECB (Erosion Control Blanket), Check Dams, Seeding, Mulching, Water Bars, Stabilized Unpaved Surfaces (Gravel), Stormwater & Snow Storage Containment, Scheduling, Phased Construction, Temporary Flumes, Culverts with inlet & outlet protection, Rip Rap, TRM (Turf Reinforcement Mats), Maintenance, Scheduling, Phased Construction, Fueling BMP's, Waste Management BMP's, Materials Handling BMP's</p>

Wildlife	<p>Minimize the number, length and footprint of oil & gas development roads Use existing routes where possible Combine utility infrastructure planning (gas, electric & water) when possible with roadway planning to avoid separate utility corridors Coordinate Employee transport when possible</p> <p>Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors. Maximize use of state-of-the-art drilling technology (e.g., high efficiency rigs, coiled-tubing unit rigs, closed-loop or pitless drilling, etc.) to minimize disturbance.</p> <p>Reclaim mule deer and elk habitats with native shrubs, grasses, and forbs appropriate to the ecological site disturbed.</p>
Final Reclamation	<p>Maintenance Revegetation Monitoring BMP maintenance & monitoring Weed Management</p>
Pre-Construction	<p>Wattles, Silt Fence, Vegetation Buffers, Slash, Topsoil Windrows (diversions & ROP's), Scheduling, Phased Construction</p>

S/AV: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 263198 Type: WELL API Number: 045-08106 Status: PR Insp. Status: PR

BradenHead

Comment: Well was bleed down within 24 hours of start of bradenhead test. Start of test pressure on Bradenhead was over 200 PSI. No fluid came to surface. Tubbing start and stop pressure 394 and 403, Casing start and stop pressure 554 and 558

CA: _____

CA Date: _____

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

Lat _____ Long _____

DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Debris removed? _____ CM _____

CA _____ CA Date _____

Waste Material Onsite? _____ CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? _____ CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? _____ CM _____

CA _____ CA Date _____

Guy line anchors removed? _____ CM _____

CA _____ CA Date _____

Guy line anchors marked? _____ CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____
 1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____
 Cuttings management: _____
 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____
 Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/A/V: _____ Corrective Date: _____

Comment: _____

CA: _____

Pits: NO SURFACE INDICATION OF PIT

COGCC Comments

Comment	User	Date	
Bradenhead Test	murrayr	09/17/2014	