

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>400839434</b>			
Date Received: <b>06/11/2015</b>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>96850</u>	Contact Name <u>Reed Haddock</u>	Complete the Attachment Checklist  OP OGCC
Name of Operator: <u>WPX ENERGY ROCKY MOUNTAIN LLC</u>	Phone: <u>(303) 606-4086</u>	
Address: <u>1001 17TH STREET - SUITE #1200</u>	Fax: <u>(303) 629-8268</u>	
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u> Email: <u>Angela.Neifert-Kraiser@wpxenergy.com</u>		
API Number : 05- <u>045</u> <u>22787</u> <u>00</u>	OGCC Facility ID Number: <u>159708</u>	Survey Plat
Well/Facility Name: <u>Federal RU</u>	Well/Facility Number: <u>14-5</u>	Directional Survey
Location QtrQtr: <u>NENW</u> Section: <u>8</u> Township: <u>7S</u> Range: <u>93W</u> Meridian: <u>6</u>		Srvc Eqpmt Diagram
County: <u>GARFIELD</u> Field Name: <u>RULISON</u>		Technical Info Page
Federal, Indian or State Lease Number: <u>COC41916</u>		Other

**CHANGE OF LOCATION OR AS BUILT GPS REPORT**

☒ Change of Location \* ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

\* Well location change requires new plat. A substantive surface location change may require new Form 2A.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude 39.465445 PDOP Reading 1.8 Date of Measurement 05/28/2015  
Longitude -107.800935 GPS Instrument Operator's Name J KIRKPATRICK

**LOCATION CHANGE (all measurements in Feet)**

Well will be: DIRECTIONAL (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From** Exterior Section Lines:

Change of **Surface** Footage **To** Exterior Section Lines:

Current **Surface** Location **From** QtrQtr NENW Sec 8

New **Surface** Location **To** QtrQtr NENW Sec 8

Change of **Top of Productive Zone** Footage **From** Exterior Section Lines:

Change of **Top of Productive Zone** Footage **To** Exterior Section Lines:

Current **Top of Productive Zone** Location **From** Sec 5

New **Top of Productive Zone** Location **To** Sec 5

Change of **Bottomhole** Footage **From** Exterior Section Lines:

Change of **Bottomhole** Footage **To** Exterior Section Lines:

Current **Bottomhole** Location Sec 5 Twp 7S

New **Bottomhole** Location Sec 5 Twp 7S

Is location in High Density Area? No

Distance, in feet, to nearest building 5280, public road: 4877, above ground utility: 1049, railroad: 5280,  
property line: 669, lease line: 495, well in same formation: 378

Ground Elevation 7738 feet Surface owner consultation date \_\_\_\_\_

FNL/FSL		FEL/FWL	
614	FNL	1926	FWL
643	FNL	1888	FWL
Twp <u>7S</u>	Range <u>93W</u>	Meridian <u>6</u>	
Twp <u>7S</u>	Range <u>93W</u>	Meridian <u>6</u>	
401	FSL	872	FWL
489	FSL	667	FWL
Twp <u>7S</u>	Range <u>93W</u>		
Twp <u>7S</u>	Range <u>93W</u>		
401	FSL	872	FWL
489	FSL	677	FWL
Range <u>93W</u>			
Range <u>93W</u>			

\*\* attach deviated drilling plan

**CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT**

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>
WILLIAMS FORK	WMFK	139-76	403	Sec 5 ALL

**OTHER CHANGES**

☐ **REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

☐ **CHANGE OF WELL, FACILITY OR OIL & GAS LOCATION NAME OR NUMBER**

From: Name FEDERAL RU Number 14-5 Effective Date: \_\_\_\_\_

To: Name \_\_\_\_\_ Number \_\_\_\_\_

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 905)

☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 908)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

☐ **REQUEST FOR CONFIDENTIAL STATUS**

☐ **DIGITAL WELL LOG UPLOAD**

☐ **DOCUMENTS SUBMITTED** Purpose of Submission: \_\_\_\_\_

**RECLAMATION****INTERIM RECLAMATION**

☐ Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

**FINAL RECLAMATION**

☐ Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

#### ENGINEERING AND ENVIRONMENTAL WORK

##### ☐ NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below or provide as an attachment, as required by Rule 319.b.(3).

Date well temporarily abandoned \_\_\_\_\_ Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required if shut in longer than 2 years. Date of last MIT \_\_\_\_\_

☐ SPUD DATE: \_\_\_\_\_

#### TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ NOTICE OF INTENT Approximate Start Date 06/25/2015

☐ REPORT OF WORK DONE Date Work Completed \_\_\_\_\_

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> Intent to Recomplete (Form 2 also required) | <input type="checkbox"/> Request to Vent or Flare   | <input type="checkbox"/> E&P Waste Mangement Plan      |
| <input checked="" type="checkbox"/> Change Drilling Plan             | <input type="checkbox"/> Repair Well  | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change                       | <input type="checkbox"/> Rule 502 variance requested. Must provide detailed info regarding request. |  |
| <input type="checkbox"/> Other _____                                 | <input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases          |  |

#### COMMENTS:

The SHL AND BHL has moved. Attached find revised location plat, directional plot and plan, and the casing/cement data has been revised along with a revised TD.

#### CASING AND CEMENTING CHANGES

Casing Type	Size	Of	/	Hole	Size	Of	/	Casing	Wt/Ft	Csg/LinTop	Setting Depth	Sacks of Cement	Cement Bottom	Cement Top
Conductor casing	26				18				48#	0	60	25	60	0
Surface String	13	1		2	9	5		8	32.3#	0	1200	315	1200	0
First String	8	3		4	4	1		2	11.6#	0	10292	973	10292	6362

#### H2S REPORTING

**Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.**

**Gas Analysis Report must be attached.**

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

## **Best Management Practices**

<b><u>No</u></b>	<b><u>BMP/COA Type</u></b>	<b><u>Description</u></b>
1	Planning	<p>WPX will run triple-combo open hole logs from well TD up to base of surface casing on one of the first wells drilled on a multi-well pad. Remaining wells on the pad will be logged with either cased hole pulsed neutron or triple-combo open hole. Every well will also have a CBL log from well TD up through well surface. Form 5 Completion Reports will identify wells on the pad with triple-combo open hole logs.</p>
2	Planning	<p>Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas.</p> <ul style="list-style-type: none"> <li>* Minimize newly planned activities and operations within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river.</li> <li>* Locate roads outside of drainages where possible and outside of riparian habitat.</li> <li>* Avoid constructing any road segment in the channel of an intermittent or perennial stream</li> <li>* Minimize the number, length, and footprint of oil and gas development roads</li> <li>* Use existing roads where possible</li> <li>* Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors</li> <li>* Combine and share roads to minimize habitat fragmentation</li> <li>* Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development</li> </ul> <p>Place roads to avoid obstructions to migratory routes for wildlife, and to avoid displacement of wildlife from public to private lands.</p> <ul style="list-style-type: none"> <li>* Maximize the use of directional drilling to minimize habitat loss/fragmentation</li> <li>* Maximize use of long-term centralized tank batteries to minimize traffic</li> <li>* Maximize use of remote completion/frac operations to minimize traffic</li> <li>* Maximize use of remote telemetry for well monitoring to minimize traffic</li> </ul>
3	Drilling/Completion Operations	<p>Use centralized hydraulic fracturing operations.</p> <ul style="list-style-type: none"> <li>* Install and maintain adequate measures to exclude all types of wildlife (e.g., big game, birds, and small rodents) from all fluid pits (e.g., fencing, netting, and other appropriate exclusion measures).</li> <li>* Conduct well completions with drilling operations to limit the number of rig moves and traffic.</li> </ul>
4	Interim Reclamation	<p>Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements</p> <ul style="list-style-type: none"> <li>* Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife</li> <li>* WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeded and reclamation of disturbed areas.</li> <li>* Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings.</li> <li>* Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.</li> </ul>

Total: 4 comment(s)

Signed: \_\_\_\_\_ Print Name: Angela Neifert-Kraiser

Title: Regulatory Specialist Email: Angela.Neifert-Kraiser@wpxenergy.com Date: 6/11/2015

COGCC Approved: KRABACHER, JAY Date: 6/15/2015

### Description

	ensure that cement quantity is sufficient to result in TOC > 200' above Ohio Creek fm top
--	---

**Comment Date**

Engineer	changed cement TD also from 10192 to 10292	6/15/2015 12:25:32 PM
Permit	Corrected typo in the TD from 10192 to 10292 as per opr.	6/12/2015 10:05:36 AM

Total: 2 comment(s)

**Name**

400839434	FORM 4 SUBMITTED
400852634	DIRECTIONAL DATA
400852635	DEVIATED DRILLING PLAN
400852637	WELL LOCATION PLAT

Total Attach: 4 Files