

668-671

ROCK SPRINGS
WATER ANALYSIS

02143776

Casey Condos
TO Cathy Flansburg
FIELD Hiawatha

081-05541

081-05563
100516

ANALYSIS Tomok

100520
1005210 100447
081-05579

081-05555/668

X 669

670

671

WELL
pH
F. Wilson #10 8.16
F. Wilson #12 4.65
F. Wilson #18 7.00
F. Wilson #20 2.97

Resistivity

Ohm meters F

CATIONS

Sodium, Na 806 ppm 381 ppm 12,500 ppm 3,180 ppm
Calcium, Ca 13 ppm 101 ppm 1760 ppm 5,800 ppm
Magnesium, Mg 1 ppm 9 ppm 656 ppm 1,239 ppm
Barium, Ba

ANIONS

Chloride, Cl 850 ppm 650 ppm 24,500 ppm 22,000 ppm
Sulfate, SO₄ 0 ppm 140 ppm 0 ppm 38 ppm
Carbonate, CO₃ 0 ppm 0 ppm 0 ppm 0 ppm
Bicarbonate, HCO₃ 1100 ppm 400 ppm 30,000 ppm 3,000 ppm

TOTAL DISSOLVED SOLID 2777 ppm 1681 ppm 69,422 ppm 36,797 ppm

Iron, Fe 1 ppm 2 ppm 6 ppm 1540 ppm

Manganese, Mn

REMARKS

SAMPLE
NOT ENTERED -
TOO FAINT

BEST IMAGE AVAILABLE

DEC 21 1995