

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 401047823			
Date Received: 05/16/2016			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>100322</u>	Contact Name <u>Julie Webb</u>
Name of Operator: <u>NOBLE ENERGY INC</u>	Phone: <u>(720) 587-2223</u>
Address: <u>1625 BROADWAY STE 2200</u>	Fax: <u>()</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>jwebb@progressivepcs.net</u>

Complete the Attachment
Checklist

OP OGCC

API Number : 05- <u>123</u> <u>40818</u> <u>00</u>	OGCC Facility ID Number: <u>440378</u>
Well/Facility Name: <u>REAGAN</u>	Well/Facility Number: <u>LD06-685</u>
Location QtrQtr: <u>NENE</u> Section: <u>5</u> Township: <u>9N</u> Range: <u>58W</u> Meridian: <u>6</u>	
County: <u>WELD</u> Field Name: <u>WILDCAT</u>	
Federal, Indian or State Lease Number: <u></u>	

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- 1 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- 3 Number of Water Source Exceptions requested per Rule 609.c.
- 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☒ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Pre_Drill Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose
540818	752911	10/13/2014	608P1
540818	752911	10/13/2014	608P1
535074	752911	08/13/2013	609Pre
535074	752911	08/13/2013	609Pre

<u>COMMENTS</u>	
	<p>Noble requests an exception to Rule 609 for the Reagan LD06-685 well pad. There is one previously sampled water well within a 1/2 mile of this location. DWR Receipt # 277149.</p> <p>This exception request applies to the following wells on the pad: Reagan LD06-675 123-40819 Reagan LD06-685 123-40818</p>

This exception request applies to the following wells on the pad:
Reagan LD06-675 123-40819
Reagan LD06-685 123-40818

--

Signed: _____ Print Name: Julie Webb _____
Title: Senior Regulatory Analyst Email: jwebb@progressivepcs.net Date: 5/16/2016

COGCC Approved: <u>KOEPSSELL, ARTHUR</u>	Date: 5/23/2016
--	-----------------

--	--

Total: 3 comment(s)

401047823	FORM 4 SUBMITTED
-----------	------------------