

"These interpretations and analyses ("Interpretations") are opinions provided by Baker Hughes Oilfield Operations, Inc ("Baker Hughes"), based upon industry practice, empirical relationships, assumptions and measurements, (many of which may be provided by the customer). The Interpretations are not infallible and may be subject to different opinions. Thus, Baker Hughes does not warrant their accuracy, correctness, or completeness, or that the customer's and/or any third party's reliance on such Interpretations will accomplish any particular results. The customer assumes full responsibility for the use of the Interpretations and for decisions based thereon and the customer agrees to release, defend and indemnify Baker Hughes, its parent, subsidiaries and affiliated or related entities, and subcontractors, together with its and their officers, directors, employees, agents and invitees against, any and all claims, losses, damages, or expenses sustained by the customer or any third party arising out of reliance upon or use of the Interpretations, without regard to the cause(s) thereof, including without limitation any form of negligence on the part of Baker Hughes. Unless other contract terms have been agreed to by the parties, each party's liabilities and obligations shall be governed by Baker Hughes Incorporated's Worldwide Terms and Conditions."

Mud Properties Record											
Date / Time	Run No.	Measured Depth (ft)	Mud Type	Density (ppg)	Viscosity (cP)	pH	Fluid Loss (cm3)	Oil / Water	Source	Total Chlorides (ppm)	K+ (%)
2017-02-28 21:10	1	1912.00	Diesel-Oil Based Mud	9.2	55	N/A	26.0	89/11	Active Pit	16500	0.00
2017-03-01 05:00	2	2505.00	Diesel-Oil Based Mud	9.0	44	N/A	18.0	87.4/12.6	Active Pit	16500	0.00
2017-03-02 05:00	2	8273.00	Diesel-Oil Based Mud	9.0	41	N/A	17.0	88.5/11.5	Active Pit	17500	0.00

Equipment and Service Data		Wellbore Data					
Run No.	Tool	Serial Number	Measurement	Sensor Offset (ft)	Bit Offset (ft)	Max O.D. (in)	Min I.D. (in)
1	ATC_SU	12194649	Near Bit VSS	5.93	6.73	7.000	2.250
1	ATC_SU	12194649	Near Bit Inclination	5.93	6.73	7.000	2.250
1	ATC_MWD	12271697	Gamma (single)	2.76	12.90	7.000	2.250
1	ATC_MWD	12271697	Directional (mag)	12.28	22.42	7.000	2.250







