

LEGEND:

- 90° SYMBOL
- PROPOSED WELLHEAD.
- ENTRY POINT.
- BTM PERF.
- TARGET BOTTOM HOLE.
- SECTION CORNERS LOCATED. (NAD 83)

1994 Alum. Cap,
#25937, 0.6'
Below Ground
Lat: 40.029501°
Long: 104.772743°

1993 Alum. Cap,
#13155, 0.8'
Below Ground
Lat: 40.029513°
Long: 104.763314°

1997 Alum. Cap,
#13155, 0.5'
Below Ground in
Center of Road
Lat: 40.029559°
Long: 104.753874°

1995 Alum. Cap,
#13482, 0.5'
Below Ground
Lat: 40.022229°
Long: 104.772721°

1991 Alum. Cap,
#25937, 0.5'
Below Ground
Lat: 40.022213°
Long: 104.753871°

1987 Alum. Cap,
#12330, 0.8'
Below Ground in
Monument Box
Lat: 40.014958°
Long: 104.772697°

1995 Alum. Cap,
#13482, 0.5'
Below Ground
Lat: 40.014974°
Long: 104.763214°

1996 Alum. Cap,
#23027, 0.4'
Below Ground in
Monument Box
Lat: 40.015026°
Long: 104.753901°

1995 Alum. Cap,
#13482, 1.5'
Below Ground
Lat: 40.007704°
Long: 104.772690°

2015 Alum. Cap,
#38175, 1.0'
Below Ground
Lat: 40.007760°
Long: 104.753869°

T1N
T1S

2005 Alum. Cap,
#36060, 0.8'
Below Ground in
Monument Box
Lat: 40.000464°
Long: 104.772691°

2013 Alum. Cap,
#38345
Lat: 40.000492°
Long: 104.763249°

2002 Alum. Cap,
#13155, 1.3'
Below Ground in
Monument Box
Lat: 40.000492°
Long: 104.753837°

Weld Co.
Adams Co.

LINE TABLE		
LINE	DIRECTION	LENGTH
L1	S01°04'54"E	834.83'
L2	N89°25'39"E	100.00'

S89°45'31"W - 2641.13' (Meas.) S89°29'08"W - 2644.20' (Meas.)

N00°16'49"W - 2649.88' (Meas.)

N00°10'36"W - 2676.60' (Meas.)

N00°17'09"W - 2649.45' (Meas.)

N00°01'37"E - 2618.75' (Meas.)

N00°11'30"W - 2643.02' (Meas.)

N00°21'16"W - 2647.66' (Meas.)

N00°08'27"W - 2638.00' (Meas.)

N00°21'05"W - 2648.04' (Meas.)

S89°42'30"W - 2646.02' (Meas.) S89°46'00"W - 2637.37' (Meas.)



PDOP = 1.2

NAD 83 (SURFACE LOCATION)	NAD 83 (ENTRY POINT)	NAD 83 (BTM PERF)	NAD 83 (TARGET BOTTOM HOLE)
LATITUDE = 40°00'57.02" (40.015838°)	LATITUDE = 40°00'48.77" (40.013547°)	LATITUDE = 40°00'48.97" (40.013603°)	LATITUDE = 40°00'48.98" (40.013605°)
LONGITUDE = 104°46'15.97" (104.771103°)	LONGITUDE = 104°46'15.80" (104.771054°)	LONGITUDE = 104°45'20.06" (104.755522°)	LONGITUDE = 104°45'18.78" (104.755215°)
NAD 27 (SURFACE LOCATION)	NAD 27 (ENTRY POINT)	NAD 27 (BTM PERF)	NAD 27 (TARGET BOTTOM HOLE)
LATITUDE = 40°00'57.08" (40.015855°)	LATITUDE = 40°00'48.83" (40.013564°)	LATITUDE = 40°00'49.03" (40.013620°)	LATITUDE = 40°00'49.04" (40.013622°)
LONGITUDE = 104°46'14.08" (104.770577°)	LONGITUDE = 104°46'13.90" (104.770528°)	LONGITUDE = 104°45'18.17" (104.755047°)	LONGITUDE = 104°45'16.88" (104.754690°)

BASIS OF BEARINGS

TRANSVERSE MERCATOR PROJECTION WITH A CENTRAL MERIDIAN OF W105°00'00".

BASIS OF ELEVATION

OPUS SOLUTION GENERATED NAVD 88



UELS, LLC
Corporate Office * 85 South 200 East
Vernal, UT 84078 * (435) 789-1017



GREAT WESTERN OPERATING COMPANY

RAEL KE 34-039HN
SW 1/4 SW 1/4, SECTION 27, T1N, R66W, 6th P.M.
WELD COUNTY, COLORADO

SURVEYED BY	MATTHEW MILLER, N.W.	05-10-18	SCALE
DRAWN BY	K.B.	05-22-18	1" = 1000'

WELL LOCATION PLAT

CERTIFICATE
THIS IS TO CERTIFY THAT THE ABOVE SURVEY WAS MADE IN ACCORDANCE WITH THE NOTES OF ACTUAL SURVEYS MADE IN THE FIELD UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

