

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

402130443

Date Received:

08/28/2019

FIR RESOLUTION FORM

Overall Status: CAC

CA Summary:

2 of 2 CAs from the FIR responded to on this Form

2 CA Completed
0 Factual Review Request

OPERATOR INFORMATION

OGCC Operator Number: 69175

Name of Operator: PDC ENERGY INC

Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

Contact Name and Telephone:

Name: _____

Phone: () _____ Fax: () _____

Email: _____

Additional Operator Contact:

Contact Name

Phone

Email

Tyranny Bergin

970-313-5547

EHSCOGCCInspections@pdce.com

COGCC INSPECTION SUMMARY:

FIR Document Number: 679601218

Inspection Date: 07/24/2019

FIR Submit Date: 07/24/2019

FIR Status: _____

Inspected Operator Information:

Company Name: PDC ENERGY INC

Company Number: 69175

Address: 1775 SHERMAN STREET - STE 3000

City: DENVER State: CO Zip: 80203

LOCATION - Location ID: 425284

Location Name: Leffler Number: 1i-HZ Pad County: _____

Qtrqr: SWS Sec: 1 Twp: 6N Range: 66W Meridian: 6
W

Latitude: 40.510820 Longitude: -104.733530

FACILITY - API Number: 05-123- -00 Facility ID: 425284

Facility Name: Leffler Number: 1i-HZ Pad

Qtrqr: SWS Sec: 1 Twp: 6N Range: 66W Meridian: 6
W

Latitude: 40.510820 Longitude: -104.733530

CORRECTIVE ACTIONS:

1 ☒ CA# 128479

Corrective Action: Install sign to comply with Rule 210.d.

Date: 08/24/2019

Response: CA COMPLETED

Date of Completion: 07/31/2019

Operator Comment: New stickers have been placed on the tanks to make them more visible. CA complete.

COGCC Decision: Approved pending re-inspection

COGCC
Representative:

2 ☒ CA# 128480

Corrective Action: Comply with Rule 603.f.

Date: 08/24/2019

Response: CA COMPLETED

Date of Completion: 07/31/2019

Operator Comment: The parts inside the treater shed are necessary to run the location. It has been organized and picked up to clean up the treater house. Picture has been attached. CA complete.

COGCC Decision: Approved pending re-inspection

COGCC
Representative:

OPERATOR COMMENT AND SUBMITTAL

Comment: New stickers have been placed on the tanks to make them more visible. CA complete. The parts inside the treater shed are necessary to run the location. It has been organized and picked up to clean up the treater house. Picture has been attached. CA complete.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct, and complete.

Print Name: Tyranny Bergin

Signed: _____

Title: EHS Coordinator

Date: 8/28/2019 3:10:18 PM

ATTACHMENT LIST

View Attachments in Imaged Documents on COGCC website (<http://ogccweblink.state.co.us/>) - Search by Document Number.

<u>Document Number</u>	<u>Description</u>
402130443	FIR RESOLUTION SUBMITTED
402160402	Leffler Treater Shed - Post Clean Up

Total Attach: 2 Files