

APACHE CANYON 06-14 API# 05-071-08321 – OGRIS OPERATING
OGCC OPERATOR NUMBER 10758 - DATE: APRIL 14, 2021
CORRECTIVE ACTIONS COMPLETED REGARDING COGCC FIR DOCUMENT # 690201355



PHOTO 1: THE ROAD SURFACE WAS CROWNED TO CREATE SHEET FLOW AND ELIMINATE THE TIRE RUTS. ADDITIONAL GRAVEL WAS ADDED TO THE ROADWAY SURFACE FOR STABILIZATION.

APACHE CANYON 06-14 API# 05-071-08321 – OGRIS OPERATING
OGCC OPERATOR NUMBER 10758 - DATE: APRIL 14, 2021
CORRECTIVE ACTIONS COMPLETED REGARDING COGCC FIR DOCUMENT # 690201355



PHOTO 2: THE ROAD SURFACE WAS CROWNED TO CREATE SHEET FLOW AND ELIMINATE THE TIRE RUTS. STORMWATER RUN OFF FROM THE ACCESS ROAD IS DIRECTED TO THE EXISTING ARMORED CALL OUT WHICH IS UPGRADIENT OF A CULVERT ON THE MAIN ROAD.

APACHE CANYON 06-14 API# 05-071-08321 – OGRIS OPERATING
OGCC OPERATOR NUMBER 10758 - DATE: APRIL 14, 2021
CORRECTIVE ACTIONS COMPLETED REGARDING COGCC FIR DOCUMENT # 690201355



PHOTO 3: THE ARMORED CALL OUT DIRECTS RUN OFF FROM THE WELL PAD ACCESS ROAD TO A GRASSY SWELL WHICH WILL ALLOW SEDIMENT TIME TO DROP OUT. AFTER PONDING, RUN OFF WILL THEN ENTER A GALVANIZED CULVERT THAT CROSSES THE MAIN LEASE ROAD IN ALAMOSITO CANYON.

APACHE CANYON 06-14 API# 05-071-08321 – OGRIS OPERATING
OGCC OPERATOR NUMBER 10758 - DATE: SEPTEMBER 10, 2021
CORRECTIVE ACTIONS COMPLETED REGARDING COGCC FIR DOCUMENT # 690201355



PHOTO 4: THE LEAK ON THE LIQUID RING COMPRESSOR WAS REPAIRED. THE SKID AND THE IMPACTED SOIL WAS CLEANED UP AND REMOVED FROM LOCATION. THE SELF-INSPECTION PROCESS HAS BEEN REVIEWED.