

103-40292


9-330

Supplementary Log of Jack White Drilling Company  
Operations

NOTED - FINNEGAN

Budget Bureau No. 42-R355.4.  
Approval expires 12-31-60.


U. S. LAND OFFICE Denver  
SERIAL NUMBER 033804B  
LEASE OR PERMIT TO PROSPECT \_\_\_\_\_



LOCATE WELL CORRECTLY



UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY



LOG OF OIL OR GAS WELL

Company Jack White Drilling Company Address Phoenix, Arizona  
Lessor or Tract Newton Oil Company Field Rangely State Colorado  
Well No. 6 Sec 11 T. 1N R. 102W Meridian 6th P.M. County Rio Blanco  
Location 1050 ft. N. of S Line and 1050 ft. E. of E Line of Sec. 11 Elevation \_\_\_\_\_  
(Derrick floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed O.M. Hegwer Title \_\_\_\_\_

Date \_\_\_\_\_

The summary on this page is for the condition of the well at above date.

Commenced drilling May 28, 1957 Finished drilling June 8, 1957

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from None to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 5, from \_\_\_\_\_ to \_\_\_\_\_  
No. 3, from \_\_\_\_\_ to \_\_\_\_\_ No. 6, from \_\_\_\_\_ to \_\_\_\_\_

IMPORTANT WATER SANDS

No. 1, from None to \_\_\_\_\_ No. 3, from \_\_\_\_\_ to \_\_\_\_\_  
No. 2, from \_\_\_\_\_ to \_\_\_\_\_ No. 4, from \_\_\_\_\_ to \_\_\_\_\_

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From—	To—	

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used



## PLUGS AND ADAPTERS

Heaving plug—Material Cement Length 25 feet Depth set 0 to 25 feet

Adapters—Material \_\_\_\_\_ Size \_\_\_\_\_

## SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

## TOOLS USED

Rotary tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

Cable tools were used from \_\_\_\_\_ feet to \_\_\_\_\_ feet, and from \_\_\_\_\_ feet to \_\_\_\_\_ feet

## DATES

\_\_\_\_\_, 19\_\_\_\_ Put to producing \_\_\_\_\_, 19\_\_\_\_

The production for the first 24 hours was \_\_\_\_\_ barrels of fluid of which \_\_\_\_\_% was oil; \_\_\_\_\_% emulsion; \_\_\_\_\_% water; and \_\_\_\_\_% sediment. Gravity, °Bé. \_\_\_\_\_

If gas well, cu. ft. per 24 hours \_\_\_\_\_ Gallons gasoline per 1,000 cu. ft. of gas \_\_\_\_\_

Rock pressure, lbs. per sq. in. \_\_\_\_\_

## EMPLOYEES

\_\_\_\_\_, Driller \_\_\_\_\_, Driller

\_\_\_\_\_, Driller \_\_\_\_\_, Driller

## FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
Moved Rig on well on 5-28-57 to attempt recovery of fish (five - 25' drill collars). Joured Cone bit upside down on top of drill collars. Could not recover drill collars abandoned well June 8, 1957.			